

เอกสารอ้างอิง

- กนพ ลิขิตของนวัตกรรม อุดมยา หนักแก้ว อัมรรัตน์ พงศ์คุรา วิไภวรรณ โ祐ติกีรติ พรรณี อัศวรี-
-รัตนกุลชาญ โนรุวิส พิพัทธ์ เชียงหลิว เกรียงชัย ชนรักษ์ และ อรรัตน์ วงศ์ศรี. 2546. การ
จำแนกปาล์มน้ำมันโดยใช้ไมโครแทคเทลไลท์ นิวเคลียร์ยีน และอาร์เอฟดี การประชุมทาง
วิชาการและเทคโนโลยีแห่งประเทศไทย (วทท.) ครั้งที่ 29. กรุงเทพมหานคร
- ธีระ เอกสมทรามย์ชัย ชัยรัตน์ นิลนนท์ ธีระพงศ์ จันทรนิยม ประกิจ ทองคำ และวรรณ เลี้ยวาริน.
2546.คู่มือปาล์มน้ำมันและการจัดสวน. คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลา
นครินทร์ อ. หาดใหญ่ จ. สงขลา
- อัมรรัตน์ พงศ์คุรา โ祐ติกีรติ อินพฤกษ์ พรรณี ไทยทีวี วิไภวรรณ โ祐ติกีรติ และสมปอง เตชะโต.
2535. การจำแนกพันธุ์ปาล์มน้ำมันด้วยดีเอ็นเอ DNA Typing of Oil Palm. ภาควิชาชีวเคมี
คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- อุดมยา หนักแก้ว นิตินา อยู่คงแก้ว กนพ ลิขิตของนวัตกรรม วิไภวรรณ โ祐ติกีรติ พรรณี อัศวรี-
-รัตนกุล และ อัมรรัตน์ พงศ์คุรา. 2544. การโคลน SSR แบบ (CA)_n จากปาล์มน้ำมัน. การ
ประชุมทางวิชาการและเทคโนโลยีแห่งประเทศไทย (วทท.) ครั้งที่ 27. สงขลา
- Bailey, C. D., and Doyle, J.J. 1999. Potential Phylogenetic Utility of the Low-Copy Nuclear
Genepistillata in Dicotyledonous Plants: Comparison to nrDNA ITS and trnL Intron in
Sphaerocardamum and Other Brassicaceae. Molecular Phylogenetics and Evolution 13:
20-30.
- Berger, K.G. and Ong, S.H. 1985. The industrial uses of palm and coconut oil, Oleagineux 40:
613-621.
- Billotte, N., Risterucci, A.M., Barcelos, E., Noyer, J.L., Amblard, P. and Baurens, F.C. 2001.
Development and Characterisation of Oil Palm (*Elaeis guineensis* Jacq.) Microsatellite
Markers. Gemome 44: 413-425.
- Blanchard, C.Z., ChapmanSmith, A., Wallace, J.C., Waldrop, G.L. 1999. The biotin domain
peptide from the biotin carboxyl carrier protein of *Escherichia coli* acetyl-CoA
carboxylase causes a marked increase in the catalytic efficiency of biotin carboxylase and
carboxyltransferase relative to free biotin. J. Biol. Chem. 274: 3176-3179.
- Blanchard, C.Z. and Waldrop, G.L. 1998. Overexpression and Kinetic Characterization of the
Carboxyltransferase Component of Acetyl-CoA Carboxylase. J.Biol.Chem .273:1914-

19120.

- Browse, J., Roughan, P.G. and Slack, C.R. 1981. Light control of fatty acid synthesis and diurnal fluctuations of fatty acid composition in leaves. Biochem. J. 196: 347-354.
- Bustin, A. S. 2000. Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. J. Molecular Endocrinology 25: 169-193.
- Chowdhury, M.K.U., Parveez, G.K.A. and Saleh, N.M. 1997. Evaluation of five promoters for use in transformation of oil palm (*Elaeis guineensis* Jacq.) Plant Cell Rep. 16: 277-281.
- Charles, D.J. and Cherry, J.H. 1986. Purification and characterization of acetyl - coA carboxylase from developing soybean seeds. Phytochemistry 25:1 067-1071.
- Choi-Rhee, E. and Cronan, J.E. 2003. The biotin carboxylasebiotin carboxyl carrier protein complex of *Escherichia coli* acetyl CoA carboxylase. J Biol Chem. 278:30806-30812.
- Cronan, J.E. Jr. and Waldrop, G.L. 2002. Multisubunit acetyl CoA carboxylases. Prog Lipid Res. 41: 407-435.
- Davis, M.S., Solbiati, J. and Cronan, J.E. 2000. Overproduction of acetyl CoA carboxylase activity increases the rate of fatty acid biosynthesis in *Escherichia coli*. J. Biol. Chem. 275: 28593-28598.
- Doyle, J.J. and Doyle, J.L. 1990. Isolation of Plant DNA from Fresh Tissue. Focus 12: 13-15.
- Eastmond, P.J., Germain, V., Lange, P.R., Bryce, J.H., Smith, S.M. and Graham, I.A. 2000. Postgerminative growth and lipid catabolism in oilseeds lacking the glyoxylate cycle. Proc. Natl. Acad. Sci. 10: 5669-5674.
- Eastmond, P.J. and Rawsthorne, S. 2000. Coordinate changes in carbon partitioning and plastidial metabolism during the development of oilseed rape embryo. Plant Physiol. 122: 767-774.
- Edward, K.J. 1998. Ramdomly Amplified Polymorphic DNAs (RAPDs). In Molecular Tools for Screening Biodiversity Plants and animals, A. Karp et.al. (Eds), p.171-179. Great Britain at the niversity Press. UK.
- Egli, M.A., Gengenbach, B.G., Gronwald, J.W., Somers, D.A. and Wyse, D.L. 1993. Characterization of maize acetyl coenzyme A carboxylase. Plant Physiol. 101: 499-506.
- Elborough, K.M., Winz, R., Deka, R.K., Markham, J.E., White, A.J., Rawsthorne, S. and Slabas, A.R. 1996. Biotin carboxyl carrier protein and carboxyltransferase subunits of the

- multisubunit form of acetyl CoA carboxylase from *Brassica napus*: Cloning and analysis of expression during oilseed rape embryogenesis. Biochem.J. 315: 103-112.
- Garland, S.H., Lewin, L., Abedinia, M., Henry, R. and Blakeney, A. 1999. The use of microsatellite polymorphisms for the identification of Australian breeding lines of rice (*Oryza sativa* L.). Euphytica 108: 53-63.
- Gornicki, P., Scappino, A.L. and Haselkorn, R. 1993. Genes for two subunits of acetyl coenzyme A carboxylase of *Anabaena* sp. strain PCC 7120: biotincarboxylase and biotin carboxyl carrier protein. J. Bacteriol. 175: 5268-5272.
- Gornicki, P., Podkowinski, J., Scappino, L.A., DiMaio, J., Ward, E. and Haselkorn, R. 1994. Wheat acetyl CoA carboxylase: cDNA and protein structure. Proc. Natl. Acad. Sci. 91: 6860-6864.
- Gornicki, P., Faris, J., King, I., Podkowinski, J., Gill, B. and Haselkorn, R. 1997. Plastid-localized acetyl CoA carboxylase of bread wheat is encoded by a single gene on each of the three ancestral chromosome sets. Proc. Natl. Acad. Sci. 94: 14179-14185.
- Graham, I.A., Smith, L.M., Brown, J.W.S., Leaver, C.J. and Smith, S.M. 1989. The malate synthase gene of cucumber. Plant Molecular Biology 13: 673-684.
- Graham, S.A. 1989. *Cuphea*: a new plant source of medium-chain fatty acids. Crit. Rev. Food. Sci. Nutr. 28: 139-173.
- Guchhait, R.B., Polakis, S.E., Hollis, D., Fenselau, C. and Lane, M.D. 1974. Acetyl coenzyme A carboxylase system of *Escherichia coli*. Site of carboxylation of biotin and enzymatic reactivity of 1'-N-(ureido)-carboxybiotin derivatives. J. Biol. Chem. 249: 6646-6656.
- Hardon, J.J. 1969. Interspecific hybrids in the genus *Elaeis*. II Vegetative growth and yield of F1 hybrids *E. guineensis* x *E. oleifera*. Euphytica. 18: 380-388.
- Hardon, J.J. and Tan, G.Y. 1969. Interspecific hybrids in the genus *Elaeis*. In Crossability, cytogenetics and fertility of F1 hybrids *E. guineensis* x *E. oleifera*. Euphytica 18: 372-379.
- Hanahan, D. 1983. Studies on transformation of *Escherichia coli* with plasmids. Mol. Biol. 166: 557-580.
- Hamilton, M.B., Pincus, E.L., Di-Fiore, A. and Fleischer, R.C. 1999. Universal linker and ligation

- procedures for construction of genomic DNA libraries enriched for microsatellites. *Biotechniques* 27:500-2, 504-7.
- Hare, M.P. 2001. Prospects for nuclear gene phyogeography. *Trend in Ecology and Evolution* 16: 700-706.
- Hayati, A., Wickneswari, R., Maizura, I. and Rajanaidu , N. 2004. Genetic diversity of oil palm (*Elaeis guineensis* Jacq.) germplasm collections from Africa: implications for improvement and conservation of genetic resources. *Theor.Appl.Genet.* 108: 1274-1284.
- Holmes, D.S. and Quiqley, M. 1981. A rapid boiling method for the preparation of bacterial plasmids. *Anal. Biochem.* 114:193.
- Ishikawa, H., Watano, Y., Kano, K., Ito, M. and Kurita S. 2002. Development of primer sets for PCR amplification of the PgiC gene in ferns. *J. plant Res.* 115: 65-70.
- Jack, P.L., Dimitrijevic, T.A.F. and Mayes, S. 1995. Assessment of nuclear, mitochondrial and chloroplast RFLP markers in oil palm (*Elaeis guineensis* Jacq.). *Theor.appl.genet.* 90: 643-649.
- James, E.S. and Cronan, J.E. 2004. Expression of two *Escherichia coli* acetyl CoA carboxylase subunits is autoregulated. *J Biol Chem.* 279: 2520-2527.
- Judd, W.S., Campbell, C.S., Kellogg, E.A. and Stevens, P.E. 1999. *Plant Systematic Approach*. Massachusetts: Sinauer Associates Inc.
- Kannangara, C.G. and Stumpt, P.K. 1972. Fat metabolism in higher plants. IV. A procaryotic type acetyl CoA carboxylase in spinach chloroplasts. *Arch. Biochem. Biophys.* 152 : 83-91.
- Ke, J., Wen, T.N., Nikolau, B.J. and Wurtele, E.S. 2000. Coordinate regulation of the nuclear and plastidic genes coding for the subunits of the heteromeric acetyl-coenzyme A carboxylase. *Plant Physiol.* 122: 1057-1071.
- Kozaki, A., Kamada, K., Nagano, Y., Iguchi, H. and Sasaki, Y. 2000. Recombinant carboxyltransferase responsive to redox of pea plastidic acetyl CoA carboxylase. *J Biol Chem.* 275: 10702-10708.
- Kularatne, R.S., Shah, F.H. and Rajanaidu, N. 2000. Oil Palm Genetic Resources and Their Utilization. In International Symposium on Oil Palm Genetic Resources & Utilization.
- Lane, M.D., Moss, J. and Polakis, S.E. 1974. Acetyl coenzyme A carboxylase. *Curr. Top. Cell Regul.* 8: 139-195.

- Lewis, E.C. and Doyle, J.J. 2001. Phylogenetic Utility of the Nuclear Gene Malate Synthase in the Palm Family (*Arecaceae*). *Molecular Phylogenetics and Evolution* 19: 409–420.
- Li, S. J. and Cronan, J.E.Jr. 1993. Growth rate regulation of *Escherichia coli* acetyl coenzyme A carboxylase, which catalyzes the first committed step of lipid biosynthesis. *J. Bacteriol.* 175: 332-340.
- Li, S.J. and Cronan, J.E. 1992. The gene encoding the biotin carboxylase subunit of *Escherichia coli* acetyl CoA carboxylase. *J. Biol. Chem.* 267: 855-863.
- Luo, X., Park, K., Lopez-Casillas, F. and Kim, K.H. 1989. Structural features of the acetyl-CoA carboxylase gene: Mechanism for the generation of mRNAs with 5' end heterogeneity. *Proc. Nalt. Acad. Sci.* 86: 4042-4046.
- Madoka, Y., Tomizawa, K., Mizoi, J., Nishida, I., Nagano, Y. and Sasaki, Y. 2002. Chloroplast transformation with modified *accD* operon increases acetyl CoA carboxylase and causes extension of leaf longevity and increase in seed yield in tobacco. *Plant Cell Physiol.* 43: 1518-1525.
- Maniatis, T., Fritsh, E.F. and Sambrook, J. 1982. *Molecular Cloning: A Laboratory Manual*. New York :Cold Spring Harbor Laboratory.
- Manning, R., Dils, R. and Mayer, R.J. 1976. Purification and some properties of acetyl-coenzyme A carboxylase from rabbit mammary glad. *Biochem. J.* 153 : 463 - 468.
- Mates, S., Jack, P. L. and Corley, R. H. V. 2000. The use of molecular markers to investigate the genetic structure of an oil palm breeding programme *Heredity* 85: 288-293.
- Matthes, M.C., Daly, A. and Edward, K.J. 1998. Amplified fragment length polymorphism (AFLP). In *Molecular Tool for Screening Biodiversity*. (ed. Karp, A., Isaac, P.G., and Ingram, D.S.), pp. 183-190. London: Chapman and Hall Inc.
- Mayes, S., Jack, P.L., Marshall, D.F. and Corley, R.H.V. 1997. Construction of a RFLP genetic linkage map for oil palm (*Elaeis guineensis* Jacq.). *Genome* 40: 116-122.
- Moretzsohn, M.C., Nunes, C.D., Ferreira, M.E. and grattapaglia, D.2000. RAPD linkage mapping of the shell thickness locus in oil palm (*Elaeis guineensis* Jacq.) *Theor.Appl.Genet.* 100: 63-70.
- Nikolau, J.B., John, B., Ohlrogge, B. and Syrkin, E. 2003. Plant biotin-containing carboxylases. *Archives of Biochemistry and Biophysics* 414: 211-222.

- Palumbi, S.R. 1995. Nucleic Acids II: The Polymerase Chain Reaction. In: Molecular Systematics 2nd edition. (ed. Hillis, D. and Moritz, C.), pp. 205–247. Sinauer, Sunderland, M.A.
- Perera, L., Russell, J.R., Provan, J. and Powell, W. 1999. Identification and characterization of microsatellite loci in coconut (*Cocos nucifera* L.) and the analysis of coconut populations in Sri Lanka. *Molecular Ecology* 8: 344-346.
- Post-Beittenmiller, D., Roughan, G. and Ohlrogge, J.B. 1992. Regulation of plant fatty acid biosynthesis. *Plant Physiol.* 100: 923-930.
- Prathepha, P. 2000. Screening of random primer to evaluate DNA diversity in Thai Curcuma using random amplified polymorphic DNAs. *Songklanakarin J. Sci. Technol.* 22: 7-13.
- Provan, J., Powell, W. and Hollingsworth, P.M. 2001. Chloroplast microsatellites: new tools for studies in plant ecology and evolution. *Trends in Ecol. and Evol.* 16: 142-147.
- Pua, E.C., Chandramouli, S., Han, P. and Liu, P. 2003. Malate synthase gene expression during fruit ripening of Cavendish banana (*Musa acuminata* sp. Williams). *J. Experimental Botany* 54: 309-316.
- Rafii, M.Y., Rajanaidu, N., Kushairi, A., Jalani, B.S. and Din, M. A. 2000. Oil Palm Genetic Resources and Their Utilization. International Symposium on Oil Palm Genetic Resources & Utilization, Kuala Lumpur, 8-10 June 2000 pp.9.
- Rajanaidu, N., Kushairi, D., Rafii, M.Y., Mohd, D.A., Maizura, I., Isa, Z.A. and Jalani, B.S. 2000. Oil Palm Genetic Resources and Their Utilization. International Symposium on Oil Palm Genetic Resources & Utilization, Kuala Lumpur, 8-10 June 2000 pp.3.
- Rajanaidu, N., Maizura, I. And Cheah, S.C. 2000. Oil Palm Genetic Resources and Their Utilization. International Symposium on Oil Palm Genetic Resources & Utilization, Kuala Lumpur, 8-10 June 2000 pp.29.
- Ranade, S.A., Farooqui, N., Bhattacharya, E. and Verma, A. 2001. Gene tagging with random amplified polymorphic DNA (RAPD) marker for molecular breeding in plants. *Critical Reviews in Plants Science* 20: 251-275.
- Rath, P., Rajaseger, G., Goh, C.J. and Kumar, P.P. 1998. Phylogenetic analysis of *Dipterocarpus* using ramdom amplified polymorphic DNA Markers. *Annals of Botany* 82: 61-65.
- Reverdatto, S., Beilinson, V. and Nielsen, N.C. 1999. A Multisubunit acetyl coenzyme A

- carboxylase from soybean. *Plant Physiology*. 119: 961-978.
- Rick, C.M. and Tanksley, S.D. 1983. Isozyme monitoring of genetic variation in *Lycopersicon* Isozymes *Curr Top Biol Med Res.* 11: 269-84.
- Rao, V., Chin, C.W. and Rajanaidu, N. 1989. Biology and performance of Surinam *Elaeis oleifera* (H.B.K.) *Cortes, Elaeis* 1:109-118.
- Roesler, K., Shintani, D., Savage, L., Boddupalli, S. and Ohlrogge, J. 1997. Targeting of the *Arabidopsis* homomeric acetyl-coenzyme A carboxylase to plastids of rapeseed. *Plant Physiol.* 113: 75-81.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. 1989. *Molecular Cloning: A Laboratory Manual*. 2nd edition. New York: Cold Spring Harbor Laboratory.
- Sanjur, O. I., Piperno, R. D., Andres, T.C. and Wessel-Beaver, L. 2002. Phylogenetic relationships among domesticated and wild species of *Cucurbita* (Cucurbitaceae) inferred from a mitochondrial gene: Implications for crop plant evolution and areas of origin. *Proc. Natl. Acad. Sci.* 99: 535-540.
- Sasaki, Y., Hakamada, K., Suama, Y., Nagano, Y., Furusawa, I. and Matsuno, R. 1993. Chloroplast encoded protein as a subunit of acetyl CoA carboxylase in pea plant. *J. Biol. Chem.* 268: 25118-25123.
- Sasaki, Y., Konishi, T. and Nagano, Y. 1995. The Compartmentation of acetyl coenzyme A carboxylase in plants. *Plant Physiol.* 108: 445-449.
- Sasaki, Y., Kozaki, A. and Hatano, M. 1997. Link between light and fatty acid synthesis: thioredoxin-linked reductive activation of plastidic acetyl CoA carboxylase. *Proc. Natl. Acad. Sci.* 94: 11096-11101.
- Sasaki, Y., Kozaki, A., Ohmori, A., Iguchi, H., Nagano, Y. 2001. Chloroplast RNA editing required for functional acetyl CoA carboxylase in plants. *J. Biol. Chem.* 276: 3937-3940.
- Savage, L.J. and Ohlrogge, J.B. 1999. Phosphorylation of pea chloroplast acetyl CoA carboxylase. *Plant J.* 18: 5215-5227.
- Shah, F.H., Rashid, O., Simons, A.J. and Dunsdon, A. 1994. The utility of RAPD markers for the determination of genetic variation in oil palm (*Elaeis guineensis* Jacq.). *Theor. Appl. Genet.* 89: 713-718.
- Shah, H. F. and Cha, S. T. 2000. A mesocarp-and species-specific cDNA clone from oil palm

- encodes for sesquiterpene synthase. *Plant Science* 154: 153–160.
- Shintani, D., Roesler, K., Shorrosh, B., Savage, L. and Ohlrogge, J. 1997. Antisense Expression and Overexpression of Biotin Carboxylase in Tobacco Leaves. *Plant Physiol.* 114: 881–886.
- Schulte, W., Topfer, R., Stracke, R., Schell, J. and Martini, N. 1997. Multi-functional acetyl CoA carboxylase from *Brassica napus* is encoded by a multi-gene family: indication for plastidic localization of at least one isoform. *Proc. Natl. Acad. Sci.* 94:3465-3470.
- Shorrosh, B.S., Roesler, K.R., Shintani, D., Van de Loo, F.L. and Ohlrogge, J.B. 1995. Structural analysis, plastid localization and expression of the biotin carboxylase subunit of acetyl-coenzyme A carboxylase from tobacco. *Plant Physiol.* 108: 805–812.
- Soltis, P., Soltis, D. and Doyle, J.J. 1992. Molecular Systematic of Plants. New York: Chapman and Hall Inc.
- Song, C.S. and Kim, K.H. 1981. Reevaluation of properties of acetyl - CoA carboxylase from rat liver. *J. Biol. Chem.* 256: 7786 - 7788.
- Sunnucks, P. 2000. Efficient genetic markers for population biology. *Trends Ecol Evol.* 15: 199–203.
- Thelen, J.J., Mekhedov, S. and Ohlrogge, J.B. 2001. Brassicaceae express multiple isoforms of biotin carboxyl carrier protein in a tissuespecific manner. *Plant Physiol.* 125: 2016-2028.
- Thelen, J.J. and Ohlrogge, J.B. 2002. The multisubunit acetyl CoA carboxylase is strongly associated with the chloroplast envelope through nonionic interactions to the carboxyltransferase subunits. *Arch Biochem Biophys.* 400: 2455-2457.
- Turnham, E. and Northcote, D.M. 1982. The use of acetyl CoA carboxylase activity and changes in wall composition as measures of embryogenesis in tissue cultures of oil palm. (*Elaeis guineensis*). *Biochem. J.* 208: 323-332.
- Wakil, S.J. and Gibson, D.M. 1960. Studies on the mechanism of fatty acid synthesis. VIII. The participation of protein bound biotin in the biosynthesis of fatty acids. *Biochim. Biophys. Acta.* 41: 122-129.
- Williums, J.G.K., Kubelik, A.R., Livak, K.J., Rafalski, J.A. and Tingey, S.V. 1990. DNA polymorphism amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Res.* 18: 6531-6535.