

เอกสารอ้างอิง

- ประเสริฐ สองเมือง. 2538. มะพุด. *กสิกร*. 68 (6): 568.
- พรทิพย์ โล่ห์เลขา. 2536. ไลโปโปรตีนและภาวะหลอดเลือดแดงแข็ง, 184 หน้า.
กรุงเทพฯ: ชัยเจริญ.
- มาโนช วามานนท์ และ เพ็ญภา ทรัพย์เจริญ. 2540. ยาสมุนไพรสำหรับงานสาธารณสุข
สุขมูลฐาน, 133 หน้า. กรุงเทพฯ: สำนักงานปลัดกระทรวงสาธารณสุข.
- มยุรี เดชนำบัญชา. 2541. โครงการทางเคมี หัวข้อ ผลิตภัณฑ์ธรรมชาติ เรื่องการศึกษา
การสกัดและแยกสารจากใบมะพุด (*G. xanthocymus*), 66 หน้า. สงขลา:
ภาควิชาเคมี คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- นันทยา ชนะรัตน์. 2532. สารไขมันในเลือด, 118 หน้า. กรุงเทพฯ: โอเดียนสโตร์.
- วิลาวัลย์ มหาบุษราคัม, เสาวลักษณ์ พงษ์ไพจิตร และนงพร โคว์ฉนะ. 2545. สารออก
ฤทธิ์ทางชีวภาพจากมะพุด. รายงานวิจัยฉบับสมบูรณ์ ทุนอุดหนุนการวิจัย
จากงบประมาณแผ่นดิน ประจำปี 2544-2545.
- วุฒิ วุฒิชรรมเวช. 2540. สารานุกรมสมุนไพร: รวมหลักเภสัชกรรมไทย, 358 หน้า.
กรุงเทพฯ: โอเดียนสโตร์.
- วัลยา เนาวรัตน์วัฒนา และพัชรี บุญศิริ. 2542. โปรออกซิแดนซ์: อีกโฉมหน้าของ
แอนติออกซิแดนซ์. *วารสารวิทยาศาสตร์*. พฤษภาคม-มิถุนายน. หน้า 196-
198.
- เวคิน นพนิตย์. 2524. เทคนิคทางเนื้อเยื่อวิทยา (Histology techniques), 168 หน้า.
สงขลา: คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- สมพงษ์ สหพงศ์. 2544. ธรรมชาติบำบัดป้องกันรักษาโรคหัวใจ บทบาทของอาหารและ
วิตามิน, 120 หน้า. กรุงเทพฯ: สำนักพิมพ์รวมธรรม.
- สุญาณี คงคำช่วย, นงพร โคว์ฉนะ และวิลาวัลย์ มหาบุษราคัม. 2544. ฤทธิ์ต้าน
ออกซิเดชันของ LDL โดยสารสกัดจากมะพุด. บทความวิชาการประชุมวิชาการ
วิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 27. หน้า 191.

- Ahmad-Raus, R.R., Abdul-Latif, E.-S.E.S. and Mohammad, J.J. 2001. Lowering of lipid composition in aorta of guinea pigs by *Curcuma domestica*. *Comple. Alter. Med.* 1:6.
- Alexandersen, P., Haarbo, J., Byrialsen, I., Lawaetz, H. and Christiansen, C. 1999. Natural androgens inhibit male atherosclerosis: A study in castrated, cholesterol-fed rabbits. *Circ. Res.* 84: 813-819.
- Ansari, W.H., Rahman, W., Barraclough, D., Maynard, R. and Scheinmann, F. 1976. Biflavonoids and a flavonone-chromone from the leaves of *Garcinia dulcis*. *J. Sci. Soc. Perkin. Transac.* 1: 1458-1463.
- Aprikian, O., Levrat-Verny, M-A., Besson, C., Busserolles, J., Rémésy, C. and Demigné, C. 2001. Apple favourably affects parameters of cholesterol metabolism and of anti-oxidative protection in cholesterol-fed rats. *Food Chem.* 75: 445-452.
- Asiedu, D., Frøyland, L. Vaagenes, H. Lie, Ø., Demoz, A. and Berge, R.K. 1996. Long-term effect of tetradecylthioacetic acid: a study on plasma lipid profile and fatty acid composition and oxidation in different rat organs. *Biochim. Biophys. Acta* 1300: 86-96.
- Aviram, M., Rosenblat, M., Bisgaier, C.L. and Newton, R.S. 1998. Atrovastatin and gemfibrozil metabolites, but not the parent drugs, are potent antioxidants against lipoprotein oxidation. *Atherosclerosis* 138: 271-280.
- Basavasaju, S.R. and Jones, T.D. 1998. Atherosclerosis risks from chemicals: Part I. Toxicological observations and mechanisms of atherosclerosis. *Arch. Environ. Contam. Toxicol.* 35: 152-164.
- Behr, D., Rupin, A., Fabiani, J-N. and Verbeuren, T.J. 1999. Distribution and prevalence of inducible nitric oxide synthase in atherosclerotic vessels of long-term cholesterol-fed rabbits. *Atherosclerosis* 142: 335-344.

- Bannett, G.J. and Lee, H.H. 1989. Xanthenes from Guttiferae. *Phytochemistry* **28**: 967-998.
- Benson, G.M., Schiffelers, R., Nicols, C., Latcham, J., Vidgeon-Hart, M., Toseland, C.D.N., Sucking, K.E. and Groot, P.H.E. 1998. Effect of probucol on serum lipids, atherosclerosis and toxicology in fat-fed LDL receptor deficient mice. *Atherosclerosis* **141**: 237-247.
- Berliner, J.A. and Heinecke, J.W. 1996. The role of oxidized lipoproteins in atherogenesis. *Free Radic. Biol. Med.* **20** (5): 707-727.
- Björkhem, I., Henriksson-Freyschuss, A., Brever, O., Diczfalusy, U., Berglund, L. and Henriksson, P. 1991. The antioxidant butylated hydroxytoluene protects against atherosclerosis. *Arterioscler. Thromb.* **11**: 15-22.
- Bobek, P., Ozdín, L. and Galbavy, Š. 1998. Dose- and time-dependent hypocholesterolemic effect of oyster mushroom (*Pleurotus ostreatus*) in rats. *Nutrition* **14**: 282-286.
- Bocan, T.M., Rosebury, W.S., Mueller, S.B., Kuchera, S., Welch, K., Daugherty, A. and Cornicelli, J.A. 1998a. A specific 15-lipoxygenase inhibitor limits the progression and monocyte-macrophage enrichment of hypercholesterolemia-induced atherosclerosis in the rabbit. *Atherosclerosis* **136**: 203-216.
- Bocan, T.M., Mueller, S.B., Brown, E.Q., Lee, P., Bocan, M.J., Rea, T. and Pape, M.E. 1998b. HMG-CoA reductase and ACAT inhibitors act synergistically to lower plasma cholesterol and limit atherosclerotic lesion development in the cholesterol-fed rabbit. *Atherosclerosis* **139**: 21-30.
- Brown, M.S. and Goldstein, J.L. 1983. Lipoprotein metabolism in the macrophage: Implications for cholesterol deposition in atherosclerosis. *Ann. Review Biochem.* **52**: 223-261.

- Camejo, G., Hurt-Camejo, E., Wiklund, O. and Bondjers, G. 1998. Association of apo B lipoproteins with arterial proteoglycans: pathological significance and molecular basis. *Atherosclerosis* **139**: 205-222.
- Carr, A.C., Zhu, B.Z. and Frei, B. 2000. Potential antiatherogenic mechanism of ascorbate (vitamin C) and α -tocopherol (vitamin E). *Circ. Res.* **87** (5): 349-354.
- Chanmahasatein, W. 1996. Phytochemical study of *Garcinia dulcis* (Roxb.) Kurtz bark. MSc. Pharmacology, Chulalongkorn University.
- Chaput, E., Saladin, R., Silvestre, M. and Edgar, A.D. 2000. Fenofibrate and rosiglitazone lower serum triglycerides with opposing effects on body weight. *Biochem. Biophys. Res. Commun.* **271**: 445-450.
- Chen, J.J.S. and Margolis, S. 1987. Low-density lipoprotein receptors and familial hypercholesterolemia. In Robert H. Glew and Stephen P. Peters (eds.), *Clinical studies in medical biochemistry*, pp. 179-189. New York: Oxford University Press, Inc.
- Chisolm, G.M. and Steinberg, D. 2000. The oxidative modification hypothesis of atherogenesis: an overview. *Free Radic. Biol. Med.* **28** (12): 1815-1826.
- Chomard, P., Seguin, C., Loireau, A., Autissier, N. and Artur, Y. 1998. Effects of iodotyrosines, thyronines, iodothyroacetic acids and thyromimetic analogues on *in vitro* copper-induced oxidation of low-density lipoproteins. *Biochem. Pharmacol.* **55** (10): 1591-1601.
- Coudray, C., Richard, M.J. and Favier, A.E. 1991. Determination of primary and secondary lipid peroxidation products: Plasma lipid hydroperoxides and thiobarbituric acid reactive substances. In Favier *et al.* (eds.), *Analysis of free radical in biological system*, pp. 185-200. Birkhauser Verlag, Basel, Switzerland.

- Cyrus, T., Tang, L.X., Rokach, J., FitzGerald, G.A. and Praticó, D. 2001. Lipid peroxidation and platelet activation in murine atherosclerosis. *Circulation* **104**: 1940-1945.
- Dhaliwal, B.S. and Steinbrecher, U.P. 1999. Scavenger receptors and oxidized low density lipoproteins. *Clin. Chim. Acta* **286 (1-2)**: 191-205.
- Doi, K., Kojima, T. and Fujiaoto, Y. 2000. Mulberry leaf extract inhibits the oxidative modification of rabbit and human low density lipoprotein. *Biol. Phar. Bull.* **23 (9)**: 1066-1071.
- Eckhart, A.D., Zhu, Z., Arendshorst, W.J. and Faber, J.E. 1996. Oxygen modulates alpha 1B-adrenergic receptor gene expression by arterial but not venous vascular smooth muscle. *Am. J. Physiol.* **271**: H1599.
- Faries, P.L., Rohan, D.I., Wyers, M.C., Marin, M.L., Hollier, L.H., Quist, W.C. and LoGerfo, F.W. 2002. Vascular smooth muscle cells derived from atherosclerotic human arteries exhibit greater adhesion, migration, and proliferation than venous cells. *J. Sur. Res.* **104**: 22-28.
- Farombi, E.O., Akanni, O.O., Emerole, G.O. 2002. Antioxidant and scavenging activities of flavonoid extract (kolaviron) of *Garcinia kola* seeds. *Pharmacol. Biol.* **40 (2)**: 107-116.
- Farombi, E.O., Tahnteng, J.G., Agboola, A.O., Nwankwo, J.O. and Emerole, G.O. 2000. Chemoprevention of 2-acetylaminofluorene-induced hepatotoxicity and lipid peroxidation in rats by Kolaviron-A *Garcinia kola* seed extract. *Food Chem. Toxicol.* **38**: 535-541.
- Fuhrman, B., Rosenblat, M., Hayek, T., Coleman, R. and Aviram, M. 2000. Ginger extract consumption reduces plasma cholesterol, inhibits LDL oxidation and attenuates development of atherosclerosis in atherosclerotic, apolipoprotein E-deficient mice. *J. Nutr.* **130**: 1124-1131.

- Fuhrman, B., Volkova, N., Kaplan, M., Presser, D., Attias, J., Hayek, T., and Aviram, M. 2002. Antiatherosclerotic effects of licorice extract supplementation on hypercholesterolemic patients: Increased resistance of LDL to atherogenic modifications, reduced plasma lipid levels, and decrease systolic blood pressure. *Nutrition* **18**: 268-272.
- Halliwell, B. 2000. Lipid peroxidation, antioxidants and cardiovascular disease: how should we move forward? *Cardiovasc. Res.* **47**: 410-418.
- Hasegawa, N. 2001. Garcinia extract inhibits lipid droplet accumulation without affecting adipose conversion in 3T3-L1 cells. *Phytother. Res.* **15**: 172-173.
- Hessler, J.R., Morel, D.W., Lewis, L.J. and Chisolm, G.M. 1983. Lipoprotein oxidation and lipoprotein-induced cytotoxicity. *Arteriosclerosis* **3**: 215-222.
- Hollander, W., Kramsch, D.M., Franzblav, C., Paddock, J. and Colombo, M.A. 1974. Suppression of atheromatous fibrous plaque formation by antiproliferative and anti-inflammatory drugs. *Circ. Res.* **34 (suppl. 1)**: 131-141.
- Humason, G.L. 1979. Animal tissue techniques: Staining lipids and carbohydrates. San Francisco W.H. Freeman. 285-286.
- Hussein, O., Frydman, G., Frim, H. and Aviram, M. 2001. Reduced susceptibility of low density lipoprotein to lipid peroxidation after cholestyramine treatment in heterozygous familial hypercholesterolemic children. *Pathophysiology* **8**: 21-28.
- Ito, C., Miyamoto, Y., Nakayama, M., Kawai, Y., Rao, K.S. and Furukawa, H. 1997. A novel depsidone and some new xanthenes from *Garcinia species*. *Chem. Phar. Bull.* **45 (9)**: 1403-1413.
- Iinuma, M., Ito, T., Tosa, H. and Tanaka, T. 1996a. Five new xanthenes from *Garcinia dulcis*. *J. Nat. Prod.* **59**: 472-475.

- Iinuma, M., Tosa, H., Ito, T., Tanaka, T. and Riswan, S. 1996b. Three new benzophenone-xanthone dimers from the root of *Garcinia dulcis*. *Chem. Phar. Bull.* **44 (9)**: 1744-1747.
- Jones, J.D. and Chambliss, M.L. 2000. Hypertriglyceridemic and coronary heart disease. *Arch. Fam. Med.* **9**: 189-190.
- Kádár, A. and glasa, T. 2001. Development of atherosclerosis and plague biology. *Cardiovasc. Surg.* **9 (2)**: 109-121.
- Kasahara, S. and Henmi, S. 1986. Medicine herb index in Indonesia; P.T. pp.92. Jakarta: Eisai Indonesia.
- Kita, T., Nagano, Y., Yokode, M., Ishii, K., Kume, N., Ooshima, A., Yoshida, H., and Kawai, C. 1987. Probucol prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbit, an animal model for familial hypercholesterolemia. *Proc. Natl. Acad. Sci. USA* **84**: 5928-5931.
- Kleinveld, H.A., Demacker, P.N., Stalenhoef, G. and Heinecke, J.W. 1994. Comparative study on the effect of low-dose vitamin E and probucol on the susceptibility of LDL to oxidation and the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits. *Arterioscler. Thromb.* **14**: 1386-1391.
- Kosela, S., Hu, L., Rachmatia, T., Hanafi, M. and Sim, K.Y. 2000. Dulxanthenes F-H, three new Pyranoxanthenes from *Garcinia dulcis*. *J. Nat. Prod.* **63**: 406-407.
- Kosela, S., Hu, L., Yip, S., Rachmatia, T., Sukri, T., Dualay, T.S., Tan, G., Vittal, J.J. and Sim, K. 1999. Dulxanthone E: a pyranoxanthone from leaves of *Garcinia dulcis*. *Phytochemistry* **52**: 1375-1377.
- Koshy, A.S., Anilia, L. and Vijayalakshmi, N.R. 2001. Flavonoids from *Garcinia cambogia* lower lipid levels in hypercholesterolemic rats. *Food Chem.* **73 (2)**: 289-294.

- Kugiyama, K., Kerns, S.A., Morrisett, J.D., Roberts, R. and Herry, P.D. 1990. Impairment of endothelium-dependent arterial relaxation by lysolecithin in modified low-density lipoproteins. *Nature* **344**: 160-162.
- Leake, D.S. 1998. Effect of flavonoids on the oxidation of low-density lipoproteins. In C.A. Rice-Evans and L. Packer (eds.), *Flavonoids in health and disease* (3rd), pp.163-177. New York: Marcel Dekker, Inc.
- Leonhardt, W., Kurktschiev, T., Meissner, D., Lattke, P., Abletshauser, C., Weidinger, G., Jaross, W. and Hanefeld, M. 1997. Effects of fluvastatin therapy on lipids, antioxidants, oxidation of low density lipoproteins and trace metals. *Eur. J. Clin. Pharmacol.* **53**: 65-69.
- Leeuwenburg, C., Hardy, M.M., Hazen, S.L., Wagner, P., Oh-ishi, S., Steinbrecher, U.P. and Heinecke. 1997. Reactive nitrogen intermediates promote low density lipoprotein oxidation in human atherosclerotic intima. *J. Biol. Chem.* **272** (3): 1433-1436.
- Libby, P., Aikawa, M. and Schönbeck, U. 2000. Cholesterol and atherosclerosis. *Biochim. Biophys. Acta* **1592**: 299-309.
- Likhitwitayawuid, K., Phadungcharoen, T. and Krungkrai, J. 1998a. Antimalarial xanthenes from *Garcinia cowa*. *Planta Med.* **64**: 70-72.
- Likhitwitayawuid, K., Chanmahasatein, W., Ruanrungsi, N. and Krungkrai, J. 1998b. Xanthenes with antimalarial activity from *Garcinia dulcis*. *Planta Med.* **64**: 281-282.
- Mackeen, M.M., Ali, A.M., Lajis, W.H., Kawazu, K., Hassan Z., Amran, M., Habsah, M., Mooi, L.Y. and Mohamed, S.M. 2000. Antimicrobial, antioxidant, antitumour-promoting and cytotoxic activities of different plant part extracts of *Garcinia atroviridis*. Griff ex T. Anders. *J. Ethnopharm.* **72**: 395-402.

- Mahabusarakam, W., Proudfoot, J., Taylor, W. and Croft, K. 2000. Inhibition of lipoprotein oxidation by prenylated xanthenes derived from mangostin. *Free Rad. Res.* **33**: 643-659.
- Mahabusarakam, W., Wiriyachitra, P. and Phongpaichit, S. 1986. Antimicrobial activities of chemical constituents from *Garcinia mangostana* L. *J. Sci. Soc. Thailand* **12**: 239-242.
- Mahfouz, M.M., Kawano, H. and Kummerow, F.A. 1997. Effect of cholesterol-rich diets with and without added vitamin E and C on the severity of atherosclerosis in rabbits. *Am. J. Clin. Nut.* **66**: 1240-1249.
- McGill, H.J.Jr. 1988. The pathogenesis of atherosclerosis. *Clin. Chem.* **34**: B33-B37.
- McNamara, D.J. 2000. Dietary cholesterol and atherosclerosis. *Biochim. Biophys. Acta* **1529**: 310-320.
- Mensink, R.P., Temme, E.H.M. and Plat, J. 1998. Dietary fats and coronary heart disease. In Casimir C. Akoh and David B. Min (eds.), *Food lipids*. New York.
- Minami, H., Kinoshita, M., Fukuyama, Y., Kodama, M., Yoshizawa, M., Sugura, M., Nakagawa, K. and Tago, H. 1994. Antioxidant xanthenes from *Garcinia subelliptica*. *Phytochemistry* **36** (2): 501-506.
- Minami, H., Kuwayama, A., Yoshizawa, T. and Fukuyama, Y. 1996. Novel prenylated xanthenes with antioxidant property from the wood of *Garcinia subelliptica*. *Chem. Phar. Bull.* **44**: 2103-2106.
- Minami, H., Takahashi, E., Fukuyama, Y., Kodama, M., Yoshizawa, T. and Nakagawa, K. 1995. Novel xanthenes with superoxide scavenging activity from *Garcinia subelliptica*. *Chem. Phar. Bull.* **43**: 347-349.
- Miura, Y., Chiba, T., Tomita, I., Koizumi, H., Miura, S., Umegaki, K., Hara, Y., Ikeda, M. and Tomita, T. 2001. Tea catechins prevent the development of atherosclerosis in apolipoprotein E-deficient mice. *J. Nutr.* **131**: 27-32.

- Montgomery, R., Conway, T. W. Spector, A.A. and Chappell, D. 1996. Lipoproteins. In *Biochemistry a case-oriented approach* (6th ed.), pp. 356-389. St. Louis, Missouri: Mosby-Year Book, Inc.
- Muna, Z.A., Gudbrandsen, O.A., Wergedahl, H., Bohov, P., Skorve, J. and Berge, R.K. 2002. Inhibition of rat lipoprotein oxidation after tetradecylthioacetic acid feeding. *Biochem. Pharmacol.* **7124**: 1-9.
- Murakami, S., Kondo, Y., Sakurai, T., Kitajima, H. and Nagate, T. 2002. Taurine suppresses development of atherosclerosis in Watanabe heritable hyperlipidemic (WHHL) rabbits. *Atherosclerosis* **163**: 79-87.
- Naka, Y., Yoshino, G., Hirano, T., Murata, Y., Maeda, E., Kazumi, T. and Kasuga, M. 1998. Triglyceride metabolism in heterozygote of Watanabe heritable hyperlipidemic rabbit. *Atherosclerosis* **136**: 325-332.
- Nilar, Harrison, L.J. 2002. Xanthones from the heartwood of *Garcinia mangostana*. *Phytochemistry* **60**: 541-548.
- Palinski, W., Rosenfeld, M.E., Ylä-Herttuala, S., Gurtner, G.C., Socher, S.S., Butler, S.W., Pathasarathy, S., Carew, T.E., Steinberg, D. and Witztum, J. 1989. Low density lipoprotein undergoes oxidative modification *in vivo*. *Proc. Natl. Acad. Sci. USA* **86**: 1372-1376.
- Park, S.-Y., Bok, S.-H., Jeon, S.-M., Park, Y.B., Lee, S.-J., Jeong, T.-S. and Choi, M.-S. 2002. Effect of rutin and tannic acid supplements on cholesterol metabolism in rats. *Nutr. Res.* **22**: 283-295.
- Parthasarathy, S., Santanam, N. and Augé, N. 1999a. Antioxidants and low density lipoprotein oxidation. In A.M. Papas (ed.), *Antioxidant status, diet, nutrition, and health.* (ed.) pp. 348-369. Florida: CRC Press USA.
- Parthasarathy, S., Santanam, N., Ramachandran, S. and Meilhac, O. 1999b. Oxidants and antioxidants in atherosclerosis: an appraisal. *J. Lipid Res.* **40**: 2143-2156.

- Peres, V., Nagem, T.J. and Faustino de Oliveira, F. 2000. Tetraoxygenated naturally occurring xanthenes. *Phytochemistry* 55: 683-710.
- Piyachaturawat, P., Charoenpiboonsin, J., Skulkao, C. and Suksamrarn, A., 1999. Reduction of plasma cholesterol by *Curcuma comosa* extract in hypercholesterolaemic hamsters. *J. Ethnopharm.* 66: 199-204.
- Prasad, K. and Kalra, J. 1993. Oxygen free radicals and hypercholesterolemic atherosclerosis : Effect of vitamin E. *Am. Heart J.* 125: 958-973.
- Prasad, K., Mantha, S.V., Kalra, J., Kapoor, E. and Kamalarajan, B.R.C. 1997. Purpurogallin in the prevention of hypercholesterolemic atherosclerosis. *Inter. J. Angiol.* 6: 157-166.
- Ramirez-Tortosa, C.M., Mesa, D.M., Aguilera, C.M., Quiles, L.J., Baro, L., Ramirez-Tortosa, L.C., Martinez-Victoria, E. and Gil, A. 1999. Oral administration of tumeric extract inhibits LDL oxidation and has hypocholesterolemic effects in rabbits with experimental atherosclerosis. *Atherosclerosis* 147: 371-378.
- Remaley, A.T., Rust, S., Rosier, M., Knapper, C., Naudin, L., Broccardo, C., Peterson, K.M., Koch, C., Arnould, I. and Prades, C. 1999. Human ATP-binding cassette transporter I (ABC I): genomic organization and identification of the genetic defect in the original Tangier disease kindred. *Proc. Natl. Acad. Sci. USA* 96: 1268-1269.
- Restky, K.L., Chen, K., Zeind, J. and Frei, B. 1999. Inhibition of copper-induced LDL oxidation by vitamin C is associated with decreased copper-binding to LDL and 2-oxo-histidine formation. *Free Radic. Biol. Med.* 26 (1-2): 90-98.
- Rice-Evans, C.A., Miller, N.J. and Paganga, G 1996. Structure-antioxidant activity relationship of flavonoids and phenolic acids. *Free Radic. Biol. Med.* 20 (7): 933-956.

- Rikitake, Y., Kawashima, S., Takeshita, S., Yamashita, T., Azumi, H., Yasuhara, M., Nishi, H. Inoue, N. and Yokoyama, M. 2001. Anti-oxidative properties of fluvastatin, an HMG-CoA reductase inhibitor, contribute to prevention of atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis* **154**: 87-96.
- Roeters van Lennep, J.E., Westerveld, H.T., Erkelens, D.W. and Van der Wall, E.E. 2002. Risk factors for coronary heart disease: implications of gender. *Cardiovasc. Res.* **53**: 538-549.
- Romero, F., Rodríguez-Iturbe, B., Pons, H., Parra, G., Quiroz, Y. Rincón, J. and González, L. 2000. Mycophenolate mofetil treatment reduces cholesterol-induced atherosclerosis in the rabbit. *Atherosclerosis*. **152**: 127-33.
- Rong, J.X., Shen, L., Chang, Y.H., Richters, A., Hodis, H.N. and Sevanian, A. 1999. Cholesterol oxidation products induce vascular foam cell lesion formation in hypercholesterolemic New Zealand white rabbits. *Arterioscler. Thromb. Vasc. Biol.* **19**: 2179-2188.
- Rosenson, R.S., Robert, S. 1999. Approach to the patient with hypertriglyceridemia. In: UpToDate {clinical reference on CD-Rom}. UpToDate. Wellesley, Massachusetts, USA.
- Ross, R. 1993. The pathogenesis of atherosclerosis: a perspective for the 1990s. *Nature* **362**: 801-809.
- Sánchez-Moreno, C., Jiménez-Escrig, A. and Saura-Calixto, J. 2000. Study of low-density lipoprotein oxidizability indexes to measure the antioxidant activity of dietary polyphenols. *Nutr. Res.* **20 (7)**: 941-953.
- Sang, S., Pan, Min-Hsiug, Chang, X., Bai, N., Stark, R.E., Rosen, R.T., Lin-shiau, S.-Y., Lin, J.-K. and Ho, C.-T. 2001. Mechanism of garcinol: analysis of radical reaction products of garcinol and their antitumor activities. *Tetrahedron*. **57 (50)**: 9931-9938.

- Satoh, K. 1978. Serum lipid peroxide in cerebrovascular disorders determined by a new colorimetric method. *Clin. Chem. Acta* **90**: 37-43.
- Shi, Y., Sachin, P. and Davenpeck, K.L. 2001. Oxidative stress and lipid retention in vascular grafts: Comparison between venous and arterial conduits. *Circulation* **103**: 2408.
- Sordat-Diserens, I., Rogers, C., Sordat, B. and Hostettmann, K. 1992. Prenylated xanthenes from *Garcinia livingstonei*. *Biochemistry* **31** (1): 313-316.
- Stary, H.C., Chandler, A.B., Dinsmore, R.E., Fuster, V., Glagov, S., Insull, Jr, W., Rosenfeld, M.E., Schwartz, C., Wagner, W.D. and Wissler, R.W. 1995. A definition of advanced types of atherosclerosis: a report from the Committee on Vascular Lesions of the Council on Atherosclerosis, American Heart Association. Special report. *Circulation* **92**: 355-1374.
- Steinberg, D. 1997. Low density lipoprotein oxidation and its pathobiological significance. *J. Biol. Chem.* **272** (34): 20963-20966.
- Steinberg, D., Parthasarathy, S., Carew, T.E., Khoo, J.C. and Witztum, J.L. 1989. Modification of low density lipoprotein that increase its atherogenicity. *N. Engl. J. Med.* **320** (14): 915-924.
- Sugano, M., Nakashima, Y., Tasaki, H., Takasugi, M., Kuroiwa, A. and Koide, O. 1988. Effects of diltiazem on suppression and regression of experimental atherosclerosis. *Br. J. Exp. Pathol.* **69**: 515-523.
- Suzuki, K., Shimizu, T. and Nakata, T. 1998. The cholesterol metabolite cholest-4-en-3-one and its 3-oxo derivatives suppress body weight gain, body fat accumulation and serum lipid concentration in mice. *Bio. Med. Chem. Lett.* **8**: 2133-2138.

- Tailleux, A., Torpier, G., Bonnefont-Rousselot, D., Lestavel, S., Lemdani, M., Caudeville, B., Furman, C., Foricher, R., Gardes-Albert, M., Lesieur, D., Rolando, C., Teissier, E., Fruchart, J-C., Clavey, V., Fievet, C. and Duriex, P. 2002. Daily melatonin supplementation in mice increases atherosclerosis in proximal aorta. *Biochem. Biophys. Res. Commun.* **293**: 1114-123.
- Terashima, K., Takaya, Y. and Niwa, M. 2002. Powerful antioxidative agents based on Garcinia acid from *Garcinia kola*. *Bioorg. Med. Chem.* **10**: 1619-1625.
- Van Acker, F.A.A., Schouten, O., Haenen, G.R.M.M., van der Vijgh, W.J.F. and Bast, A. 2000. Flavonoids can replace α -tocopherol as an antioxidant. *FEBS Letter* **473**: 145-148.
- Vasankari, T., Ahotupa, M., Toikka, J., Mikkola, J., Irjala, K., Pasanen, P., Neuvonen, K., Raitakari, O. and Viikari, J. 2001. Oxidized LDL and thickness of carotid intima-media are associated with coronary atherosclerosis in middle-aged men: lower levels of oxidized LDL with statin therapy. *Atherosclerosis* **155 (2)**: 403-412.
- Waterman, P.G. and Hussain, R.A. 1983. Systematic significance of xanthenes benzophenones and biflavonoids in *Garcinia*. *Biochem. Sys. Ecol.* **11**: 21-28.
- Williams, P., Ongsakul, M., Proudfoot, J., Croft, K. and Beilin, L. 1995. Mangostin inhibits the oxidative modification of human low density lipoprotein. *Free Rad. Res.* **23 (2)**: 175-184.
- Witztum, J.L. and Steinberg, D. 1991. Role of oxidized lipoprotein in atherosclerosis. *J. Clin. Invest.* **88**: 1785-1792.
- Wojcicki, J., Samochodwiec, L., Jaworska, M. and Hinek, A. 1985. A search for a model of experimental atherosclerosis : comparative studies in rabbits, guinea pigs and rats. *Pol. J. Pharmacol. Pharm.* **37**: 11-21.

- Yamaguchi, F., Ariga, T., Yoshimura, Y. and Nakazawa, H. 2000a. Antioxidative and anti-glycation activity of garcinol from *Garcinia indica* fruit rind. *J. Agric. Food Chem.* **48 (2)**: 180-185.
- Yamaguchi, F., Saito, M., Ariga, T., Yashimura, Y. and Nakazawa, H. 2000b. Free radical scavenging activity and antiulcer activity of garcinol from *Garcinia indica* fruit rind. *J. Agri. Food Chem.* **48 (6)**: 2320-2325.
- Yamakoshi, J., Kataoko, S., Koga, T. and Ariga, T. 1999. Proanthocyanidin-rich extract from grape seeds attenuates the development of aortic atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis* **142**: 139-149.
- Ylä-Herttuala, S., Palinski, W., Rosenfeld, M.E., Parthasarathy, S., Carew, T.E., Butler, S., Witztum, J.L. and Steinberg, D. 1989. Evidence for the presence of oxidatively modified low density lipoprotein in atherosclerotic lesions of rabbit and man. *J. Clin. Invest.* **84**: 1086-1095.
- Yoshikawa, M., Harada, E., Miki, A., Tsukamoto, K., Liang, S.Q., Yamahara, J. and Murakami, N. 1994. Antioxidant constituents from the fruit hulls of mangosteen (*Garcinia mangostana* L.) originating in Vietnam. *Yakugaku Zasshi* **114 (2)**: 129-133.
- Young, I.S. and McEneaney, J. 2001. Lipoprotein and atherosclerosis. *Biochem. Soc. Transac.* **29 (part 2)**: 358-362.
- Yui, S., Sasaki, T., Miyazaki, A., Horiuchi, S. and Yamazaki, M. 1993. Induction of murine macrophage growth by modified LDLs. *Arterioscler. Thromb.* **13**: 331-337.
- Zaman, A.G., Helft, G., Worthley, S.G. and Badimon, J.J. 2000. The role of plaque rupture and thrombosis in coronary artery disease. *Atherosclerosis* **149**: 251-266.

Zarins, C.K., Zatina, M.A., Giddens, D.P., Ku, D.N. and Glagov, S. 1987. Shear stress regulation of artery lumen diameter in experimental atherosclerosis.

J. Vasc. Surg. 5:413.

Zhang, C., Liu, X., Qiang, H., Li, K., Wang, J., Chen, D. and Zhuang, Y. 2001.

Inhibitory effects of *rosa roxburghii* tratt juice on in vitro oxidative modification of low density lipoprotein and on the macrophage growth and cellular cholesteryl ester accumulation induced by oxidized low density lipoprotein. *Clin. Chim. Acta* 31: 37-43.