

## เอกสารอ้างอิง

- กนกนาถ ชูปัญญา. 2520. *คู่มือการตรวจทางห้องปฏิบัติการเล่ม 1*. กรุงเทพฯ : คณะแพทยศาสตร์ ศิริราชพยาบาล มหาวิทยาลัยมหิดล.
- นพรัตน์ บำรุงรักษ์. 2536. *พืชหลักปักชำได้*, หน้า138-146. กรุงเทพฯ : ปิรามิด.
- ประภาพร อุทาร์พันธุ์. 2533. เลคตินซึ่งจับกลุ่มอสุจิในเมล็ดพืชท้องถิ่นภาคใต้ของประเทศไทย. *ว.สงขลานครินทร์* 12 (1) : 29-33.
- ประภาพร อุทาร์พันธุ์. 2533. เลคตินซึ่งจับกลุ่มอสุจิจากเมล็ดจำปาตะ. *ว.สงขลานครินทร์* 12 (1) : 35-42.
- มนตรี จุฬาวัดมนทล, ชีษณุสรรร สวัสดิ์วัฒน์, ยงยุทธ ยุทธวงศ์, ภิญโญ พานิชพันธ์, ประหยัด โกมารทัต, พิณทิพ รื่นวงษา, ธีรยศ วิทิตสุวรรณกุล, บุรชัย สรณยานนท์, สุมาลี ตั้งประดับกุล และมธุรส พงษ์ลิขิตมงคล. 2542. *ชีวเคมี*, 589 หน้า. กรุงเทพฯ : ภาควิชาชีวเคมี คณะวิทยาศาสตร์ มหาวิทยาลัยมหิดล.
- Andrews, P. 1964. Estimation of the molecular weights of proteins by sephadex gel-filtration. *Biochem. J.* 91 : 222-233.
- Bernfeld, P. 1955. Amylases,  $\alpha$  and  $\beta$ . In S.P. Colowick and N.O.Kaplan (eds.), *Methods in Enzymology* (Vol.1), pp. 149-158. New York, USA : Academic Press.
- Bowman, D.E. 1945. Amylase inhibitor of navy beans. *Science* 102 : 358-359.
- Chagolla-Lopez, A., Blanco-Labra, A., Patthy, A., Sanchez, R. and Pongor, S. 1994. A novel  $\alpha$ -Amylase inhibitor from Amaranth (*Amaranthus hypocondriacus*) seeds. *J. Biol. Chem.* 269 (38) : 23675-23680.
- Choudhury, A., Maeda, K., Murayama, R. and Dimagno, E.P. 1996. Character of a wheat amylase inhibitor preparation and effects on fasting human

- pancreaticobiliary secretions and hormones. *Gastroenterology* 111 : 1313-1320.
- Chrispeels, M.J. and Raikhel, N.V. 1991. Lectins, lectin genes and their role in plant defense. *Plant Cell* 3 : 1-9.
- Chrispeels, M.J., Grossi de Sa, M.F. and Higgins, T.J.V. 1998. Genetic engineering with  $\alpha$ -amylase inhibitors makes seeds resistant to bruchids. *Seed Sci. Res.* 8 : 257-263.
- Davis, B.J. 1964. Disc electrophoresis **II**. Method and application to human serum proteins. *Ann. NY. Acad. Sci.* 121 : 404-427.
- Doi, T., Yoshimatsu, H., Katsuragi, I., Kurokawa, M., Takahashi, H., Motoshio, A. and Sakata, T. 1995. Alpha-amylase inhibitor increases plasma 3-hydroxybutyric acid in food-restricted rats. *Experientia* 51 (6) : 585-588.
- Fakhoury, A.M. and Woloshuk, C.P. 2001. Inhibition of growth of *Aspergillus flavus* and fungal alpha-amylases by a lectin-like protein from *Lablab purpureus*. *Mol. plant microbe interact.* 14 (8) : 955-961.
- Fossum, K. and Whitaker, J.R. 1974. Simple method for detecting amylase inhibitors in biological materials. *J. Nutr.* 104 : 930-936.
- Franco, O.L., Rigden, D.J., Melo, F.R., Bloch Jr, C., Silva, C.P. and Grossi de Sa, M.F. 2000. Activity of wheat  $\alpha$ -Amylase inhibitors towards bruchid  $\alpha$ -Amylases and structural explanation of observed specificities. *Eur. J. Biochem.* 267 : 2166-2173.
- Gatehouse, A.M.R. 1986
- Giri, A.P. and Kachole, M.S. 1996. Detection of electrophoretically separated amylase inhibitors in starch-polyacrylamide gels. *J. Chromatography A.* 752 : 261-264.

- Giri, A.P. and Kachole, M.S. 1998. Amylase inhibitor of pigeonpea (*Cajanus cajan*) seeds. *Phytochemistry* 47 (2) : 197-202.
- Grant, G., Edwards, J.E. and Pusztai, A. 1995.  $\alpha$ -Amylase inhibitor levels in seeds generally available in Europe. *J. Sci. Food Agric.* 67 : 235-238.
- Grant, G., More, L.J., McKenzie, N.H. and Pusztai, A. 1982. The effect of heating on the haemagglutinating activity and nutritional properties of bean (*Phaseolus vulgaris*) seeds. *J. Sci. Food Agric.* 33 : 1324-1326.
- Ishimoto, M. and Kitamura, K. 1989. Growth inhibitory effects of an  $\alpha$ -amylase inhibitor from kidney bean, *Phaseolus vulgaris* (L.) on three species of bruchids (Coleoptera : Bruchidae). *Appl. Ent. Zool.* 24 : 281-286.
- Ishimoto, M., Suzuki, K., Iwanaga, M., Kikuchi, F. and Kitamura, K. 1995. Variation of seed  $\alpha$ -Amylase inhibitors in the common bean. *Theor. Appl. Genet.* 90 : 425-429.
- Jarrett, S.J., Marschke, R.J., Symons, M.H., Gibson, C.E., Henry, R.J. and Fox, G.P. 1997. Alpha-amylase/subtilisin inhibitor levels in Australian barleys. *J. Cereal Sci.* 25 : 261-266.
- Jenkins, D.F.A., Wolever, T.M.S. and Taylor, R.H. 1980. Rate of digestion of foods and postprandial glycaemia in normal and diabetic subjects. *Br. Med. J.* 281 : 14-17.
- Jenkins, D.F.A., Wolever, T.M.S., Jenkins, A.L., Thompson, L.U., Rao, A.V. and Francis, T. 1986. The glycemic index. Blood glucose response to foods. In G.V. Vahouny and D. Kritchevsky (eds.), *Basic and Chemical Aspects of Dietary Fiber*, pp. 167-179. New York, USA : Alan R. Liss, Inc.

- Kanzaki, K., Kawabata, C. and Noda, K. 1993. Localization of  $\alpha$ -amylase and its inhibitor in germinating wheat seed. *Seed Sci. Res.* 3 : 287-292.
- Kasahara, K., Hayashi, K., Arakawa, T., Philo, J.S., Wen, J., Hara, S. and Yamaguchi, H. 1996. Complete sequence, subunit structure, and complexes with pancreatic  $\alpha$ -Amylase of an  $\alpha$ -Amylase inhibitor from *Phaseolus vulgaris* white kidney beans. *J. Biochem.* 120 : 177-183.
- Kataoka, K. and Dimagno, E.P. 1999. Effect of prolonged intraluminal  $\alpha$ -Amylase inhibition on eating, weight, and the small intestine of rats. *Nutrition* 15 (2) : 123-129.
- Kneen, E. and Sandstedt, R.M. 1943. An amylase inhibitor from certain cereals (lett). *J. Am. Chem. Soc.* 65 : 1247.
- Koike, D., Yamadera, K. and Dimagno, E.P. 1995. Effect of a wheat amylase inhibitor on canine carbohydrate digestion, gastrointestinal function, and pancreatic growth. *Gastroenterology* 108 : 1221-1229.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227 : 680-685.
- Lajolo, F.M. and Finardi-Fiho, F. 1985. Partial characterization of the  $\alpha$ -amylase inhibitor of black beans (*Phaseolus vulgaris*), variety Rico 23. *J. Agric. Food Chem.* 33 : 132-138.
- Layer, P., Carlson, G.L. and Dimagno, E.P. 1985. Partially purified white bean amylase inhibitor reduces starch digestion in vitro and inactivates intraduodenal amylase in humans. *Gastroenterology* 88 : 1895-1902.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.I. 1951. Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* 193 : 265-275.

- Marshall, J.J. and Lauda, C.M. 1975. Purification and properties of phaseolamin, an inhibitor of  $\alpha$ -amylase, from the kidney bean, *Phaseolus vulgaris*. *J. Biol. Chem.* 250 : 8030-8037.
- Masojc, P. and Larsson-Raznikiewicz, M. 1991. Variations of the level of  $\alpha$ -amylase inhibitor in rye and triticale grain. *Agricultural Research* 21 : 3-9.
- Moreno, J. and Chrispeels, M.J. 1989. A lectin gene encodes the  $\alpha$ -amylase inhibitor of the common bean. *Proc. Natl. Acad. Sci. USA* 86: 7885-7889.
- Moreno, J., Altabella, T. and Chrispeels, M.J. 1990. Characterization of  $\alpha$ -amylase inhibitor, a lectin-like protein in the seeds of *Phaseolus vulgaris*. *Plant Physiol.* 92 : 703-709.
- Morris, C.F. and Paulsen, G.M. 1988. Localization and physical properties of endogenous germination inhibitors in white wheat grain. *Cereal Chem.* 65 : 404-408.
- Mundy, J., Svendsen, I. And Hejgaard, J. 1983. Barley  $\alpha$ -amylase/subtilisin inhibitor. Isolation and characterization. *Carlsberg Research Communications* 48 : 81-90.
- O'Dea, K., Snow, P. and Nestel, P. 1981. Rate of starch hydrolysis in vitro as a predictor of metabolic response to complex carbohydrate in vivo. *Am. J. Clin. Nutr.* 34 : 1991-1993.
- O'Donnell, M.D. and McGeeney, K.F. 1976. Purification and properties of an  $\alpha$ -amylase inhibitor from wheat. *Biochim. Biophys. Acta* 422 : 159-169.

- Pick, K.H. and Wober, G. 1978. Proteinaceous  $\alpha$ -amylase inhibitor from beans (*Phaseolus vulgaris*). Purification and partial characterization. *Hoppe-Seyler's Z. Physiol. Chem.* 359 : 1371-1377.
- Powers, J.R. and Whitaker, J.R. 1977. Purification and some physical and chemical properties of red kidney bean (*Phaseolus vulgaris*)  $\alpha$ -amylase inhibitor. *J. Food Biochem.* 1 : 217-238.
- Powers, J.R. and Whitaker, J.R. 1977. Effect of several experimental parameters on combination of red kidney bean (*Phaseolus vulgaris*)  $\alpha$ -amylase inhibitor with porcine pancreatic  $\alpha$ -amylase. *J. Food Biochem.* 1 : 239-260.
- Pueyo, J.J. and Delgado-Salinas, A. 1997. Presence of  $\alpha$ -amylase inhibitor in some members of the subtribe Phaseolinae (*Phaseoleae* : *Fabaceae*). *American Journal of Botany* 84 (1) : 79-84.
- Puls, W. and Keup, U. 1973. Influence of an alpha-amylase inhibitor (BAY d 7791) on blood glucose, serum insulin and NEFA in starch loading tests in rats, dogs and man. *Diabetologia* 9 : 97-101.
- Robertson, M. and Hill, R.D. 1989. Accumulation of an endogenous alpha-amylase inhibitor in barley during grain development. *Journal of Cereal Science* 9 : 237-246.
- Robertson, M., Walker-Simmons, M., Minso, D. and Hill, R.D. 1989. Induction of  $\alpha$ -amylase inhibitor synthesis in barley embryos and young seedlings by abscisic acid and dehydration stress. *Plant Physiol.* 91 : 415-420.
- Scopes, R.K. 1978. Techniques for protein purification. *Techniques in Protein and Enzyme Biochemistry*, B101, Elsevier/North-Holland Biomedical Press. pp. 1-42.

- Shade, R.E., Schroeder, H.E., Pueyo, J.J., Tabe, L.M., Murdock, L.L., Higgins, T.J.V. and Chrispeels, M.J. 1994. Transgenic pea seeds expressing the  $\alpha$ -amylase inhibitor of the common bean are resistant to bruchid beetles. *Bio/technology* 12 : 793-796.
- Sparvoli, F., Lanave, C., Santucci, A., Bollini, R. and Lioi, L. 2001. Lectin and lectin-related proteins in lima bean (*Phaseolus lunatus* L.) seeds : biochemical and evolutionary studies. *Plant Mol. Biol.* 45 (5) : 587-597.
- Taufel, A., Bohm, H. and Flamme, W. 1997. Protein inhibitors of alpha-amylase in mature and germinating grain of rye (*Secale cereale*). *Journal of Cereal Science* 25 : 267-273.
- Thompson, L.U. 1993. Potential health benefits and problems associated with antinutrients in foods. *Food Research International* 26 : 131-149.
- Thompson, L.U. 1988. Antinutrients and blood glucose. *Food Technol.* 42 : 123-132.
- Utarabhand, P. 1990. Sperm-Agglutinating Lectins from Seeds of Local Plants in Southern Thailand. *Songklanakarin J. Sci. Technol.* 12(1): 29-33.
- Wato, S., Kamei, K., Arakawa, T., Philo, J.S., Wen, J., Hara, S. and Yamaguchi, H. 2000. A chimera-like  $\alpha$ -Amylase inhibitor suggesting the evolution of *Phaseolus vulgaris*  $\alpha$ -Amylase inhibitor. *J. Biochem.* 128 : 139-144.
- Wilcox, E.R. and Whitaker, J.R. 1984. Structural features of red kidney bean  $\alpha$ -amylase inhibitor important in binding with  $\alpha$ -amylase. *J. Food Biochem.* 8 : 189-213.
- Yamagata, H., Kunimatsu, K., Kamasaka, H., Kuramoto, T. and Iwasaki, T. 1998. Rice bifunctional  $\alpha$ -Amylase/subtilisin inhibitor :

characterization, localization and changes in developing and germinating seeds. *Biosci. Biotechnol. Biochem.* 62 (5) : 978-985.

Zacharius, R.M., Zell, T.G., Morrison, J.H. and Woodloch, J.J. 1969.

Glycoprotein staining following electrophoresis on acrylamide gels.

*Anal. Biochem.* 30 : 148-152.