

เอกสารอ้างอิง

- นิโบล เนื่องตัน. 2539. โปรตีนในเลือดที่สำคัญทางการแพทย์. บริษัท ธรรมสาร จำกัด, กรุงเทพฯ.
- Abram, K.W. 1996. *Algae to the Rescue!: Everything you need to know about Nutritional Blue-Green Algae*, (2nd ed.). Logan House. Studio city. CA, USA. p 61.
- Al-Batshan, H.A., Al-Mufarrej, S.I., Al-Homaidan, A.A. and Qureshi, M.A. 2001. Enhancement of chicken macrophage phagocytic function and nitrite production by dietary *Spirulina platensis*. *Immunopharmacol. Immunotoxicol.* 23: 281-289.
- Ayehunie, S., Belay, A., Baba, T.W. and Ruprecht, R.M. 1998. Inhibition of HIV-1 replication by an aqueous extract of *Spirulina platensis* (*Arthrospira platensis*). *J. Acquir. Immune. Defic. Syndr. Hum. Retrovirol.* 18: 7-12.
- Balbisi, E.A. 2006. Management of hyperlipidemia: new LDL-C targets for persons at high-risk for cardiovascular events. *Med Sci Monit.* 12: 34-39.
- Becker, E.W. 1980. Comparative toxicological studies with algae in India, Thailand and Peru. In Shelef, G. and Soeder, C.J. (eds.), *Algae Biomass. Production and Use*. Elsevier/North-Holland. Amsterdam. pp. 565-574; 767-786.
- Becker, E.W. 1986. Clinical and biochemical evaluations of spirulina with regard to its application in the treatment of obesity. *Nutr. Rep. Int.* 33: 565-567.
- Belay, A. 2002. The potential application of spirulina as a nutritional and therapeutic supplement in health management. *J. Am. Nutr. Assoc.* 5: 1-2.
- Besednova, T. 1979. Immunostimulating activity of lipopolysaccharide in blue-green algae. *Zh. Mikrobiol. Epidemiol. Immunobiol.* 56: 75-79.
- Bhat, V.B. and Madyastha, K.M. 2000. C-phycoyanin: A potent peroxy radical scavenger *in vivo* and *in vitro*. *Biochem. Biophys. Res. Commun.* 275: 20-25.
- Boyd, M.R., Statham, C.N. and Longo, N.S. 1980. The pulmonary clara cell as a target for toxic chemicals requiring metabolic activation; studies with carbon tetrachloride. *J. Pharmacol. Exp. Ther.* 212: 109-114.
- Brinton, E.A., Eisenberg, S. and Breslow, J.L. 1990. A low-fat diet decreases high density lipoprotein (HDL) cholesterol levels by decreasing HDL apolipoprotein transport rates. *J. Clin. Invest.* 85: 144-151.

- Burtis, C.A. and Ashwood, E.R. 1999. Tietz textbook of clinical chemistry (3rd ed.). W.B. Saunders. Philadelphia, USA.
- Ceriotti, G. 1971. Blood glucose determination without deproteinization, with use of *o*-Toluidine in dilute acetic acid. *Clin. Chem.* 17: 440-441.
- Chamorro, G., Salazar, M., Izquierdo, E., Salazar, S., Ulloa, V. 1985. Multi-generation study on reproduction and lactation in rats fed *Spirulina*. *Archiv. fur Hydrobiol.* 20: 165-171.
- Chamorro, G., Salazar, M., Salazar, S. and Pages, N. 1987. Evaluation teratologique de la *Spirulina* chez le hamster. *Belgian J. Food Chem. Biotechnol.* 42: 188-191.
- Chamorro, G., Herrera, G., Salazar, M., Salazar, S. and Ulloa, V. 1988a. Short-term toxicity study of spirulina in F3b generation rats. *J. Toxicol. Clin. Exp.* 8: 163-167.
- Chamorro, G., Herrera, G., Salazar, M., Salazar, S. and Ulloa, V. 1988b. Subchronic toxicity study in rats fed spirulina. *J. Pharm. Belg.* 43: 29-36.
- Chamorro, G., Salazar, M. and Salazar, S. 1989. Teratogenic study of spirulina in rats. *Arch. Latinoam. Nutr.* 39: 641-649.
- Chamorro, G. and Salazar, M. 1990. Teratogenic study of spirulina in mice. *Arch. Latinoam. Nutr.* 40: 86-94.
- Chamorro, G. and Salazar, M. 1996. Dominant lethal study of *Spirulina maxima* in male and female rats after short-term feeding. *Phytother. Res.* 10: 28-32.
- Chamorro, G., Salazar, M., Favila-Castillo, L. and Bourges, H. 1996. Pharmacology and toxicology of spirulina alga. *Rev. Invest. Clin.* 48: 389-399.
- Chamorro, G., Salazar, S., Favila-Castillo, L., Steele, C. and Salazar, M. 1997. Reproductive and peri- and postnatal evaluation of *Spirulina maxima* in mice. *J. Appl. Phycol.* 9: 107-112.
- Cryer, P.E., Fisher, J.N. and Shamon, H. 1994. Hypoglycemia. *Diabetes Care.* 17: 734-735.
- Dai, Ken-Shwo., Tai, Der-Yan., Ho, P., Chen, Chien-Chih., Peng, Wen-Chung., Chen, Shih-Te., Hsu, Chun-Chieh., Liu, Yu-Ping., Hsieh, Hsiu-Ching. and Mao, S.J.T. 2005. An evaluation of clinical accuracy of the easy touch blood uric acid self-monitoring system. *Clin. Biochem.* 38: 278– 281.
- Devi, M.A. and Venkataraman, L.V. 1983. Hypocholesteremic effect of blue green algae *Spirulina platensis* in albino rats. *Nutr. Rep. Int.* 28: 519-530.
- Doumas, B.T. 1978. Measurement of serum proteins and albumin. *Clin. Chem.* 31: 87-96.

- Fong, B., Cheung, M. and Lee, M. 2000. Effect of dietary Spirulina on plasma cholesterol and triglyceride levels in mice. In: Abstracts. 4th Asia-Pacific Conference on Algal Biotechnology. p 150.
- Fukino, M. 1990. Effect of spirulina on the renal toxicity induced by inorganic mercury and cisplatin. *Eisel. Kagaku*. 36: 5-12.
- Gerich, J.E. 1988. Glucose counterregulation and its impact on diabetes mellitus. *Diabetes*. 37: 1608-1617.
- Gonzalez de Rivera, C., Miranda-Zamora, R., Diaz-Zagoya, J.C. and Juarez-Oropeza, M.A. 1993. Preventive Effects of dietary *Spirulina maxima* on the fatty liver induced by a fructose-rich diet in the rat, a preliminary report. *Life Sci*. 53: 57-61.
- Gonzalez, R., Rodriguez, S., Romay, C., Gonzalez, A., Armesto, J., Ramirez, D. *et al.* 1999. Anti-inflammatory activity of Phycocyanin extract in acetic acid induced colitis in rats. *Pharmacol. Res*. 39: 1055-1059.
- Grabowska, I., Chudy, M., Dybko, A. and Brzozka, Z. 2005. Determination of creatinine in clinical samples based on flow-through microsystem. *Analytica Chimica Acta*. 540:181–185.
- Hayakawa, Y., Hayashi, T., Hayashi, K., Hayashi, T., Ozawa, T., Niiya, K. and Sakurakawa, N. 1996. Heparin cofactor II- dependent antithrombin activity of calcium spirulan. *Blood Coagul. Fibrinol*. 7: 554-560.
- Hayashi, O., Katoh, T. and Okuwaki, Y. 1994. Enhancement of antibody production in mice by *Spirulina platensis*. *J. Nutr. Sci. Vitaminol*. 40: 431-441.
- Hayashi, K., Hayashi, T. and Kojima, I. 1996. A natural sulfated polysaccharide, calcium spirulan, isolated from *Spirulina platensis*: in vitro and ex vivo evaluation of anti-herpes simplex virus and anti-human immunodeficiency virus activities. *AIDS Res. Hum. Retrovirol*. 12: 1463-1471.
- Hayashi, T. and Hayashi, K. 1996. Calcium spirulan, an inhibitor of enveloped virus replication, from green alga *Spirulina platensis*, *J. Nat. Prod*. 59: 83-87.
- Hegazi, A.N. 2001. A new concept for urate in human serum: Colorimetric assay of total urate-equivalent chromogens in human serum. *Arth. Res*. 3(4).

- Hirahashi, T., Matsumoto, M., Hazeki, K., Saeki, Y., Ui, M. and Seya, T. 2002. Activity of the human innate immune system by spirulina: augmentation of interferon production and NK cytotoxicity by oral administration of hot water extract of *Spirulina platensis*. *Int. Immunopharmacol.* 2: 423-434.
- Iwata, K., Inayama, T. and Kato, T. 1987. Effect of *Spirulina platensis* on fructose-induced hyperlipidemia in rats. *J. Jap. Soc. Nutr. Food Sci.* 40: 463-487.
- Iwata, K., Inayama, T. and Kato, T. 1990. Effects of *Spirulina platensis* on plasma lipoprotein lipase activity in fructose-induced hyperlipidemic rats. *J. Nutr. Sci. Vitaminol (Tokyo)*. 36: 165-171.
- Jaffe, M. 1886. *Z. Physiol. Chem.* 10: 391.
- Jones, J.D. and Chambliss, M.L. 2000. Hypertriglyceridemic and coronary heart disease. *Arch. Fam. Med.* 9: 189-190.
- Kato, T. and Takemoto, K. 1984. Effects of spirulina on hypercholesterolemia and fatty liver in rats. *Japan. Nutr. Foods Assoc. J.* 37: 323.
- Khan, Z., Bhadouria, P. and Bisen, P.S. 2005. Nutritional and therapeutic potential of spirulina. *Curr. Pharm. Biotechnol.* 6: 373-379.
- King, E.J and Armstrong, A.R. 1980. In: Varley, B., Gowenlock, A.H., Bell, M. (eds.). *Practical Clinical Biochemistry*. (volumn 1). Heinemann, London. pp. 850-860.
- King, J. 1965. *Practical Clinical Enzymology*. D. Van Nostrand Co., Ltd., London.
- Lee, J.B., Srisomporn, P., Hayashi, K., Tanaka, T., Sankawa, U. and Hayashi, T. 2001. Effects of structural modification of calcium spirulan, a sulfated polysaccharide from *Spirulina platensis*, on antiviral activity. *Chem. Pharm. Bull.* 49: 108-110.
- Lightner, D.A. 1978. Possible toxic of the marine blue-green alga, *Spirulina subsalsa*, on the blue shrimp, *Penaeus stylirostris*. *J. Invertebr. Pathol.* 32: 139-150.
- Malloy, H.T and Evelyn, E.A. 1937. The determination of bilirubin with the photoelectric colorimeter. *J. Biol. Chem.* 119: 481-485.
- Mathew, B., Sankaranarayanan, R., Nair, P.P., Varghese, C., Somanathan, T., Amma, B.P., Amma, N.S. and Nair, M.K. 1995. Evaluation of chemoprevention of cancer with *Spirulina fusiformis*. *Nutr. Cancer.* 24: 197-202.

- Mayne, P.D. and Mayne, Z.P. 1994. Clinical chemistry: in diagnosis and treatment (6th ed.), Edward Arnold, London.
- Miranda, M.S., Cintra, R.G., Barros, S.M., Mancini, J. and Filho, J. 1998. Antioxidant activity of microalgae *Spirulina maxima*. *Braz. J. Med. Biol. Res.* 31:1075-1079.
- Mishima, T., Murata, J., Toyoshima, M., Fujii, H., Nakajima, M., Hayashi, T., Kato, T. and Saiki, I. 1998. Inhibition of tumor invasion and metastasis by calcium spirulan (Ca-SP), a novel sulfated polysaccharide derived from a blue-green alga, *Spirulina platensis*. *Clin. Exp. Metastasis.* 16: 541-550.
- Mohun, A.F. and Cook, J.Y. 1957. Assay of transaminases. *J. Clin. Path.* 10: 304-306.
- Nakaya, N., Homa, Y. and Goto, Y. 1988. Cholesterol lowering effect of Spirulina. *Nutr Rep Int.* 37: 1329-1337.
- Nowrouzi, A. and Yazdanparast, R. 2005. Alkaline phosphatase retained in HepG2 hepatocarcinoma cells vs. alkaline phosphatase released to culture medium: Difference of aberrant glycosylation. *Biochem. Biophys. Res. Commun.* 330: 400-409.
- Pak, S. 2000. The clinical implication of sodium-potassium ratios in dogs. *J. Vet. Sci.* 1: 61-65.
- Pang, Q.S., Guo, B.J. and Ruan, J.H. 1988. Effect of polysaccharide from *Spirulina platensis* on the activity of endonuclease and on DNA repair-synthesis capability. *Acta. Genet. Sin.* 15: 374-381.
- Parada, J.L., de Caire, G.Z., de Mule, M.C.Z. and de Cano, M.M.S. 1998. Lactic acid bacteria growth promoters from *Spirulina platensis*. *Int. J. Food Microbiol.* 45: 225-228.
- Pontiroli, A.E., Alberetto, M. and Pozzo, G. 1983. Intranasal glucagon raises blood glucose concentrations in healthy volunteers. *British Med. J.* 287: 462-463.
- Pugh, N., Ross, S.A., Elsohly, H.N., Elsohly, M.A. and Pasco, D.S. 2001. Isolation of three high molecular weight polysaccharide preparations with potent immunostimulatory activity from *Spirulina platensis*, *Aphanizomenon flos-aquae* and *Chlorella pyrenoidosa*. *Planta Med.* 67: 737-742.
- Qureshi, M.A. and Ali, R.A. 1996. *Spirulina platensis* exposure enhances macrophage phagocytic function in cats. *Immunopharmacol. Immunotoxicol.* 18: 457-463.

- Qureshi, M.A., Garlish, J.D. and Kidd, M.T. 1996. Dietary *Spirulina platensis* enhances humoral and cell-mediated immune functions in chickens. *Immunopharmacol. Immunotoxicol.* 18: 465-476.
- Ramamoorthy, A. and Premakumari, S. 1996. Effect of supplementation of *Spirulina* on hypercholesterolemic patients. *J. Food Sci. Technol.* 33: 124-128.
- Reddy, C.M., Bhat, V.B., Kiranmai, G., Reddy, M.N., Reddanna, P. and Madyastha, K.M. 2000. Selective inhibition of cyclooxygenase-2 by C-phycoyanin, a billiprotein from *Spirulina platensis*. *Biochem. Biophys. Res. Commun.* 277: 599-603.
- Rogatto, G.P., Oliveira, C.A.M.de., Santos, J.W.dos., Barros Manchado, F.de., Nakamura, F.Y., Moraes, C.de., Moura Zagatto, A.de., Faria, M.C., Mello, M.A. and Mello, M.A.R.de. 2004. Influence of *Spirulina* intake on metabolism of exercised rats. *Rev. Bras. Med. Esporte.* 10: 264-268.
- Romay, C., Armesto, J., Remirez, D., Gonzalez, R., Ledon, N. and Garcia, I. 1998. Antioxidant and anti-inflammatory properties of C-phycoyanin from blue-green algae. *Inflamm. Res.* 47: 36-41.
- Romay, C., Ledon, N., and Gonzalez, R. 1999. Phycocyanin extract reduced leukotriene B4 levels in arachidonic acid-induced mouse-ear inflammation test. *J. Pharm. Pharmacol.* 51: 641-642.
- Salazar, M., Chamorro, G.A., Salazar, S. and Steele, C.E. 1996. Effect of *Spirulina maxima* consumption on reproduction and peri- and postnatal development in rats. *Food Chem. Toxicol.* 34: 353-359.
- Salazar, M., Martinez, E., Madrigal, E., Ruiz, L.E. and Chamorro, G.A. 1998. Subchronic toxicity study in mice fed *Spirulina maxima*. *J. Ethnopharmacol.* 62: 235-241.
- Sampson, E.J. and Baird, M.A. 1979. Chemical inhibition used in a kinetic urease/glutamate dehydrogenase method for urea in serum. *Clin.Chem.* 25: 1721-1729.
- Schwartz, J., Scklar, G. and Suda, D. 1995. Growth inhibition and destruction of oral cancer cells by extracts from spirulina. *Nutr. Cancer.* 6: 188-192.
- Shima, Y., Teruya, K. and Ohta, H. 2006. Association between intronic SNP in urate-anion exchanger gene, SLC22A12, and serum uric acid levels in Japanese. *Life Sci.* 79: 2234-2237.

- Stein, E.A. 1986. Lipids, lipoproteins, and apolipoproteins. In *Clinical chemistry*. N.W. Tietz (eds.), W.B. Saunders. Philadelphia, USA. pp. 829-900.
- Takai, Y., Hosoyamada Y. and Kato, T. 1991. Effect of water soluble and water insoluble fractions of *Spirulina* over serum lipids and glucose resistance of rats. *J. Jap. Soc. Nutr. Food Sci.* 44: 273-277.
- Tokusoglu, O. and Unal, M.K. 2003. Biomass nutrient profiles of three microalgae: *Spirulina platensis*, *Chlorella vulgaris* and *Isochrysis galbana*. *J. Food. Sci.* 68: 1144-1148.
- Torres-Duran, P.V., Miranda-Zamora, R., Paredes-Carbajal, M.C., Mascher, D., Diaz-Zagoya, J.C. and Juarez-Oropeza, M.A. 1998. *Spirulina maxima* prevents induction of fatty liver by carbon tetrachloride in the rat. *Biochem. Mol. Biol. Int.* 44: 787-793.
- Vadiraja, B.B., Gaikwad, N.W. and Madyastha, K.M. 1998. Hepatoprotective effect of C-phycoyanin: protection for carbon tetrachloride and R-(+)-Pulegone-mediated hepatotoxicity in rats. *Biochem. Biophys. Res. Commun.* 249: 428-431.
- Wang, Y.L., Chen, W.H. and Xie, Y.X. 1999. Study on the pharmacologic functions of the polysaccharide of *Spirulina maxima*. *Biotech. Bull.* 15: 26-29.
- Yang, H.N., Lee, E.H. and Kim, H.M. 1997. *Spirulina platensis* inhibits anaphylactic reaction. *Life Sci.* 61: 1237-1244.
- Yuan, G., Wang, J. and Hegele, R.A. 2006. Heterozygous familial hypercholesterolemia: an underrecognized cause of early cardiovascular disease. *Can. Med. Assoc. J.* 174: 1124-1129.
- Zhang, H.Q., Lin, A.P., Sun, Y. and Deng, Y.M. 2001. Chemo- and radio-protective effects of polysaccharide of *Spirulina platensis* on hemopoietic system of mice and dogs. *Acta. Pharmacol. Sin.* 22: 1121-1124.
- Zimmerman, H.D. 1978. Hepatotoxicity. Appleton Century Crofts. New York. 12: 2-15.
- http://www.bio.utexas.edu/research/utex/photogallery/s/Spirulina_platensis_1926.htm
(as being on-lined on September, 20, 2006)
- <http://www.ITIS.USDA.gov/ITIS/index.html> (as being on-lined on September, 20, 2006)
- <http://www.spirulina.com/SPBNutrition.html> (as being on-lined on September, 20, 2006)
- <http://www.spirulina.com/SPLNews96.html> (as being on-lined on September, 20, 2006)
- <http://www.vitaminevi.com/supp/spirulina.html> (as being on-lined on September, 20, 2006)