

เอกสารอ้างอิง

- กฤษณา ไสภณพงษ์. 2538. การประเมินคุณภาพทางด้านประสาทสัมผัสของกุ้งแช่เยือกแข็ง. ว. การประมง. 48(6): 495-509.
- จิราพร ชมพิกุล. 2532. สถิติเพื่อการวางแผนการตลาด. ภาควิชาคณิตศาสตร์ คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์. สงขลา. 330 หน้า
- นงลักษณ์ สุทธิวานิช. 2531. คุณภาพสัตว์น้ำ. ภาควิชาอุตสาหกรรมเกษตร คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์. 262 หน้า
- บางเขน1074. 2542. กุ้งกุลาดำส่งออก. ผู้ส่งออก. 13: 28 – 34.
- ประเสริฐ สายสิทธิ์. 2527. คู่มือการตรวจสอบคุณภาพผลิตภัณฑ์อุตสาหกรรมประมง. การประชุมสัมมนาวิชาการ แนวทางพัฒนาอุตสาหกรรมผลิตภัณฑ์สัตว์น้ำ 14-15 พฤศจิกายน 2527 คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์.
- พงศ์ธร พิทักษ์โกศลพงศ์. 2535. การพัฒนาผลิตภัณฑ์กุ้งกุลาดำรมควัน. วิทยานิพนธ์วิทยาศาสตร์ มหาบัณฑิต มหาวิทยาลัยเกษตรศาสตร์. 165 หน้า
- พันธจิต พัฒโนภาษ. 2541. เทคโนโลยีอาหารแห่งอนาคต high pressure processing. ว. สถาบันอาหาร. 1: 42.
- พิบูลย์ เจียมอนุกุลกิจ. 2541. โอกาสส่งออกกุ้งกุลาดำของไทย. ข่าวเศรษฐกิจเกษตร. 44: 5-9.
- ภัทรพร ยุธาชิต ศุภยางค์ วรวุฒิคุณชัย และประเสริฐ สันตินาเลิศ. 2533. การศึกษาแบคทีเรียที่ประจำอยู่ในทางเดินอาหารของกุ้งกุลาดำ. ว. สงขลานครินทร์. 2: 151-157.
- สุทธวัฒน์ เบญจกุล. 2543. ชูริมิและผลิตภัณฑ์จากชูริมิ. ภาควิชาเทคโนโลยีอาหาร คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์. สงขลา. 337 หน้า
- สุทธวัฒน์ เบญจกุล. 2544. เคมีและคุณภาพสัตว์น้ำ. ภาควิชาเทคโนโลยีอาหาร คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์. สงขลา. 311 หน้า
- สุนิสา ศรีพงษ์พันธุ์กุล. 2535. การเปลี่ยนแปลงคุณภาพของกุ้งกุลาดำระหว่างการเก็บเกี่ยวและการเก็บรักษาแบบแช่เยือกแข็ง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยสงขลานครินทร์. สงขลา.
- สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม. 2533. มาตรฐานอุตสาหกรรมกุ้งแช่เยือกแข็ง. (มอก. 165) กระทรวงอุตสาหกรรม. กรุงเทพฯ.

- An, H., Seymour, T.A., Wu, J., and Morrissey, M.T. 1994. Assay system and characterization of Pacific whiting (*Merluccius productus*) protease. *J. Food Sci.* 59: 277-281.
- Angsupanich, K., and Ledward, D.A. 1998. High pressure treatment affects on cod (*Gadus morhua*) muscle. *Food Chem.* 63: 39-50.
- Angsupanich, K., and Ledward, D.A. 1999. Effects of high pressure on the myofibrillar proteins of cod and turkey muscle. *J. Agric. Food Chem.* 47: 92-99.
- A.O.A.C. 1999. Official Methods of Analysis 16thed. The Association of Official Analytical Chemists. Washington, DC.
- Ashie, I.N.A., and Lanier, C. 2000. Influence of high – pressure processing on enzyme in fish. In *Seafood Enzyme: Utilization and Influence on Postharvest Seafood Quality.* (Haard, N. F., and Simpson, B.K., eds.). p. 549-570. Marcel Dekker, Inc. New York.
- Ashie, I.N.A., and Simpson, B.K. 1996. Application of high hydrostatic pressure to control enzyme related fresh seafood texture deterioration. *Food Res. Int.* 29(5-6): 569-575.
- Ashie, I.N.A., Simpson, B.K., and Ramaswamy H.S. 1997. Changes in texture and microstructure of pressure-treated fish muscle tissue during chilled storage. *J. Muscle Foods.* 8: 13-32.
- Benjakul, S., Visessanguan, W., Riebroy, S., Ishizaki, S., and Tanaka, M. 2002. Gel-forming properties of surimi produce from Bigeye Snapper, *Priacanthus tayenus* and *P. macracanthus*, stored in ice. *J. Sci. Food Agric.* 82: 1442-1451.
- Buege, J.A., and Aust, S.D. 1978. Microsomal lipid peroxidation. In *Methods in Enzymology* (Fleischer and Packer, L., eds.). p. 302-310. Academic Press. New York.
- Chander, R., and Thomas, P. 1999. Heat-stable alkaline proteinase from shrimp waste. *Fish Technol. Soc. Fish Technol. India.* 36: 82-86.
- Chang, O., Cheuk, W., Nickelson, R., Martin, R., and Finne, G. 1983. Indole in shrimp: effect of fresh storage temperature, freezing and boiling. *J. Food Sci.* 48: 813-816.
- Chawla, S.P., Venugopal, V., and Nair, P.M. 1996. Gelation of proteins from washed muscle of threadfin bream (*Nemipterus japonicus*) under mild acidic conditions. *J. Food Sci.* 61: 362-371.

- Cheah, P.B., and Ledward, D.A. 1996. High-pressure effects on lipid oxidation in minced pork. *Meat Sci.* 43: 123-134.
- Cheah, P.B., and Ledward, D.A. 1997. Catalytic mechanism of lipid oxidation following high pressure treatment in pork fat and meat. *J. Food Sci.* 62: 1135.
- Cheftel, J.C., and Culioli, J. 1997. Effect of high pressure on meat : a review. *Meat sci.* 46: 211- 236.
- Chen, H., Moody, M.W., and Jiang, S. 1990. Changes in biochemical and bacteriological quality of Grass prawn during transportation by icing and oxygenating. *J. Food Sci.* 55: 670-673.
- Chinivasagam, H.N., Bremner, H.A., Wood, A.F., and Nottingham, S.M. 1998. Volatile components associated with bacterial spoilage of tropical prawn. *Int. J. Food Microbiol.* 42: 45-55.
- Chung, Y.C., Gebrehiwot, A., Farkas, D.F., and Morrissey, M.T. 1994. Gelation of surimi by high hydrostatic pressure. *J. Food Sci.* 59: 523-524.
- Cobb III, B.F., Vanderzant, C., Hanna, M.O., and Yeh, C.S. 1973. Effect of ice storage on microbiological and chemical changes in shrimp and melting ice in a model system. *J. Food Sci.* 41: 29-34.
- Copeland, R.A. 1994. *Methods of protein analysis : a practical guide to laboratory protocols.* Chapman & Hall. New York. pp. 228.
- Damodaran, S.1996. Amino acids, peptides, and proteins. In *Food Chemistry.* (Fennema, O.R. ed.). p. 943-1012. Marcel Dekker, Inc. New York.
- Deng, J.C. 1981. Effect of temperatures on fish alkaline protease, protein interaction and texture quality. *J. Food Sci.* 46: 62-65.
- Eitenmiller, R.R. 1974. Cathepsin activity of *Panaeus setiferus* muscle. *J. Food Sci.* 37: 6-9.
- Eshtiaghi, M.N., and Knorr, D. 1993. Potato cubes response to water blanching and high hydrostatic pressure. *J. Food Sci.* 58: 1371-1374.
- Farkas, D.C., and Hoover, D.G. 2000. High pressure processing. *J. Food Sci-supplement :* Kinetics of Microbial Inactivation for Alternative Food Processing Technologies. 47-64.

- Fatima, R., Farooqui, B., and Qadri, R.B. 1981. Inosine monophosphate and hypoxanthine as indices of quality of shrimp (*Penaeus merguensis*). J. Food Sci. 46: 1125-1131.
- Fatima, R., and Qadri, R.B. 1979. Studies on the prolongation of keeping quality of shrimp in ice. Pakistan J. Sci. Ind. Res. 22: 332-337.
- Fellows, P. 1990. Food Processing Technology Principles and Practice. Ellis Horwood. London, 238.
- Fernández, J., Pérez-Álvarez, J.A., and Fernández-López, A. 1997. Thiobarbituric acid test for monitoring lipid oxidation in meat. Food Chem. 59: 345-353.
- Fernández-Martín, F., Pérez-Mateos, M., and Montero, P. 1998. Pressure / heat combinations on Blue whiting (*Micromesistius poutassou*) washed mince: thermal and mechanical properties. J. Agric. Food Chem. 46: 3257-3264.
- Flick, G., and Lovell, R.T. 1972. Post-mortem biochemical changes in the muscle of Gulf shrimp (*Penaeus aztecus*). J. Food Sci. 37: 609-611.
- Flores, S.C., and Crawford, D.L. 1973. Post-mortem quality changes in iced Pacific shrimp (*Pandalus jordani*). J. Food Sci. 45: 786-790.
- Foegeding, E., Lanier, T.C. and Hultin, H.O. 1996. Characteristics of edible plant tissues. In Food Chemistry. (Fennema, O.R. ed.). p. 943-1012. Marcel Dekker, Inc. New York.
- Gilleland, G.M., Lanier, T.C., and Hamann, D.D. 1997. Covalent bonding in pressure – induced fish protein gels. J. Food Sci. 62: 523-733.
- Greene, B.E., and Cumuze, T.H. 1981. Relationship between TBA numbers and inexperienced panalists' assessments of oxidized flavor in cooked beef. J. Food Sci. 47: 52-54.
- Hasegawa, H. 1987. Laboratory manual on analytical methods and procedures for fish and fish product. Marine Fisheries Research Department. SEAFDEC. Singapore.
- Hayakawa, I., Kanno, T., Tomita, M., and Fujio, Y. 1994. Application of high pressure for spore inactivation and protein denaturation. J. Food Sci. 59:159-163.
- Heremans, L., and Heremans, K. 1989. Raman spectroscopic study of the changes in secondary structure of chymotrypsin : effect of pH and pressure on the salt bridge. Biochem. Biophys. Acta. 999: 192-197.

- Homma, N., Ikeuchi, Y., and Suzuki, A. 1994. Effect of high pressure treatment on the proteolytic enzymes in meat. *Meat Sci.* 38: 219-228.
- Hurtado, J.L., Montero, P., Borderias, J., and Solas, M.T. 2001. High – pressure / temperature treatment effect on the characteristics of octopus (*Octopus vulgaris*) arm muscle. *Eur. Food Res. Technol.* 213: 22-29.
- Ikeuchi, Y., Tanji, H., Kim, K., and Suzuki, A. 1992. Dynamic rheological measurements on heat-induced pressurized actomyosin gels. *J. Agric. Food Chem.* 40: 1751-1755.
- Isaacs, N.S., Chilton, P. 1995. Studies on the inactivation by high pressure of microorganisms. In *High Pressure Processing of Foods.* (Ledward, D.A., Johnston, D.E., Earnshaw, R.G., and Hasting, A.P.M., eds.), p. 65-79. Nottingham University Press. Nottingham.
- Jatuphong, V., Barbosa-canovas, G., and Swanson, B.G. 2000. The influence of temperature on functional properties of high hydrostatic pressure surimi gels. In *Innovations in Food Processing.* (Barbosa-Canovas, G.V., and Gould, G.W., eds.) p. 111–122. Technomic Publishing Co. Inc. New York.
- Jiang, S., Nei, F., Chen, H.C., and Wang, J. 1992. Comparative study on the cathepsin D from Banded shrimp (*Penaeus japonicus*) and Grass shrimp (*Penaeus monodon*). *J. Agric. Food Chem.* 40: 961-966.
- Kijowski, J. 2001. Muscle proteins. In *Chemical & Functional Properties of Food Proteins.* (Sikorski, Z.E., ed.) p. 233-269. Technomic Publishing Co. Inc. New York.
- Knorr, D. 1999. Process assessment of high-pressure processing of foods: an overview. In *Processing Foods (Quality Optimization and Process Assessment).* (Fernanda, A.R., and Jorge, C.O., eds.) p. 249-267. Plenum Press. New York.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature.* 227: 680–685.
- Lanier, T.C. 1992. Measurement of surimi composition and functional properties. In *Surimi Technology.* (Lanier, T.C., and Lee, C.M., eds.) p. 123-163. Marcel Dekker, Inc. New York.

- Lannelongue, M., Finne, G., Hanna, M.O., Nickelson II, R., and Vanderzant, C. 1982. Microbiological and chemical changes during storage of swordfish (*Xiphias gladius*) steaks in retail packages containing CO₂ – enriched atmospheres. *J. Food Protect.* 45: 1197-1203.
- Leadley, C.E., and Williams, A. 1997. High pressure processing of food and drink – an overview of recent developments and future potential. *New Technologies Bulletin*. Campden and Chorleywood Food Research Association. No. 14: 1-25.
- Lehninger, A.L. 1985. *Principles of Biochemistry*. Worth Publisher, Inc. New York.
- Lou, S. 1998. Purine content in grass shrimp during storage as related to freshness. *J. Food Sci.* 63: 442-444.
- Lowry, O.H., Rosebrought, N.J., Farr, A.L., and Randall, R.J. 1951. Protein measurement with Folin phenol reagent. *J. Biol. Chem.* 193: 256-257.
- Lu, P.J., Liu, H.C., Tsai, I.H. 1990. The midgut trypsins of shrimp (*Penaeus monodon*) high efficiency toward native protein substrates including collagen. *Biol Chem Hoppe-Seyler.* 371: 851-859.
- Mailgaard, M., Civille, G.V., and Carr, B.T. 1999. *Sensory Evaluation Techniques*. CRC Press LLC. Boca Raton.
- McCormick, R.T. 1994. Structure and properties of tissues. In *Muscle food*. (Kinsman, D.M., Kotula, A.W., and Breidenstein, B.C., eds.), p. 25-26. Chapman & Hall. New York.
- Mermelstein N.H. 2000. Seafood processing. *Food Technol.* 54(2): 66-73.
- Messens, W., Camp, J.V., and Huyghebaert, A. 1997. The use of high pressure to modify the functionality of food protein : a review. *Trends Food Sci. Technol.* 8 : 107-112.
- Mozhaev, V.V., Heremans, K., Frank, J., Masson, P., and Claude, B. 1994. Exploting the effects of high hydrostatic pressure in biotechnological applications. *TIBTECH.* Dec. 12 : 493-501.
- Nagashima, Y., Ebina, H., Tanaka, M., and Taguchi, T. 1993. Effect of high hydrostatic pressure on the thermal gelation of squid mantle meat. *Food Res. Int.* 26: 119–123.
- Nip, W.K., and Moy, J.H. 1988. Microstructural changes of ice-chilled and cooked freshwater prawn, *Machrobrachium rosenbergii*. *J. Food Sci.* 53: 319-322.

- Ohmori, T., Shigehisa, T., Taji, S., and Hayashi, R. 1991. Effect of high pressure on the protease activities in meat. *Agric. Biol. Chem.* 55: 357-361.
- Ohshima, T., Ushio, H., Koizumi, C. 1993. High-pressure processing of fish and fish products. *Trends Food Sci. Technol.* 4: 370-375.
- Okada, S., Nur-E-Borhan, S.A., and Yamaguchi, K. 1994. Carotenoid composition in the exoskeleton of commercial black tiger prawns. *Fish. Sci.* 60: 213-215.
- Okada, S., Nur-E-Borhan, S.A., and Yamaguchi, K. 1995. Changes in body color appearance of black tiger prawn (*Penaeus monodon*) by the varied composition of carotenoids soluble as carotenoprotein and remaining insoluble after collagenase treatment for the muscular epithelium. *Fish Sci.* 61: 964-967.
- Okamoto, M., Kawamura, Y., and Hayashi, R. 1990. Application of high pressure to food processing : textural comparison of pressure- and heat-induced gels of food proteins. *Agric. Biol. Chem.* 54: 183-189.
- Raiz, M., and Qadri, R.B. 1979. Effect of ice storage prior to freezing of the quality of frozen shrimp. *Pakistan J. Sci. Ind. Res.* 22: 327-331.
- Rhee, K.S., Krahl, L.M., Lucia, L.H., and Acuff, G.R. 1997. Antioxidative/antimicrobial effects and TBARS in aerobically refrigerated beef as related to microbial growth. *J. Food Sci.* 62: 1205-1210.
- Shamberger, R.J., Shamberger, B.A., and Willis, C.E. 1977. Malonaldehyde content of food. *J. Nutr.* 107: 1404-1409.
- Sherekar, S.V., Chandar, R., Karani, M.N., Warriar, S.B., Gore, M.S., and Thomas, P. 1997. Proteinase activity in Jawala (*Acetes indicus*) at alkaline pH. *Fish Technol. Soc. Fish Technol. India.* 34: 47-51.
- Shoji, T., Saeki, H., Wakameda, A., Nakamura, M., and Nonaka, M. 1990. Gelation of salted paste of Alaska pollack by high hydrostatic pressure and change in myofibrillar protein in it. *Nippon Suisan Gakkaishi.* 56: 2069-2076.
- Simpson, B.K. 1998. High pressure processing of fresh seafood. In *Process-Induced Chemical Changes in Food.* (Shahidi, F., Ho, C., and Chuyen, N.V., eds). p. 67-80. Plenum Press. New York.

- Smith, R., Nickelson, R., Martin, R., and Finne, G. 1984. Bacteriology of indole product in shrimp homogenates held at different temperatures. *J. Food Sci.* 48: 861-864.
- Speck, M.L. 1976. Compendium of methods for the microbiological examination of foods. American Public Health Association, Inc. New York.
- Srinivasan, S. Xiong, Y.L., Blanchard, S.P., and Tidwell, J.H. 1997. Physicochemical changes in prawns (*Machrobrachium rosenbergii*) subjected to multiple freeze-thaw cycles. *J. Food Sci.* 62: 123-127.
- Tanaka, M., Xueyi, Z., Nagashima, Y., and Taguchi, T. 1991. Effect of high pressure on the lipid oxidation in sardine meat. *Nippon Suisan Gakkaishi.* 57: 957-963.
- Tarladgis, B.G., Watt, B.M., Younathan, M.T., and Dugan, LR. 1960. A distillation method for quantitative determination of malonaldehyde in rancid foods. *J. Am. Chem. Soc.* 37: 44-48.
- Tsai, I. Lui, H., and Chuang, K. 1986. Properties of two chymotrypsins from the digestive gland of prawn *Penaeus monodon*. *FEBS* 3874. 203: 257-261.
- Vardag, T., and Knorr, P. 1995. High pressure a real alternative in food processing. *Food Market. Technol.* 2: 42-47.
- Visessanguan, W., and An, H. 2000. Effects of proteolysis and mechanism of gel weakening in heat-induced gelation of fish myosin. *J. Agric. Food Chem.* 48: 1024-1032.
- Visessanguan, W., Ogawa, M., Nakai, S., and An, H. 2000. Physicochemical changes and mechanism of heat-induced gelation of Arrowtooth Flounder myosin. *J. Agric. Food Chem.* 48: 1016-1023.
- Von Elbe, J.H., and Schwartz, S.J. 1996. Colorants. In *Food Chemistry*. (Fennema, O.R. ed.). p. 943-1012. Marcel Dekker, Inc. New York.
- Wada, S. 1992. Quality and lipid change of sardine meat by high pressure treatment. In *High Pressure and Biotechnology*. (Balny, C., Hayashi, R. Hereman, K, and Masson., eds.) p.235-238. Montrouge, Colloque INSERM /John Libbies, Eurotext Ltd.
- Wang, J., Ma, W., Su, J., Chen, C., and Jiang, S. 1993. Comparison of the properties of malcalpain from Tilapia and Grass shrimp muscles. *J. Agric. Food Chem.* 41: 1379-1384.

- Xiong, Y.L. 1997. Structure-function relationships of muscle proteins. In Food proteins and their applications. (Damodaran, S. and Paraf, A., eds.). p. 341-392. Marcel Dekker, Inc. New York.
- Yamamoto, K., Hayashi, S., and Yasui, T. 1993. Hydrostatic pressure-induced aggregation of myosin molecules in 0.5 M KCl at pH 6.0. *Biosci. Biotech. Biochem.* 57: 383-389.
- Yamamoto, K., Yoshida, Y., Morita, J., and Yasui, T. 1994. Morphological and physicochemical changes in the myosin molecules induced by hydrostatic pressure. *J. Biochem.* 116: 215-220.
- Yoshioka, K., and Yamamoto, T. 1998. Changes of ultrastructure and physical properties of carp muscle by high pressurization. *Fish Sci.* 64: 89-94.