

## เอกสารอ้างอิง

- กลุ่มงานผลิตภัณฑ์เนื้อสัตว์. 2535. ผลิตภัณฑ์เนื้อสัตว์. กรมปศุสัตว์ กระทรวงเกษตรและสหกรณ์. กรุงเทพมหานคร.
- กองวิเคราะห์อาหาร. 2530. ไนเตรตและไนไตรท์ในอาหาร. กรมวิทยาศาสตร์การแพทย์. 17 :117 – 118.
- ชัยณรงค์ คันทพนิต. 2523. วิทยาศาสตร์เนื้อสัตว์. ไทยวัฒนาพานิช. กรุงเทพมหานคร.
- นงลักษณ์ สุทธิวิช. 2527. ผลิตภัณฑ์เนื้อสัตว์. ภาควิชาอุตสาหกรรมเกษตร คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์.
- พวงพร โชติไกร. 2532. จุลชีววิทยาของอาหารและนม. มหาวิทยาลัยรามคำแหง. กรุงเทพมหานคร.
- ไพบูลย์ ธรรมรัตน์วาศิก. 2532. กรรมวิธีการแปรรูปอาหาร. สำนักพิมพ์โอเดียนสโตร์. กรุงเทพมหานคร.
- มอก. 2539. มาตรฐานผลิตภัณฑ์อุตสาหกรรม (มอก. 1346 – 2539) สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม กระทรวงอุตสาหกรรม.
- เยาวลักษณ์ สุรพันธ์พิศิษฐ์. 2536. เนื้อสัตว์และผลิตภัณฑ์. ภาควิชาอุตสาหกรรมเกษตร คณะเทคโนโลยีการเกษตร สถาบันเทคโนโลยีพระจอมเกล้าคุณทหารลาดกระบัง.
- ศิวพร ศิวเวช. 2535. วัตถุดิบอาหารในผลิตภัณฑ์อาหาร. ภาควิชาวิทยาศาสตร์และเทคโนโลยีการอาหาร คณะอุตสาหกรรมเกษตร มหาวิทยาลัยเกษตรศาสตร์
- สุนทรณ์ พักเฟื่อง. 2544. การใช้เจลแป้งบุกและแซนแทนกัมทดแทนมันแข็งสุกรในสูตรการผลิตหมูยอ. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยขอนแก่น. ขอนแก่น.
- A.O.A.C. 1999. Official method of analysis, 16<sup>th</sup> ed. The Association of Official Analytical Chemists. Washington, D.C.

- Amoto, P.M., Hamann, D.D., Ball, H.R. and Foegeding, E.A. 1989. Influence of poultry species, muscle groups, and NaCl level on strength, deformability, and water retention in heat set muscle gels. *J. Food Sci.* 54: 1136-1140.
- Armeth, W. 1998. Chemische Grundlagen der Umroetung. *Fleisch-wirtschaft.* 78: 868-874.
- Barbut, S., Maurer, A. J. and Lindsay, R.C. 1988. Effects of reduced sodium chloride and added phosphates on physical and sensory properties of turkey frankfurter. *J. Food Sci.* 53: 537: 541.
- Bender, A.E. 1978. *Food Processing and Nutrition.* Academic Press. London.
- Bertak, J.A. and Karahadian, C. 1995. Surimi-based imitation crab characteristics affected by heating method and end point temperature. 60: 292-296.
- Bloukas, J.G., Arvanitoyannis, I.S. and Siopi, A.A. 1999. Effect of natural colorants and nitrites on colour attribute of frankfurter. *Meat Sci.* 52: 257-265.
- Bloukas, J.G., Paneras, E.D. and Papadima, S. 1997. Effect of carragenan on processing and quality characteristics of low fat frankfurters. *J. Muscle Foods.* 8: 63-83.
- Bourne, M.C. 1978. Texture profile analysis. *Food Technol.* 32(7): 62-66.
- Bushway, A.A., Ficker, N. and Jen, C.W. 1982. Effect of nitrite and sorbate on total number of aerobic microorganisms in chicken white and dark meat patties. *J. Food Sci.* 47: 858-860.
- Colmenero, F. J., Barreto, G., Fernandez, P. and Carballo, J. 1996. Frozen storage of bologna sausage as a function of fat content and of levels of added starch and egg white. *Meat Sci.* 42: 325-332.
- Chin, K.B., Veeton, J.T., Longnecker, M.T. and Lamkey, J.W. 1999. Utilization of soy protein isolate and konjac blends in low fat bologna (model system). *Meat Sci.* 53: 45-57.

- Christain, J. A. and Saffle, R. L. 1967. Plant and animal fats and oil emulsified in model system with muscle salt-soluble protein. *Food technol.* 21(7): 1024–1027.
- Chyr, C.Y., Walker, H.W. and Sebranek, J.G. 1981. Bacteria associated with spoilage of Braunsch Weiger. *J. Food Sci.* 46: 468-470.
- Danyluk, B., Pyrcz, J., Uchman, W. and Kowalski, R. 1997. An attempt at water activity modification of the “furystyczna” canned meat. *Technologia Zywnosci.* 21: 11-17.
- Davies, C.G.A. and Wedzicha, B.L. 1994. Ascorbic acid browning: the incorporation of C<sub>1</sub> from ascorbic acid into melanoidins. *Food Chem.* 49: 165-167.
- Davidson, R.M. and Branen, A.L. 1993. Nitrite. *In Antimicrobials in food.* 2<sup>nd</sup> ed. (Tompkin, R. B., ed.). p. 191– 262. Marcel Dekker, Inc. New York.
- Domodaran, S. 1996. Amiono acid, Peptides, and Proteins. *In Food Chemistry.* (Fennema, O. R., ed.). p. 321-426. Marcel Dekker, Inc. New York.
- Dziezak, J.D. 1990. Phosphate improve many foods. *Food Technol.* 44(2): 88–92.
- Elbe, J.H.V. and Schwartz, S.J. 1996. Colorants. *In Food Chemistry.* (Fennema, O. R., ed.). p. 651-718. Marcel Dekker, Inc. New York.
- Fang, C.H., Post, L.S. and Solberg, M. 1985. Antimicrobial effect and disappearance of sodium nitrite in *Staphylococcus aureus* culture. *J. Food Sci.* 50: 1412–1416.
- Fellows, P. 2000. *Food Processing Technology: principles and practice.* 2<sup>nd</sup>. CRC Press. New York.
- Finley, J.W. 1985. Environmental effect on protein quality. *In Chemical Changes in Food During Processing.* (Richardson, T. and Finley, J.E, eds.). p.443. AVI .Westport.

- Finley, J.W. 1989. Effect of processing on proteins: An overview. *In Protein Quality and The Effects of Processing*. (Phillips, R.D. and Finley, J.W., eds). p. 1-7. Marcel Dekker, Inc. New York.
- Footitt, R.J. and Lewis, A.S. 1995. *The Canning of Fish and Meat*. Blackie Academic & Professional. Liverpool.
- Forrest, D.D. and Birdsall, J.J. 1980. Why nitrite does not impart color. *Food Technol.* 12(2): 29-42.
- Forrest, J.C., Abert, E.D., Hedrick, H.B., Judage, H.D. and Merkel, R.A. 1976. *Principle of Meat Science*. W.H. Freeman and Company. London.
- Giese, J. 1992. Developing low-meat products. *Food Technol.* 46(4): 100-108.
- Grever, A.B.G. 1974. Minimum nitrite concentrations for inhibition of clostridia in cooked meat products. *In Proc Symp nitrite in meat products*. (Krol, B. and Tinbergen, B.J. eds) p.103-109. Zeist.
- Herson, A.C. and Hulland, E.D. 1969. *Canned Food*. 6<sup>th</sup> ed. J & A. Churchill Ltd. London.
- Hilmes, C. and Fischer, A. 1997. Inhibitory effect of sulfur-containing amino acids on burnt off-flavours in canned liver sausage. *Meat Sci.* 46: 199-210.
- Holdworth, S.D. 1997. *Thermal Processing of Packaged Foods*. Blackie Academic & Professional. London.
- Hsu, S.Y. and Chung, H.Y. 1998. Effects of processing factors on qualities of emulsified meatball. *J. Food Eng.* 36: 337-347.
- Hurrell, R.F. 1984. Reaction of food proteins during processing and storage and their nutritional consequences. *In Developments in Food Proteins-3*. (Hudson, B.J.F., ed). p. 214-245. Elsevier Applied Science Publishers. London.
- Jantawat, P., Runglerdkriangkrai, J., Thunpithayakul, C. and Sangguandeekul, R. 1993. Effects of initial nitrite level, heating and storage on residual nitrite and spoilage of canned ham roll. *J. Food Qual.* 16: 1-11.

- Jozsef, F., Kalman, I. and Endre, Z. 1973. Effect of nitrite on the microbial stability of canned Vienna sausage preserved by mild heat treatment or combinations of heat and irradiation. *Acta Aliment.* 2: 361–376.
- Kramlich, W.E. 1971. Sausage Product. *In* The Science of Meat and Meat Products. (Price, J. F. and Schweigert, eds.). W. H. Freeman and Company. p. 485–512. San Francisco.
- Kramlich, W.E., Pearson, A.M. and Tauber, F.W. 1980. Processed Meats. 3<sup>rd</sup> ed. AVI Publishing Company. Westport.
- Labuza, T.P., Reineccius, G.A., Baynes, J. and Monnier, V. 1994. The maillard reaction in food, nutrition and health. Royal Chemical Society. London.
- Landry, W.L., Schwat, A.H. and Lancetle, C. A. 2001. Examination of canned foods. *In* Bacteriological Analytical Manual. US Food and Drug Administration, Center for Food Safety and Applied Nutrition. Rockville.
- Lechowich, R.V., Brown, W.L., Diebel, R.H. and SoMers, I.I. 1978. The role of nitrite in the production of canned cured meat products. *Food Technol.* 32(6): 45–58.
- Ledward, D.A. 1979. Proteins . *In* Effect of heating on foodstuffs (Priestley, J.R., ed.). Applied Science .London. p 1-3.
- Lee, C.M. 1984. Surimi process technology. *Food Technol.* 38(3): 69-80.
- Lee, C.M. and Teledo, R.T. 1979. Processing and ingredient influences on texture of cooked comminuted fish muscle. *J. Food Sci.* 44: 1615–1618.
- Lee, S. H., Cassens, R.G. and Sugiyama, H. 1978. Factors affecting inhibition of *Clostridium botulinum* in cured meats. *J. Food Sci.* 43: 1371–1374.
- Leistner, L., Wirth, F. and Takacs, J. 1970 .Einteilungder Fleischkon servennach der hitzebehandlung. *Fleischwirtsch.* 50: 216–217.
- Lin, K.W. and Chao, J.Y. 2001. Quality characteristics of reduced-fat chinese-style sausage as related to chitosan's molecular weight. *Meat Sci.* 59: 343-351.

- Lindsay, R.C. 1996. Food Additives. *In* Food Chemistry. (Fennema, O. R. eds.) 3<sup>rd</sup> ed. Marcel Dekker, Inc. New York.
- Lyons, P.H., Kerry, J.F., Morrissey, P.A. and Buckley, D.J. 1999. The influence of added whey protein/carragenan gels and tapioca starch on textural properties of low fat pork sausages. *Meat Sci.* 51: 43-52.
- Messens, W., Camp, J.V., and Huyghebaert, A. 1997. The use of high pressure to modify the functionality of food protein: a review. *Trends Food Sci. Technol.* 8: 107-112.
- Mottram, D.S. 1994. Some aspects of the chemistry of meat flavor. *In* Flavor of Meat and Meat Products. (Shahidi, F., ed.). p. 210-230. Chapman & Hall. London.
- Mottram, D.S. 1998. Flavor formation in meat and meat products: a review. *Food Chem.* 62:415-424.
- Nowasad, A.A., Kanoh, S. and Niwat, E. 2000. Thermal gelatin properties of spent hen mince and surimi. *Poultry Sci.* 79: 117-125.
- Paquette, M.W., Robach, J.N., Sofos, J.N. and Bueta, F.F. 1980. Effects of various concentrations of sodium nitrite and potassium sorbate on color and sensory qualities of commercially prepared bacon. *J. Food Sci.* 45: 1293-1298.
- Park, S., Brewer, M.S., Mckeith, F.K., Bechtel, P.J. and Novakofski, J. 1996a. Salt, cryoprotectants and preheating temperature effects on surimi-like material from beef or pork. *J. Food Sci.* 61: 790-796.
- Park, S., Brewer, M.S., Novakofski, J., Bechtel, P.J. and Mckeith, F.K. 1996b. Process and characteristics for surimi-like material made from meat or pork. *J. Food Sci.* 61: 422-427.
- Pearson, A.M. and Tauber, F.W. 1984. *Process Meats*. 2<sup>nd</sup> ed. The AVI Publishing. Westport.

- Pietrasik, Z. 1999. Effect of content of protein, fat and modified starch on binding textural characteristics, and colour of comminuted scalded sausage. *Meat Sci.* 51: 17-25.
- Pietrasik, Z. and Duda, Z. 2000. Effect of fat content and soy protein/carrageenan mix on the quality characteristics of comminuted scalded sausages. *Meat Sci.* 56: 181-188.
- Pomeranz, Y. 1991. *Functional Properties of Food Components*. 2<sup>nd</sup> ed. Academic Press, Inc. New York.
- Potter, N.N. 1968. *Food Science*. 2<sup>nd</sup> ed. The AVI Publishing Company. New York.
- Potter, N.N. and Hotchkiss, J.H. 1995. *Food Science*. Chapman and Hall. New York.
- Price, J.F. and Schweigert, B. S. 1971. *The Science of Meat and Meat products*. 2<sup>nd</sup> ed. W.H. Freeman and Company. San Francisco.
- Puolanne, E.J, Ruusunen, M.H. and Vainionpaa, J. I. 2001. Combined effects of NaCl and raw meat pH on water-holding in cooked sausage with and without added phosphate. *Meat Sci.* 58 :1-7.
- Ramesh, M.N. 1992. Food preservation by heat treatment. *In Handbook of Food Preservation*. (Rahman, M.S., ed.). p. 95-172. Marcel Dekker, Inc. New York.
- Richardson, P. 2002. Thermal technologies in food processing. CRD Press. New York.
- Rice, K.M. and Pierson, M.D. 1982. Inhibition of Samonella by sodium nitrite and potassium sorbate in frankfurter. *J. Food Sci.* 47: 1615-1617.
- Riemann, H. 1963. Safe heat processing of canned cured meats with regard to bacterial spores. *Food technol.* 17(1): 39-49.
- Sacharow, S. and Griffin, R.C. 1970. *Food Packaging*. The AVI Publishing Company. London.
- Skrede, G. 1989. Comparison of various types of starch when used in meat sausage. *Meat Sci.* 25: 21-36.

- Smyth, A.B. and O'Neill, E. 1997. Heat induced gelation properties of surimi from mechanically separated chicken . *J. Food Sci.* 62: 326-330.
- Sofos, J.N., Busta, F.F. and Allen, C.E. 1979. *Clostridium botulinum* control by sodium nitrite and sorbic acid in various meat and soy protein formulation. *J. Food Sci.* 44: 1662-1667.
- Sofos, J.N., Busta, F.F. and Allen, C.E. 1980a. Influence of pH on *Clostridium botulinum* control by sodium nitrite and sorbic acid in chicken emulsion. *J. Food Sci.* 45: 7-12.
- Sofos, J.N., Busta, F.F., Bhothipaksa, K., Allen, C.E., RoRobach, M.C. and Paquette, M.W. 1980b. Effect of various concentrations of sodium nitrite and potassium sorbate on *Clostridium botulinum* toxin production in commercially prepared bacon. *J. Food Sci.* 45: 1285-1292.
- Sone, T. 1972. Consistency of Foodstuffs. D.Poidel Publishing. New York.
- Tinbergen, B.J. 1974. Low molecular meat fractions active in nitrite reduction. *In Proc. Int Symp. Nitrite in Meat Products.* (Krol, B. and Tinbergen, B., eds.). p. 29-36. Zeist.
- Tompkin, R.B., Christiansen, L.N. and Shaparis, A.B. 1978. Causes of variation in botulinal inhibition in perishable canned cured meat. *Appl. and Environ. Microbiol.* 36: 886-559.
- Uchman, W. and Jennings, W.G. 1977. Effect of heating time on volatile composition of canned pork meat. *Food Chem.* 2: 125-144.
- Varnam, A.H., Sutherland, J.P. 1995. *Meat and Meat Products.* Chapman and Hall. London.
- Walstra, P. 1996. Dispersed systems: basic consideration. *In Food Chemistry.* (Fenema, O.R., ed.). p. 95-156. Macrel Dekker, INC. New York.
- Warriss, P.D. 2000. *Meat Science: An introductory text.* CABI Publishing. New York.



- Wedzicha, B.L. and Kaputo, M.T. 1992. Melanoidins from glucose and glycine: composition, characteristics and reactivity towards sulphite ion. *Food Chem.* 43: 359-367.
- Wilson, N.R. 1981. *Meat and Meat Products: factors affecting quality control.* Applied Science publishers. London.
- Wu, M.C., Hamann, D.D., and Lanier, T.C. 1985. Rheology and colorimetric investigations of starch-fish protein systems during thermal processing. *J. Texture Studies.* 16: 53.
- Xiong, Y.L. 1992. Thermal induced interaction and gelation of combined myofibrillar protein from white and red broiler muscles. *J. Food Sci.* 57: 581-585.
- Xiong, Y.L. and Brekke, C.J. 1990. Thermal transitions of salt-soluble proteins from pre- and post-rigor chicken muscles. *J. Food Sci.* 55: 1540-1543.
- Yang, T.C.S. 1997. Ambient storage. *In Food Storage Stability.* (Taub, I.R. and Singh, R.P., eds). p. 435-450. CRC Press. New York.
- Zayas, J.F. 1997. *Functionality of Proteins in Food.* Springer. New York.