

## เอกสารอ้างอิง

- กิจจา ใจเย็น. 2544. การเพาะเลี้ยงกุ้งทะเลของเมืองไทย. ว.การประมง. 54: 29-34.
- จุพ สินชัยพานิช. 2544. ไปฟังเขาประชุมกุ้งทะเลแห่งชาติครั้งที่2 (ตอน1). ว.การประมง. 54: 35-39.
- ทัศนัย วาหะ. 2537. เอนไซม์ไคดีนสจากแบคทีเรียที่แยกได้จากถุงกุ้งกุลาดำและตะกอนดินจากบ่อเลี้ยงกุ้ง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยสงขลานครินทร์.
- ประจำบ หล่าอุบล และ สุนันท์ กัทรจินดา. 2531. การเพาะเลี้ยงกุ้งกุลาดำ. มหาวิทยาลัยเกษตรศาสตร์ กรุงเทพฯ.
- ประสาน สวัสดิ์ชิตั้ง. 2538. การปรับปรุงคุณภาพอาหารด้วยสารประกอบฟอสเฟต. ว. วิทย มข. 23: 76-80.
- ศิวารพ ศิวเวชช. 2529. วัตถุเจือปนอาหาร1. ภาควิชาวิทยาศาสตร์และเทคโนโลยีอาหาร คณะเกษตรศาสตร์ มหาวิทยาลัยเกษตรศาสตร์.
- พงษ์ชร พิทักษ์โภคลพงศ์. 2535. การพัฒนาผลิตภัณฑ์กุ้งกุลาดำร่มควัน. วิทยานิพนธ์วิทยาศาสตร์ มหาบัณฑิต มหาวิทยาลัยเกษตรศาสตร์.
- สมาคมอาหารแห่งเยอรมันประเทศ. 2544. สภาพการณ์ตลาดอาหารทะเลของสหรัฐอเมริกา. กรุงเทพฯ. 1-12.
- สุทธวัฒน์ เปณุจกุล. 2536. การใช้ฟอสเฟตในอาหารทะเล. ว. อาหาร. 23: 7-12.
- สุทธวัฒน์ เปณุจกุล. 2544. องค์ประกอบทางเคมีของสัตว์น้ำ. ใน เคมีและคุณภาพสัตว์น้ำ. หน้า 27-86. ภาควิชาเทคโนโลยีอาหาร คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์ หาดใหญ่. สงขลา.
- สุเมธ ชัยวัชราภุจ. 2530. การเพาะขยายพันธุ์และอนุบาลกุ้งกุลาดำ. คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์.
- สุวรรณ เบญจธรรมนนท์. 2534. ผลของสภาพแวดล้อมและร่วงวัตถุค่าโภทินอยด์ต่อการเกิดสีพื้นของกุ้งกุลาดำในบ่อเลี้ยง. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต มหาวิทยาลัยเกษตรศาสตร์.

- AOAC.1999. Official Methods of Analysis, 16th ed. Association of official analyticalchemists, Washington, DC.
- Azuma, Y. and Konno,K. 1998. Freeze denaturation of carp myofibrils compared with thermal denaturation. Fish. Sci. 64: 287-290.
- Badji, A.S., Froning, G.W. and Ngoho, D.A. 1982. The effect of short-term tumbling and salting on the quality of turkey breast muscle. Poultry Sci. 61: 300-303.
- Beas, V.E., Wagner, J.R., Crupkin, M. and Anon, M.C. 1990. Thermal denaturation of hake (*Merluccius habbsi*) myofibrillar proteins. A differential scanning colorimetric and electrophoretic study. J. Food Sci. 55: 683-696.
- Bendall, J.R. 1954. The swelling effect of polyphosphates lean meat. J. Sci. Food Agric. 5:468-475.
- Benjakul, S. and Bauer, F. 2000. Physicochemical and enzymatic changes of cod muscle proteins subjected to different freeze - thaw cycles. J. Sci. Food Agric. 80: 1143-1150.
- Benjakul, S., Seymour, T.A., Morrissey, M.T., and An, H. 1997. Physicochemical changes in Pacific whiting muscle proteins during iced storage. J. Food Sci. 62: 729 – 733.
- Bloukas, J.G., Paneras, E.D. and Papadima, S. 1997. Effect of carrageenan on processing and quality characteristics of low-fat frankfurters. J. Muscle Foods. 8: 63-83.
- Boyd, J.W. and Southcott, B.A. 1965. Effect of polyphosphates and other salts on drip loss and oxidative racity of frozen fish. J. Fish. Res. Bd. Canada. 22: 53.
- Buttkus, H. 1971. The sulhydryl of rabbit and trout myosins in relation to protein stability. Can. J. Biochem. 49: 97-107.
- Brewer, M.S. and Novakofski, J. 1999. Cooking rate, pH and final endpoint temperature effects on color and cook loss of a lean ground beef model system. Meat Sci. 52: 443-451.

- Capita, R., Calleja, C.A., Sierra, M., Moreno, B. and Fernandez, M.D.C.G. 2000. Effect of trisodiumphosphate solutions washing on the sensory evaluation of poultry meat. *Meat Sci.* 55: 471-474.
- Chalker, D.A., Macallum, W.A. and Idle, D.R. 1965. Studies on the quality of Newfoundland cod II. Thaw-drip in phosphate-treated and untreated fillets. *J. Fish Res. Bd. Canada.* 22: 783.
- Cheng, C.S., Hamann, D.D., and Webb, N.B. 1979. Effect of thermal processing on minced fish gel texture. *J. Food Sci.* 44: 1080-1086.
- Chang, C.C. and Regenstein, J.M. 1997. Water uptake, protein solubility, and protein changes of cod mince stored on ice as affected by polyphosphate. *J. Food Sci.* 62: 305-309.
- Careche, M. and Li-Chan, E.C. V. 1997. Structural changes in cod myosin after modification with formaldehyde on frozen storage. *J. Food Sci.* 62: 717-723.
- Chen, T.C. 1982. Studies on the marinating of chicken breasts for deep-fat frying. *J. Food Sci.* 47: 1016-1019.
- Colmenero, F.J., Barreto, G. Fernandez, P. and Carballo, J. 1996. Frozen storage of bologna sausages as a function of fat content and of levels of added starch and egg white. *Meat Sci.* 42: 325-332.
- Connell, J.J. 1961. The relative stabilities of skeletal muscle myosin of some animal. *J. Biochem.* 80: 503-509.
- Connell, J.J. 1975. The role of formaldehyde as a protein crosslinking agent acting during the frozen storage of cod. *J. Sci. Food Agric.* 26: 1925-1929.
- Davies, J.R., Bardsley, R.O. and Ledward, D.A. 1988. Myosin thermal stability in fish muscle. *J. Sci. Food Agric.* 45: 61-67.
- Del Mazo, M.L., Huidobro, A., Torrejon, P., Teiada, M. and Careche, M. 1994. Role of formaldehyde in formation of natural actomyosin aggregated in hake during frozen storage. *Z. Lebensm. Unters. Forsch.* 198: 459-464.

- Detienne, N.A. and Wicker, L. 1999. Sodium chloride and tripolyphosphate effects on physical and quality characteristics of injected pork loins. *J. Food Sci.* 64: 1042-1047.
- Dziezak, J.D. 1990. Phosphate improve many foods. *Food Technol.* 44 (4): 80 – 90.
- Ebashi, S. and Endo, M. 1968. Calcium and muscle confraction. *Prog. Biophys. Mol. Biol.* 18: 123-183.
- Ebashi, S., Kodama, A. and Ebashi, M. 1968. Troponin I. Preparation and physiological function. *J. Biochem.* 64: 465-477.
- Ellinger, R.H. 1972. The functions and applications of phosphates in food sysems Ch.6 in “ Phosphates as Food Ingredients”, p.31 CRC Press, Boca Raton,Fla.
- Ellman, G.L. 1959. Tissue sulhydryl groups. *Arch. Biochem. Biophys.* 82: 70-77.
- Foegeding, E.A., Lanier, T.C. and Hultin, H.O. 1996. Characteristics of edible muscle tissues. In *Food Chemistry*. O.R. Fennema (Ed.), p. 879-942. Marcel Dekker, New York.
- Froning, G.W. and Sackett, B. 1985. Effect of salt and phosphates during tumbling of turkey breast muscle on meat characteristics. *Poultry Sci.* 64: 1328-1333.
- Gao, X., Ogawa, H., Tashiro, Y. and Iso, N. 2001. Rheological properties and structural changes in raw and cooked abalone meat. *Fish.Sci.* 67: 314-320.
- Giese, J. 1992. Developing low – meat products. *Food Technol.* 46 (4): 100-108.
- Gonzalez, C.B., Salitto, V.A., Carduza, F.J., Pazos, A.A. and Lasta, J.A. 2001. Effect of calcium chloride marination on bovine *Custaneus trunci* muscle. *Meat Sci.* 57: 251-256.
- Gordon, A. and Barbut, S. 1989. The effects of chloride salts on the texture, microstructure, and stability of meat batters. *Food Microstruct.* 8: 271-283.
- Granicher, D. and Portzehl, H. 1964. The influence of magnesium and calcium pyrophosphates chelates of free magnesium ions, free calcium ions and free

- pyrophosphates ions on the dissociation of actomyosin in solution. Biochem. Biophy. Acta. 86: 567-578.
- Hand, L.W., Terrell, R.N. and Smith, G.C. 1982. Effect of chloride salts on physical, chemical and sensory properties of frankfurters. J. Food Sci. 47: 1800-1802, 1817.
- Hamm, R. 1972. Kolloid Chemie des Fleisches. Berlin: Paul parcy Co.
- Hamada, I., Tsuji, K., Nakayama, T. and Niwa, E. 1977. Oxidative denaturation of actomyosin. Bull. Jap. Soc. Sci. Fish. 43: 1105-1109.
- Hashimoto, K., Watabe. S., And Kono, M. 1979. Muscle protein composition of sardine and mackerel. Bull. Jpn. Soc. Sci. Fish. 45: 1435 – 1441.
- Hastings, R.J., Rodger, G.W., Park, R., Matthews, A.D. and Anderson, E.M. 1985. Differential scanning colorimetry of fish muscle : The effect of processing and species variation. J. Food Sci. 50: 503-506, 510.
- Hatano, S. 1968. Effect of freezing and storage on the enzyme activities. Refigeration (Tokyo). 43: 14-20.
- Hayakawa, S. and Nakai, S. 1985. Contribution of hydrophobicity, net charge and sulphydryl groups to thermal properties of ovalbumin. Can. Inst. Food Sci. Technol. J. 18: 290-295.
- Henson, L.S. and Kowalewski, K.M. 1992. Use of phosphate in seafood. INFOFISH Inter. 5: 52 – 54.
- Hellendoorh, E.W. 1962. Water-binding capacity of meat as affected by phosphates: Influence of sodium chloride and phosphates on the water retention of comminuted meat at various pH values. Food Technol. 16: 119-124.
- Hill, A.R., Irvine, D.M. and Bullock, D.H. 1982. Precipitation and recovery of whey proteins. A review. Can. Inst. J.Food Sci. Technol. 15: 155-160.

- Hsu, C.K., Kolbe, E., Morrissey, M.T. and Chung, Y.C. 1993. Protein denaturation of frozen Pacific whiting (*Merluccius productus*) fillets. *J. Food Sci.* 58: 1055-1056, 1075.
- Jiang, S.T., Lan, C.C. and Tsao, C.Y. 1986. New approach to improve the quality of minced fish products from freeze-thawed cod and mackerel. *J. Food Sci.* 51: 310-312, 351.
- Jiang, S.T., Ho, M.L. and Lee, T.C. 1985. Optimization of the freezing conditions on mackerel and amberfish for manufacturing minced fish. *J. Food Sci.* 50: 727-732.
- Jiang, S.T. and Lee, T.C. 1985. Changes in free amino acids and protein denaturation of fish muscle during frozen storage. *J. Agric. Food Chem.* 33: 839-844.
- Jiang, S.T., Hwang, D.C. and Chen, C.S. 1988. Effect of storage temperatures on the formation of disulfides and denaturation of milkfish actomyosin (*Chanos Chanos*). *J. Food Sci.* 53: 1333-1335, 1386.
- Jiang, S.T., San, D.C. and Japit, L.S. 1989. Effect of storage temperatures on the formation of disulfides and denaturation of tilapia hybrid actomyosin (*Tilapia nilotica x Tilapia aurea*). *J. Agric. Food Chem.* 37: 633-636.
- Jiang, S.T., Hwang, D.C., Moody, M.W. and Chen, C.S. 1991. Thermostability and freeze denaturation of grass prawn (*Penaeus monodon*) muscle protein. *J. Agric. Food Chem.* 39: 1998-2001.
- Jonhston, I.A. and Frearson, N.G. 1973. The effects of environmental temperature on properties of myofibrillar adenosine triphosphate from various species of fish. *J. Biochem.* 33: 735-738.
- Kijowski, J.M. and Mast, M.G. 1988. Effect of sodium chloride and phosphate on the thermal properties of chicken meat proteins. *J. Food Sci.* 53: 367-370, 387.
- Kimura, S. and Kubota, M. Some properties of collagen from the abalone. *Nippon Suisan Gahkaishi.* 1968.34: 925-929.

- Koning, A.J. and Mol, T.H. 1991. Quantitative quality tests for frozen fish: soluble protein and free fatty acids content as quality criteria for hake (*Merluceius capensis*) storage at -18 °C. J. Sci Food Agric. 54: 449-458.
- Konno, K. 1992. Suppression of thermal denaturation of myosin subfragment-I of Alaska pollock (*Thergra chalcog ramma*) by sorbitol and accelerated inactivation by pyrophosphate. J. Food Sci. 57: 261-264.
- Kolokoski, E., Wiahecki, M., Bortnowska, G. and Jarosz, R. 1997. Trypsin treatment to improve freeze texturization of minced bream. J. Food Sci. 49: 192-196.
- Kumazawa, Y., Numazawa, T., Seuro, K., and Motoki, M. 1995. Suppression of surimi gel setting by transglutaminase inhibitors. J. Food Sci. 60: 715-717.
- Lablanc, E.L. and Lablanc, R. 1992. Determination of hydrophobicity and reactive groups in proteins of cod (*Gadusmorhua*) muscle during frozen storage. Food chem. 43: 3-11.
- Laemmli, U.K. 1970. Clevage of structure proteins during the assembly of the head of bacteriophage T4. Nature. 277: 680 – 685.
- Lamkey, J.W., Mandigo, R.W. and Calkins, C.R. 1986. Effect of salt and phosphate on the texture and color stability of restructured beef steaks. J. Food Sci. 51: 873-875.
- Lemos, A.L.S.C., Nunes, D.R.M. and Viana, A.G. 1999. Optimization of the still-marinating process of chicken parts. Meat Sci. 52: 227-234.
- Lim, H.K. and Haard, N.F. 1984. Protein insolubilization in frozen Greenland halibut (*Reinhardtius hippoglossides*). J. Food Biochem. 8: 163-187.
- Lowry, O.H., Rosebrough, N.J., Fan, A.L. and Randall, R.J. 1951. Protein measurement with folin phenol reagent. J. Biol. Chem. 193: 256 – 275.
- Lyons, P.H., Kerry, J.F., Morrissey, P.A. and Buckley, D.J. 1999. The influence of added whey proteins / carrageenan gels and tapioca starch on the textural properties of low fat pork sausages. Meat Sci. 51: 43-52.

- MacDonald, G.A. and Lanier, T.C. 1991. Carbohydrates as cryoprotectants for meats and surimi. *Food Technol.* 45(3): 150-159.
- MacDonald, G.A. and Lanier, T.C. 1994. Actomyosin stabilization to freeze – thaw and heat denaturation by lactate salts. *J. Food Sci.* 59: 101-105.
- Mackie, I.M. 1994. Fish Protein. In *New and developing sources of food protein.* (ed B. F. J. Hudson). Chapman & Hall. London. pp. 95-143.
- Maki, A.A. and Froning, G.W. 1987. Effect on the quality characteristics of turkey breast muscle of tumbling whole in the presence of salt and phosphate. *Poultry Sci.* 66: 1180-1183.
- McCormick, R.J. 1994. Structure and Properties of Tissues. In *Muscles Foods: Meat, Poultry and Seafood Technology.* D.M. Kimsman, A.W. Kotula and B.C. Breidenstein (Ed.), p. 25-62. Chapman & Hall. New York.
- Meilgaard, M., Civille, G.V. and Carr, B.T. 1991. *Sensory Evaluation Techniques.* 2<sup>nd</sup> Ed. CRC Press. Inc. Boca Raton.
- Moore, S.L., Theno, D.M., Anderson, C.R. and Schmidt, G.R. 1976. Effect of salt, phosphate, and nonmeat protein on binding strength and cook yields of beef rolls. *J. Food Sci.* 41: 424.
- Morris, C.A., Lucia, L.M., Savell, J.W. and Acuff, G.R. 1997. Trisodium phosphate treatment of pork carcasses. *J. Food Sci.* 62: 402-403, 405.
- Nambudiri, D.D. and Gopakumar, K. 1992. ATPase and lactate dehydrogenase activities in frozen stored fish muscle as indices of cold storage deterioration. *J. Food Sci.* 57: 72-76.
- Nauss, K.M., Kitagawa, S., and Gergely, J. 1969. Pyrophosphate binding to and adenosine tripolyphosphatase activity of myosin and its proteolytic fragments. *J. Biol. Chem.* 244: 755-765.

- Nayak, R., Kenney, P.B. and Slider, S. 1996. Protein extractability of turkey breast and thigh muscle with varying sodium chloride solutions affected by calcium, magnesium and zinc chloride. *J. Food Sci.* 61: 1149-1154.
- Nayak, R., Kenney, P.B., Slider, S., Head,M.K. and Killeter, J. 1998. Myofibrillar protein solubility of model beef batters as affected by low levels of calcium, magnesium and zinc chloride. *J. Food Sci.* 63: 951 – 954.
- Nilsson, K. and Ekstrand, B. 1993. The effect of storage on ice and various freezing treatment on enzyme leakage in muscle tissue of rainbow trout (*Oncorhynchus mykiss*). *Z. Lebensm Unters Forsch.* 197: 3-7.
- Nilsson, K. and Ekstrand, B. 1995. Frozen storage and thawing methods affect biochemical and sensory attributes of rainbow trout. *J. Food Sci.* 60: 627-630,635.
- Nip, W.K. and Moy, J.H. 1988. Microstructural changes of ice – chilled and cooked freshwater prawn, *Macrobrachium rosenbergii*. *J. Food Sci.* 53: 319-322.
- O.J.E.C. Official Journal of the European Communities. 1995. European Parliament and Council Directive No.95/2. EC of 20 February 1995 on food additives other than colours and sweeteners.
- Ogawa, M., Tamiya, T. and Tsuchiya, T. 1994. Structural changes of carp myosin during heating. *Fish. Sci.* 60: 723-727.
- Okada, S., Nur-E-Borhan, S.A. and Yamaguchi, K. 1994. Carotenoid composition in the exoskeleton of commercial black tiger prawns. *Fish. Sci.* 60: 213-215.
- Okada, S., Nur-E-Borhan, S.A., Watabe, S. and Yamaguchi, K. 1995. Changes in body color appearance of black tiger prawn *Penaeus monodon* by the varied composition of carotenoids soluble as carotenoprotein and remaining insoluble after collagenase treatment for the muscular epithelium. *Fish. Sci.* 61: 964-967.
- Offer, G. and Trinick, J. 1983. On the mechanism of water holding in meat: the swelling and shrinking of myofibrils. *Meat Sci.* 8: 245-281.

- Opstvedt, J., Miller, R., Hardy, R.W. and Spinelli, J. 1984. Heat – induced changes in sulphydryl groups and disulfide bonds in fish protein and their effect on protein and amino acid digestibility in rainbow trout (*Salmo gairdneri*). *J. Agric. Food Chem.* 32: 929-935.
- Ouali, A. and Valin, C. 1981. Effect of muscle lysosomal enzyme and calcium activated neutral proteinase on myofibrillar ATPase activity with aging change. *Meat Sci.* 5: 233-245.
- Park, J.W. and Lanier, T.C. 1987. Combined effects of phosphates and sugar or polyol on protein stabilization of fish myofibrils. *J. Food Sci.* 52: 1509-1513.
- Paterson, B.C., Parrish, F.C. and Stromer, M.H. 1988. Effect of salt and pyrophosphate on the physical and chemical properties of beef muscle. *J. Food Sci.* 53:1258 – 1265.
- Pietrasik, Z. 1999. Effect of content of protein, fat and modified starch on binding textural characteristics, and colour of comminuted scalded sausages. *Meat Sci.* 51: 17-25.
- Pietrasik, Z. and Duda, Z. 2000. Effect of fat content and soy protein / carrageenan mix on the quality characteristics of comminuted, scalded sausages. *Meat Sci.* 56: 181-188.
- Poulter, R.G., Ledward, D.A., Godber, S., Hall, G. and Rowlands, B. 1985. Heat stability of fish muscle proteins. *J. Food. Technol.* 20: 203-217.
- Ramirez, J.A., Rodriguez-Sosa, R., Morales, O.G. and Vazquez, M. 2000. Surimi gels from striped mullet (*Mugil cephalus*) employing microbial transglutaminase. *Food Chem.* 70: 443-449.
- Rehbein,H. 1979. Development of an enzymatic method to differentiate fresh and sea-frozen and thawed fish fillets. *Z. Lebensm. Unters. Forsch.* 169: 263.
- Rehbein, H., Kress, G., and Schreiber, W. 1978. An enzymatic method for differentiating thawed and fresh fish fillets. *J. Sci. Food Agric.* 29: 1076-1082.

- Roura, S.I. and Crupkin, M. 1995 Biochemical and functional properties of myofibrils from pre- and post-spawned hake (*Merluccius hubbsi Marini*) stored in ice. J. Food Sci. 60: 269-272.
- Sato, K., Yoshinaka, R., Sato, M. and Shimizu, Y. 1986. Collagen content in the muscle of fishes in association with their swimming movement and meat texture. Bull. Jap. Soc. Sci. Fish. 52: 1595-1598.
- Schmidt, G.R. 1986. Histological techniques to study emulsion structure. Proc. 38<sup>th</sup> Recip. Meat Conf., Baton Rouge, LA. 38:44.
- Seki, N. 1977. Extraction of fish muscle protein. In Fish Proteins. (*Gyoniku Tanopakushitsu*). Koseisha. Tokyo. pp. 7-23.
- Seman, D.L., Olson, D.G. and Mandigo, R.W. 1980. Effect of reduction and partial replacement of sodium on bologna characteristics and acceptability. J. Food Sci. 45: 1116-1121.
- Shenouda, S.Y.K. 1980. Theories of protein denaturation during frozen stored of fish fles. Adv. Food Res. 26: 275-280.
- Shimomura, H., Takahashi, T., Morishita, T., and Ueno, R. 1987. Investigation of the differentiation of frozen-thawed fish from unfrozen fish by comparison of lysosomal enzyme activity. Nippon Suisan Gakkaishi. 53: 1841-1845.
- Shultz, G.W. and Wierbicki, E. 1973. Effect of sodium chloride and condensed phosphates on the water-holding capacity, pH and swelling of chicken muscle. J. Food Sci. 38: 991-994.
- Sikorski, Z.E., Kolakowska, A. and Pan, B.S. 1990. The nutritive composition of the major groups of marine food organisms. In: Seafood: resources, nutritional composition, and preservation. Z.E. Sikorski (ed). CRC Press, Inc. Florida. USA. Pp. 29-54.
- Skrede, G. 1989. Comparison of various types of starch when used in meat sausages. Meat Sci. 25: 21-36.

- Sompongse, W., Itoh, Y. and Obatahe, A. 1996. Effect of cryoprotectants and a reducing reagent on the stability of actomyosin during storage. Fish Sci. 62: 73-79.
- Srinivasan, S., Xiong, Y.L. and Blanchard, S.P. 1997a. Effects of freezing and thawing methods and storage time on thermal properties of freshwater prawns (*Macrobrachium rosenbergii*). J. Sci. Food Agric. 75: 37 – 44.
- Srinivasan, S., Xiong, Y.L., Blanchard, S.P., and Tidwell, J.H. 1997b. Physicochemical changes in prawns (*Macrobrachium rosenbergii*) subjected to multiple freeze – thaw cycles. J. Food Sci. 62: 123 – 127.
- Stabursvik, E. and Marten, H. 1980. Thermal denaturation of protein in postrigor muscle tissue as studied by differential scanning colorimetry. J. Sci. Food Agric. 31: 1034-1042.
- Steel, R.D.D. and Torrie, J.H. 1980. Principles and Procedures of Statistic : A Biometrical Approach. 2<sup>nd</sup> Ed. McGraw – Hill, New York: 862 p.
- Suzuki, T. 1981. Fish and Krill Protein. Applied Science Publishers Ltd., London, UK: 260 p.
- Suzuki, T. 1981. Fish and krill protein processing technology. Applied Science Publishers, London, pp 10-13.
- Tenhet, V., Finne, G., Nickelson II, R. and Toloday, D. 1981a. Penetration of sodium tripolyphosphate into fresh and prefrozen peeled and deveined shrimp. J. Food Sci. 46: 344-349.
- Tenhet, V., Finne, G., Nickelson II, R. and Toloday, D. 1981b. Phosphorous levels in peeled and deveined shrimp treated with sodium tripolyphosphate. J. Food Sci. 46: 350-352, 356.
- Thannhauser, T.W., Konishi, Y. and Scheraga, H.A. 1987. Analysis for disulfide bonds in peptides and proteins. Method. Enzymol. 143: 115.

- Theno, D.M., Siegel, D.G. and Schmidt, G.R. 1978. Meat massaging : Effect of salt and phosphate on the microstructure of binding junctions in sectioned and formed hams. *J. Food Sci.* 43: 493-498.
- Trout, G.R. and Schmidt, G.R. 1984. Effect of phosphate type and concentration, salt level and method of preparation on binding in restructured beef rolls. *J. Food Sci.* 49: 687 – 694.
- Trout, G.R. and Schmidt, G.R. 1986. Effect of chain length and concentration on the degree of dissociation of phosphates used in food products *J. Agric. Food Chem.* 34: 41
- Trout, G.R. and Schmidt, G.R. 1986. Effect of phosphate on functional properties of restructured beef rolls: The role of pH, Ionic strength, and phosphate type. *J. Food Sci.* 51: 1416-1423.
- Tsai, S.F., Wang, J.H. and Jiang, S.T. 1989. Stability of muscle proteins from some subtropical fish. *J. Agric. Food Chem.* 37: 749-752.
- Watabe, S., Ushino, H., Iwamoto, M., Yamanoko, H. and Hashimoto, K. 1989. Temperature-dependency of rigor-mortis of fish muscle: Myofibrillar  $Mg^{2+}$ -ATPase activity and  $Ca^{2+}$  uptake by sarcoplasmic reticulum. *J. Food Sci.* 54: 1107-1115.
- Weilin, K. and Keeton, J.T. 1998. Textural and physicochemical properties of low – fat, precooked ground beef patties containing carrageenan and sodium alginate. *J. Food Sci.* 63: 571-574.
- Wong, K. and Gill, T.A. 1988. A diagnostic strip for the semiquantitative determination of trimethylamine in fish. *J. Food Sci.* 53: 1653-1655.
- Woyewoda, A.D. and Bligh, E.G. 1986. Effect of phosphate blends on stability of cod fillets in frozen storage. *J. Food Sci.* 51: 932 – 935.
- Wright, D.J. and Wilding, P. 1984. Differential scanning colorimetric study of muscle and its proteins: myosin and subfragments. *J. Sci. Food Agric.* 35: 357-372.

- Xiong, Y.L. 1992. Thermally induced interactions and gelation of combined myofibrillar protein from white and red broiler muscle. *J. Food Sci.* 57: 581-585.
- Xiong, Y.L. 1997. Structure-functional relationships of muscle protein. In: *Food Protein and Their Application* (eds. S. Damodaran and A. Paraf) Marcel Dekker, Inc. New York. pp.341-392.
- Xiong, Y.L. and Kupski, D.R. 1999a. Time – dependent marinade absorption and retention, cooking yield, and palatability of chicken fillets marinated in various phosphate solutions. *Poultry Sci.* 78: 1053-1059.
- Xiong, Y.L. and Kupski, D.R. 1999b. Monitoring phosphate marinade penetration in tumbled chicken fillets using a thin-slicing, Dye-Tracing method. *Poultry Sci.* 78: 1048-1052.
- Xiong, Y.L., Lou, X., Wang, C., Moody, W.G. and Harmon, R.J. 2000a. Protein extraction from chicken myofibrils irrigated with various polyphosphate and NaCl solution. *J. Food Sci.* 65: 96 –100.
- Xiong, Y.L., Lou, X., Wang, C., Moody, W.G. and Harmon, R.J. 2000b. Salt and pyrophosphate – induced structural changes in myofibrils from chicken red and white muscles. *J. Sci. Food Agric.* 80: 1176 –1182.
- Yasui, T., Fukazawa, T., Takahashi, K., Sakanishi, M. and Hashimoto, Y. 1964a. Specific interaction of inorganic polyphosphates with myosin B. *J. Agric. Food Chem.* 12: 399-404.
- Yasui, T., Sakanishi, M. and Hashimoto, Y. 1964b. Effect of inorganic polyphosphates on the solubility and extracability of myosin B. *J. Agric. Food Chem.* 12: 392-399.
- Yoshikawa, K., Inoue, N., Kawai, Y. and Shinano, H. 1995. Changes of solubility and ATPase activity of carp myofibrils during frozen storage at different temperatures. *Fish Sci.* 61: 804-812.

Young, L.L. and Lyon, B.G. 1986. Effect of sodium tripolyphosphate in the presence and absence of calcium chloride and sodium chloride on water retention properties and shear resistance of chicken breast meat. *Poultry Sci.* 65: 898 – 902.

Zagalsky, P.F., Eliopoulos, E.E. and Findley, J.B.C. 1990. The architecture of invertebrate carotenoprotein. *Comp. Biochem. Physiol.* 97B: 1-18.