

CONTENTS

	page
ABSTRACT	(i)
CONTENTS.....	(iii)
LIST OF TABLES.....	(iv)
LIST OF FIGURES.....	(v)
LIST OF ABBREVIATIONS.....	(vi)
INTRODUCTION.....	1
LITERATURE REVIEW.....	6
Mefloquine.....	6
Ketoconazole.....	27
Cytocrome P450.....	49
P-Glycoproteins.....	59
MATERIALS AND METHODS.....	74
RESULTS.....	87
DISCUSSION AND CONCLUSION.....	105
BIBLIOGRAPHY.....	116
APPENDIX.....	137

LIST OF TABLES

Table	page
1. The intra-day assay variance of mefloquine in plasma.....	81
2. The intra-day assay variance of mefloquine metabolite in plasma.....	82
3. The inter-day assay variance of mefloquine in plasma.....	83
4. The inter-day assay variance of mefloquine metabolite in plasma.....	84
5. Relative recovery of standard mefloquine in plasma.....	85
6. Relative recovery of standard mefloquine metabolite in plasma.....	86
7. Pharmacokinetic parameters (mean \pm SD.) of mefloquine in eight subjects receiving a single oral of dose 500 mg mefloquine alone and during ketoconazole co-administration.....	98
8. Pharmacokinetic parameters (mean \pm SD.) of mefloquine metabolite in eight subjects receiving a single oral of dose 500 mg mefloquine alone and during ketoconazole co-administration.....	99
9. Pharmacokinetics of mefloquine in subjects administered mefloquine alone.....	101
10. Pharmacokinetics of mefloquine in subjects administered mefloquine during ketoconazole co-administration.....	102
11. Pharmacokinetics of mefloquine metabolite in subjects administered mefloquine alone.....	103
12. Pharmacokinetics of mefloquine metabolite in subjects administered mefloquine during ketoconazole co-administration.....	104

LIST OF FIGURES

Figure	page
1. Structural formula of mefloquine and quinine.....	6
2. Structural formula of a carboxylic metabolite.....	14
3. Structural formula of ketoconazole.....	27
4. Mean calibration curve of standard mefloquine in plasma.....	91
5. Mean calibration curve of standard mefloquine metabolite in plasma.....	92
6. Representative chromatograms of 200 µl human plasma sample. Key :(A) Blank human plasma; (B) spiked with standard mefloquine and mefloquine metabolite, 250ng/ml.....	93
7. Representative chromatograms of 200 µl human plasma sample. Key: (A) Blank human plasma; (B) plasma obtained from a subject without ketoconazole treatment at day 3.....	94
8. Representative chromatograms of 200 µl human plasma sample. Key: (A) blank human plasma; (B) plasma obtained from a subject with ketoconazole treatment at day 3.....	95
9. Mean plasma mefloquine concentrations after a single oral dose of 500 mg mefloquine administration alone and after pretreatment with 400 mg ketoconazole once daily for 10 days.....	96
10. Mean plasma mefloquine metabolite concentrations after a single oral dose of 500 mg mefloquine administration alone and after pretreatment with 400 mg ketoconazole once daily for 10 days.....	97

LIST OF ABBREVIATIONS

AUC	=	area under the concentration-time curve
$^{\circ}\text{C}$	=	degree Celsius
Cl/f	=	apparent oral clearance
cm	=	centimeter
C_{\max}	=	maximal plasma concentration
CSF	=	cerebrospinal fluid
C.V.	=	coefficient of variation
D	=	day
e.g.	=	exempli gratia
etc.	=	et cetera
g	=	gram
μg	=	microgram
Hb	=	hemoglobin
hr	=	hour
Ke	=	elimination rate constant
kg	=	kilogram
K	=	inhibition rate constant
L	=	litre
μl	=	microlitre
M	=	mole
MIC	=	minimum inhibitory concentration
min	=	minute
ml	=	milliliter
mM	=	millimole

LIST OF ABBREVIATIONS (Continued)

ng	=	nanogram
P	=	P value
r	=	correlation coefficient
S.D.	=	standard error
SGOT	=	serum glutamic oxaloacetic transaminase
SGPT	=	serum glutamic pyruvic transaminase
t _{1/2}	=	elimination half life
T _{max}	=	time to maximal plasma concentration
UV	=	ultraviolet
Vd/f	=	apparent volume distribution
vs	=	versus
vol/vol/vol	=	volume by volume by volume
WBC	=	white blood cell
yr	=	year
%	=	percent