

REFERENCES

- Allwood, W.L., Cobbold, A.F. & Ginsburg, J. 1963. Peripheral vascular effects of noradrenaline, isopropylnoradrenaline and dopamine. *Br Med Bull* **19**, 132-136.
- Anonymous. 1970. Pharmacological experiments on isolated preparations by the Staff of Pharmacology University of Edinburgh, pp. 112-115, Churchill Livingstone, 2nd ed.
- Arch, J.R.S., Ainsworth, A.T., Cawthorne, M.A., Piercy, V., Sennitt, M.V., Thody, V.E., Wilson, C. & Wilson, S. 1984. Typical β -adrenoceptor on brown adipocytes as target for antiobesity drugs. *Nature* **309**, 163.
- Barney, C.C., Katovich M.J., Fregly, M.J. & Tyler, P.R. 1980. Changes in β -adrenergic responsiveness of rat during cold exposure. *J applied Physiol Resp Envir Exerc Physiol* **49**, 923-929.
- Chang, D.H.T. & Einstein, R. 1996. Changes in cardiovascular responsiveness to dopexamine and β_1 - and β_2 -adrenoceptor function after the chronic treatment of β -adrenoceptor antagonists and agonists in anaesthetized dogs. *J Auton Pharmacol* **16**, 269-279.

- Chess-Williams, R. 1993. Noradrenaline desensitizes β - but not α -adrenoceptor mediated cardiac responses *in vitro*. *J Auton Pharmacol* **13**, 403-411.
- Emorine, L.J., Marullo, S., Briand-Sutren, M.M., Patey, G., Tate, K., Delavier-Klutchko, C. & Strosberg, D. 1989. Molecular characterization of the human β_3 -adrenergic receptors. *Science* **245**, 1118-1121.
- Estler, C.L. & Ammon, H.T.P. 1993. The importance of the adrenergic beta-receptor for thermogenesis and survival of acutely cold-exposed mice. *Can J Physiol Pharmacol* **71**, 427-434.
- Freyly, M.J., Field, F.D. & Nelson, E.L. Jr. 1977. Effects of chronic exposure to cold on some responses to catecholamines. *J applied Physiol Resp Envir Exerc Physiol* **42**, 349-354.
- Goldberg, M., Aranow, H., Smith, A.A. & Faber, M. 1950. Pheochromocytoma and essential hypertensive vascular disease. *Arch Intern Med* **86**, 823-836.
- Hamburg, M. & Tallman, J.F. 1981. Chronic morphine administration increases the apparent number of alpha-adrenergic receptors in rat brain. *Nature* **291**, 493-495.
- Hauck, R.W., Harth, M., Schulz, C., Prauer, H., Bohm, M. & Schomig, A. 1997. Effect of β_2 -agonist- and dexamethasone treatment on relaxation and regulation of β -adrenoceptors in human bronchi and lung tissue. *Br J Pharmacol* **121**, 1523-1530.

- Jakob, H., Sigmund, M., Eschenhagen, T., Mende, U., Patten, M., Schmitz, W., Scholz, H., Schulte am Esch, J., Steinfath, M., Hanrath, P. & Volker, H. 1995. Effect of captopril on myocardial β -adrenoceptor density and $G_{i\alpha}$ -proteins in patients with mild to moderate heart failure due to dilated cardiomyopathy. *Eur J Clin Pharmacol* **47**, 389-394.
- Kuriyama K., Muramatsu, M., Ohkuma, S., Tamura, J.I. & Ping, Z.P. 1981. Differential effects of morphine withdrawal on cerebral β_1 - and β_2 -adrenergic receptors. *J Neurosci Res* **6**, 749-755.
- Lefkowitz, R.J., Hoffman, B.B. & Taylor, P. 1991. Neurohumoral transmission : The autonomic and somatic motor nervous system. In : A.G. Gilman, T.W. Rall, A.S. Nies & P. Taylor (eds). *Goodman and Gilman's The Pharmacological Basis of Therapeutics*, pp. 84-121, McGraw-Hill, New York, 8th ed.
- Llorens, C., Matres, M.P., Baudry, M. & Schwartz, J.C. 1978. Hypersensitivity to noradrenaline in cortex after chronic morphine: relevance to tolerance and dependence. *Nature* **274**, 603-605.
- Moises, H.C. & Smith, C.B. 1985. Changes occur in central adrenoceptor function following long-term morphine treatment and during morphine treatment. *Neuropeptides* **5**, 29-32.
- Moises, H.C. & Smith, C.B. 1987. Changes in cortical β -adrenergic receptor density and neuronal sensitivity to norepinephrine accompany morphine dependence and withdrawal. *Brain Research* **400**, 110-126.
- Moises, H.C. & Smith, C.B. 1989. Electrophysiological responsiveness to isoproterenol in rat hippocampal slices correlates with changes in β -adrenergic receptor density induced by chronic morphine treatment. *Brain Research* **485**, 67-78.

- Pitcher, J., Lohse, M.J., Codina, J., Caron, M.G., Lefkowitz, R.J. 1992.
Desensitization of the isolated β_2 -adrenergic receptor by β -adrenergic receptor kinase, cAMP-dependent protein kinase, and protein kinase C occurs via distinct molecular mechanism. *Biochemistry* **31**, 3193-3197.
- Roth, N.S., Campbell, P.T., Caron, M.G., Lefkowitz, R.J. & Lohse, M.J. 1991. Comparative rates of desensitization of β -adrenergic receptors by the β -adrenergic receptor kinase and the cyclic AMP-dependent protein kinase. *Proc Natl Acad Sci USA* **88**, 6201-6204.
- Spadari, R.C., Bassani, R.A. & Moraes, S.D. 1988. Supersensitivity to isoprenaline and epinephrine in right atria isolated from rats submitted to a single swimming session. *Gen Pharmacol* **19**, 129-135.