

REFERENCES

- Adam, K.P. and Zapp, J. 1998. Biosynthesis of the isoprene units of chamomile sesqiterpenes. *Phytochemistry*. 48, 953-959.
- Adam, K.P., Thiel, R.J. and Zapp, J. 1999. Incorporation of [1-¹³C] 1-deoxy-D-xylulose in chamomile sesquiterpenes. *Arch. Biochem. Biophys.* 369, 127-132.
- Airy Shaw, H.K. 1972. The Euphorbiaceae of Siam. *Kew Bull.* 26, 191-363.
- Arigoni, D., Sagner, S., Latzel, C., Eisenreich, W., Bacher, A. and Zenk, M.H. 1997. Terpenoid biosynthesis from 1-deoxy-D-xylulose in higher plants by intramolecular skeletal rearrangement. *Proc. Natl Acad. Sci. USA*. 94, 10600-10605.
- Arigoni, D. and Schwarz, M.K. 1999. Ginkgolide biosynthesis. In *Comprehensive Natural Product Chemistry* (Vol. 2) (Cane, D., ed.), pp. 367-399, Pergamon.
- Bick, J.A. and Lange, B.M. 2003. Metabolic cross talk between cytosolic and plastidial pathways of isoprenoid biosynthesis: unidirectional transport of intermediates across the chloroplast envelope membrane. *Biochem. Biophys.* 415, 146-154.
- Broers, S.T.J. 1994. Über die fruhen Stufen der Biosynthese von Isoprenoiden in *Escherichia coli*. [On the early stages of isoprenoid biosynthesis in *E. coli*]. Thesis Nr. 10978, ETH Zurich, Schweiz.
- Burleigh, S.H. 2001. Relative quantitative RT-PCR to study the expression of plant nutrient transporters in arbuscular mycorrhizas. *Plant Sci.* 160(5), 899-904.
- Cane, D.E., Chow, C., Lillo, A. and Kang, I. 2001. Molecular cloning, expression and characterization of the first three genes in the mevalonate-independent isoprenoid pathway in *Streptomyces coelicolor*. *Bioorg. Med. Chem.* 9, 1467-1477.
- Carretero-Paulet, L., Ahumada, I., Cunillera, N., Rodriguez-Concepcion, M., Ferrer, A., Boronat, A. and Campos, N. 2002. Expression and molecular analysis of the *Arabidopsis DXR* gene encoding 1-deoxy-D-xylulose-5-phosphate reductoisomerase, the first committed enzyme of the 2C-methyl-D-erythritol-4-phosphate pathway. *Plant Physiol.* 129, 1581-1591.
- Department of medical information, Sankyo Co., Ltd. 1993. Mucosal protective antiulcer drug: Kelnac capsules Kelnac fine granules. Tokyo: Sankyo Co., Ltd.
- Eisenreich, W., Menhard, B., Hylands, P., Zenk, M.H. and Bacher, A. 1996. Studies on the biosynthesis of taxol: The taxane carbon skeleton is not of mevalonoid origin. *Proc. Natl. Acad. Sci. USA*. 93, 6431-6436.
- Eisenreich, W., Schwarz, M., Cartayrade, A., Arigoni, D., Zenk, M.H. and Bacher, A. 1998. The deoxyxylulose phosphate pathway of terpenoid biosynthesis in plants and microorganisms. *Chem. & Biol.* 5, R221-233.
- Eisenreich, W., Bacher, A., Arigoni, D. and Rohdich, F. 2004. Biosynthesis of isoprenoids via the non-mevalonate pathway. *Cell. Mol. Life Sci.* 61, 1401-1426.

- Engprasert, S., Taura, F. and Shoyama, Y. 2005. Molecular cloning, expression and characterization of recombinant 1-deoxy-D-xylulose 5-phosphate reductoisomerase from *Coleus forskohlii* Briq. *BMC Plant Biol.* 169, 287-294.
- Esser, H.J. and Chayamarit, K. 2001. Two new species and a new name in Thai Croton (Euphorbiaceae). *Thai. For. Bull.* 29, 51-57.
- Fellermeier, M. A., Maier, U. H., Sagner, S., Bacher, A. and Zenk, M. H. 1998. (-)-2 C-methyl-D-erythrono-1, 4-lactone is formed after application of the terpenoid precursor 1-deoxy-D-xylulose. *FEBS Lett.* 437, 278-280.
- Gong, Y., Liao, Z., Chen, M., Zuo, K., Guo, L., Tan, Q., et al. 2005. Molecular cloning and characterization of a 1-deoxy-D- xylulose 5-phosphate reductoisomerase gene from *Ginkgo biloba*. *DNA Sequence.* 16:111-120.
- Grolle, S., Bringer-Meyer, S., Sahm, H. 2000. Isolation of the *dxr* gene of *Zymomonas mobilis* and characterization of the 1-deoxy-D-xylulose 5-phosphate reductoisomerase. *FEMS Microbiol Lett.* 191, 131-137.
- Herz, S., Wungsintawekul, J., Schuhr, C.A., Hecht, S., Lüttgen, H., Sagner, S., Fellermeier, M., Eisenreich, W., Zenk, M.H., Bacher, A. and Rohdich, F. 2000. Biosynthesis of terpenoids: YgbB protein converts 4-diphosphocytidyl-2C-methyl-D-erythritol 2-phosphate to 2C-methyl-D-erythritol 2, 4-cyclodiphosphate. *Proc. Natl. Acad. Sci. USA.* 97, 2486-2490.
- Inoue, Y., Shiraishi, A., Hada, T., Hirose, K., Hamashima, H. and Shimada, J. 2004. The antibacterial effects of terpene alcohols on *Staphylococcus aureus* and their mode of action. *FEMS Microbiol Lett.* 237(2), 325-331.
- Itoh, D., Karunagoda, R.P., Fushie, T., Katoh, K. and Nabetu, K. 2000. Nonequivalent labeling of the phytol side chain of chlorophyll a in callus of the hornwort, *Anthoceros punctatus*. *J. Nat. Prod.* 63, 1090-1093.
- Jomaa, H., Wiesner, J., Sanderbrand, S., Altincicek, B., Weidemeyer, C., Hintz, M., et al. 1999. Inhibitors of the nonmevalonate pathway of isoprenoid biosynthesis as antimalarial drugs. *Science.* 285, 1573-1576.
- Kaiser, J., Yassin, M., Prakash, S., Safi, N., Agami, M., Lauw, S., Ostrozhenkova, E., Bacher, A., Rohdich, F., Eisenreich, W., et al. 2007. Anti-malarial drug targets: Screening for inhibitors of 2C-methyl-d-erythritol 4-phosphate synthase (IspC protein) in Mediterranean plants. *Phytomedicine.* 14, 242-249.
- Khemvong, S. and Suvachittanont, W. 2005. Molecular cloning and expression of a cDNA encoding 1-deoxy-D-xylulose-5-phosphate synthase from oil palm *Elaeis guineensis* Jacq. *Plant Science.* 169, 571-578.
- Kim, S.M., Kuzuyama, T., Chang, Y.J., Song, K.S., Kim, S.U. 2006. Identification of class 2 1-deoxy-D-xylulose 5-phosphate synthase and 1-deoxy-D-xylulose 5-phosphate reductoisomerase genes from *Ginkgo biloba* and their transcription in embryo culture with respect to ginkgolide biosynthesis. *Planta Med.* 72, 234-240.
- Kumar, S.K., Tamura, K., Jakobsen, I.B., Nei, M. 2001. MEGA2: molecular evolutionary genetics analysis software. *Bioinformatics.* 17, 1244-1245.

- Kuzuyama, T., Shimizu, T., Takahashi, S. and Seto, H. 1998. Fosmidomycin, a specific inhibitor of 1-deoxy-D-xylulose 5-phosphate reductoisomerase in the nonmevalonate pathway for terpenoid biosynthesis. *Tetrahedron Lett.* 39, 7913-7916.
- Kuzuyama, T., Takagi, M., Takahashi, S. and Seto, H. 2000a. Cloning and characterization of 1-deoxy-D-xylulose 5-phosphate synthase from *Streptomyces* sp. strain CL190, which uses both the mevalonate and nonmevalonate pathways for isopentenyl diphosphate biosynthesis. *J. Bacteriol.* 182, 891-897.
- Kuzuyama, T., Takahashi, S., Takagi, M., Seto, H. 2000b. Characterization of 1-deoxy-D-xylulose 5-phosphate reductoisomerase, an enzyme involved in isopentenyl diphosphate biosynthesis, and identification of its catalytic amino acid residues. *J. Biol. Chem.* 275, 19928-19932.
- Lange, B.M. and Croteau, R. 1999. Isoprenoid biosynthesis via the mevalonate independent pathway in plants: cloning and heterologous expression of 1-deoxy-D-xylulose 5-phosphate reductoisomerase from peppermint. *Arch. Biochem. Biophys.* 365, 170-174.
- Lichtenthaler, H.K. 1999. The 1-deoxy-D-xylulose 5-phosphate pathway of isoprenoid biosynthesis in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 50, 47-65.
- Lichtenthaler, H.K., Schwender, J., Disch, A. and Rohmer, M. 1997. Biosynthesis of isoprenoids in higher plant chloroplasts proceeds via a mevalonate-independent pathway. *FEBS Lett.* 400, 271-274.
- Lois, L.M., Campos, N., Putra, S.R., Danielsen, K., Rohmer, M. and Boronat, A. 1998. Cloning and characterization of a gene from *Escherichia coli* encoding a transketolase-like enzyme that catalyses the synthesis of 1-deoxy-D-xylulose 5-phosphate, a common precursor for isoprenoid, thiamin, and pyridoxol biosynthesis. *Proc. Natl. Acad. Sci. USA.* 95, 2105-2110.
- Lüttgen, H., Rohdich, F., Herz, S., Wungsintaweekul, J., Hecht, S., Schuhr, C.A., Fellermeier, M., Sagner, S., Zenk, M.H., Bacher, A. and Eisenreich, W. 2000. Biosynthesis of terpenoids: YchB protein of *Escherichia coli* phosphorylates the 2-hydroxy group of 4-diphosphocytidyl-2C-methyl-D-erythritol. *Proc. Natl. Acad. Sci. USA.* 97, 1062-1067.
- Mahmoud, S.S. and Croteau, R. 2001. Metabolic engineering of essential oil yield and composition in mint by altering expression of deoxyxylulose phosphate reductoisomerase and menthofuran synthase. *Proc. Natl. Acad. Sci. USA.* 98, 8915-8920.
- Mac Sweeney, A., Lange, R., Fernandes, R.P.M., Schulz, H., Dale, G.E., Douangamath, A., Proteau, P.J. and Oefner, C. 2005. The crystal structure of *E. coli* 1-deoxy-D-xylulose-5-phosphate reductoisomerase in a ternary complex with the antimalarial compound fosmidomycin and NADPH reveals a tight-binding closed enzyme conformation. *J. mol. Biol.* 345, 115-127.
- Munoz-Bertomeu, J., Arrillaga, I., Ros, R. and Segura, J. 2006. Up-regulation of 1-deoxy-D-xylulose-5-phosphate synthase enhances production of essential oils in transgenic spike lavender. *Plant Physiol.* 142, 890-900.
- Morimoto, H. and Murai, F. 1989. The effect of gelling agents on plauonitol accumulation in callus cultures of *Croton sublyratus* Kurz. *Plant Cell Rep.* 8, 210-213.

- Nicholas, K.B., Nicholas H.B. Jr., and Deerfield, D.W. II. 1997. GeneDoc: Analysis and Visualization of Genetic Variation. *EMBNEW NEWS*. 4, 14.
- Nielsen, H, Engelbrecht, J. and Brunak, S. 1997. A neural network method for identification of prokaryotic and eukaryotic signal peptidase and prediction of their cleavage site. *Internat. J. Neur. Syst.* 8(5), 581-591.
- Nielsen, H, Brunak, S and Heijne, G.V. 1999. Machine learning approaches for the prediction of signal peptides and other protein sorting signals. *Prot. Engineer.* 12(1), 3-9.
- Nualkaew, N., De-Eknamkul, W., Kutchan, T.M. and Zenk, M.H. 2006. Membrane-bound geranylgeranyl diphosphatases: purification and characterization from *Croton stellatopilosus* leaves. *Phytochemistry*. 67(15), 1613-1620.
- Ogiso, A., Kitazawa, K., Kurabayashi, M., Sato, A., Takahashi, M., Noguchi, H., Kuwano, H., Kobayashi, S. and Mishima, H. 1978. Isolation and structure of antipeptic ulcer diterpene from Thai medicinal plant. *Chem. Pharm. Bull.* 26(10), 3117-3123.
- Ogiso, A., Kitazawa, E., Mikuriya, I. and Promdej, C. 1981. Original plant of Thai crude drug, Plaunoi. *Shoyakugaku Zasshi*. 35(4), 287-290.
- Proteau, P. J., Woo, Y. H., Williamson, R. T., and Phaosiri, C. 1999. Stereochemistry of the reduction step mediated by recombinant 1-deoxy-D-xylulose 5-phosphate isomeroeductase. *Organic Lett.* 1, 921-923.
- Radykewicz, T., Rohdich, F., Wungsintawekul, J., Herz, S., Kis, K., Eisenreich, W., Bacher, A., Zenk, M.H. and Arigoni, D. 2000. Biosynthesis of terpenoids: 1-deoxy-D-xylulose-5-phosphate reductoisomerase from *Escherichia coli* is a class B dehydrogenase. *FEBS Lett.* 465, 157-160.
- Rane M.J. and Calvo K.C. 1997. Reversal of the nucleotide specificity of ketol acid reductoisomerase by site-directed mutagenesis identifies the NADPH binding site. *Arch. Biochem. Biophys.* 338, 83-89.
- Reuter, K., Sanderbrand, S., Jomaa, H., Wiesner, J., Steinbacher, I., Beck, E., Hintz, M., Klebe, G. and Stubbs, M.T. 2002. Crystal structure of 1-deoxy-D-xylulose-5-phosphate reductoisomerase, a crucial enzyme in the non-mevalonate pathway of isoprenoid biosynthesis. *J. Biol. Chem.* 277, 5378-5384.
- Rodriguez-Concepcion, M. Ahumada, I., Diez-Juez, E., Sauret-Gue-to, S. Lois, L.M., Gallego, F., Carretero-Paulet, L. Campos, N. And Boranat, A. 2001. 1-Deoxy-D-xylulose 5-phosphate reductoisomerase and plastid isoprenoid biosynthesis during tomato fruit ripening. *Plant J.* 27, 213-222.
- Rohdich, F., Wungsintawekul, J., Fellermeier, M., Sagner, S., Herz, S., Kis, K., Eisenreich, W., Bacher, A., and Zenk, M.H. 1999. Cytidine 5'-triphosphate-dependent biosynthesis of isoprenoids: YgbP protein of *Escherichia coli* catalyzes the formation of 4-diphosphocytidyl-2-C-methylerythritol. *Proc. Natl. Acad. Sci. USA*. 96, 11758-11763.
- Rohdich, F., Zepeck, F., Adam, P., Hecht, S., Kaiser, J., Laupitz, R., Grawert, T., Amslinger, S., Eisenreich, W., Bacher, A. and Arigoni, D. 2003. The deoxyxylulose phosphate pathway

- of isoprenoid biosynthesis: studies on the mechanisms of the reactions catalyzed by IspG and IspH protein. *Proc. Natl. Acad. Sci. USA.* 100(4), 1586-1591.
- Rohdich, F., Lauw, S., Kaiser, J., Feicht, R., Kohler, P., Bacher, A. and Eisenreich, W. 2006. Isoprenoid biosynthesis in plants-2C-methyl-D-erythritol-4-phosphate synthase (IspC protein) of *Arabidopsis thaliana*. *FEBS J.* 273, 4446-4458.
- Sacchettini, J.C. and Poulter, C.D. 1997. Creating isoprenoid diversity. *Science.* 277, 1788-1789
- Saitou, N. and Nei, M. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* 4, 406-125.
- Sakai, T., Yamashita, Y., Maekawa, T., Shirakusa, T. and Okabe, N. 2000. Effect of plaunotol on bacterial translocation in the rat amall intestine. *Int. Surg.* 85(1), 27-29.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. 1989. Molecular cloning: a laboratory manual. 2nd edition. New York: Cold Spring Harbor Laboratory Press. pp. 7.9-7.12.
- Schuhr, C.A., Radykewicz, T., Sagner, S., Latzel, C., Zenk, M.H., Arigoni, D., Bacher, A., Rohdich, F. and Eisenreich, W. 2003. Quantitative assessment of crosstalk between the two isoprenoid biosynthesis pathways in plants by NMR spectroscopy. *Phytochem. Rev.* 2, 3-16.
- Schwender, J., Seemann, M., Lichtenthaler, H.K. and Rohmer, M. 1996. Biosynthesis of isoprenoids (carotenoids, sterols, prenyl side-chains of chlorophylls and plastoquinone) via a novel pyruvate/glaceraldehyde-3-phosphate non-mevalonate pathway in the green algae *Scenedesmus obliquus*. *Biochemical J.*, 316, 73-80.
- Schwender, J., Muller, C., Zeidler, J. and Lichtenthaler, H.K. 1999. Cloning and heterologous expression of a cDNA encoding 1- deoxy-D-xylulose-5-phosphate reductoisomerase of *Arabidopsis thaliana*. *FEBS Lett.* 455, 140-144.
- Schwarz, M.K. 1994. Terpen-Biosynthese in *Ginkgo biloba*: Eine überraschende Geschichte. [Terpene biosynthesis in *Ginkgo biloba*: a surprising story] Thesis Nr. 10951, ETH Zürich, Schweiz.
- Sitthithaworn, W., Kojima, N., Viroonchatapan, E., Suh, D.Y., Iwanami, N., Hayashi, T., Noji, M., Saito, K., Niwa, Y. and Sankawa, U. 2001. Geranylgeranyl diphosphate synthase from *Scoparia dulcis* and *Croton sublyratus* plastid localization and conversion to a farnesyl diphosphate synthase by mutagenesis. *Chem. Pharm. Bull.* 49(2), 197-202.
- Sitthithaworn, W., Potduang, B. and De-Eknamkul, W. 2006. Localization of plaunotol in the leaf of *Croton stellatopilosus* Ohba. *Sci. Asia.* 32, 17-20.
- Shiratori, K., Watanabe, S. and Takeuchi, T. 1993. Role of endogenous prostaglandins in secretin and plaunotol-induced inhibition of gastric acid secretion in the rat. *Am. J. Gastroenterol.* 88, 84-89.
- Sprenger, G.A., Schorken, U., Wiegert, T., Grolle, S., Degraaf, A.A., Taylor, S.V., Begley, T.P., Bringermeyer, S. and Sahm, H. 1997. Identification of a thiamin-dependent synthase in *Escherichia coli* required for the formation of the 1-deoxy-Dxylulose 5-phosphate precursor to isoprenoids, thiamin, and pyridoxol. *Proc. Natl. Acad. Sci. USA.* 94, 12857-12862.

- Spurgeon, S.L. and Porter, J.W., in Biosynthesis of isoprenoid compounds, eds. Porter, J.W. and Spurgeon, S.L., Wiley, New York, 1981, vol. 1, 5-38.
- Steinbacher, S., Kaiser, J., Eisenreich, W., Huber, R., Bacher, A., Rohdich, F. 2003. Structural basis of fosmidomycin action revealed by the complex with 2-C-methyl-D-erythritol 4-phosphate synthase (IspC). *J. Biol. Chem.* 278, 18401-18407.
- Takahashi, S., Kurabayashi, M., Kitazawa, E., Haruyama, H. and Ogiso, A. 1983. Plaunolide, a furanoid diterpene from *Croton sublyratus*. *Phytochemistry*. 22(1), 302-303.
- Takahashi, S., Kuzuyama, T., Watanabe, H. and Seto, H. 1998. A 1-deoxy-D-xylulose 5-phosphate reductoisomerase catalysing the formation of 2C-methyl-D-erythritol 4-phosphate in an alternative nonmevalonate pathway for terpenoid biosynthesis. *Proc. Natl. Acad. Sci. USA*. 95, 9879.
- Tansakul, P. and De-Eknamkul, W. 1998. Geranylgeraniol-18-hydroxylase: The last enzyme on the plaunitol biosynthetic pathway in *Croton sublyratus*. *Phytochemistry*. 47, 1241-1246.
- Totte, N., Ende, W.V.D., Damme, E.J.M.V., Compernolle, F., Baboeuf, L. and Geuns, J.M.C. 2003. Cloning and heterologous expression of early genes in gibberellin and steviol biosynthesis via the methylerythritol phosphate pathway in *Stevia rebaudiana*. *Can. J. Bot.* 81, 517-522.
- Veau, B., Courtois, M., Oudin, A., Chenieux, J.C., Rideau, M. and Clastre, M. 2000. Cloning and expression of cDNAs encoding two enzymes of the MEP pathway in *Catharanthus roseus*. *Biochim. Biophys. Acta*. 1517, 159-163.
- Vongchareonsathit, A. and De-Eknamkul, W. 1998. Rapid TLC-densitometric analysis of plaunitol from *Croton sublyratus* leaves. *Planta Med.* 64, 279-280.
- Walter, M.H., Fester, T. and Strack, D. 2000. Arbuscular mycorrhizal fungi induce the non-mevalonate methylerythritol phosphate pathway of isoprenoid biosynthesis correlated with accumulation of the 'yellow pigment' and other apocarotenoids. *Plant J.* 21, 571-578.
- Wungsintawekul, J. 2001. Enzymes of the alternative terpenoid pathway in *Escherichia coli*. *Ph. D. thesis*. Technischen Universität München, Germany.
- Wungsintawekul, J., Herz, S., Hecht, S., Eisenreich, W., Feicht, R., Rohdich, F., Bacher, A. and Zenk, M.H. 2001. Phosphorylation of 1-deoxy-D-xylulose by D-xylulokinase of *Escherichia coli*. *Eur. J. Biochem.* 268, 310-316.
- Wungsintawekul, J. and De-Eknamkul, W. 2005. Biosynthesis of plaunitol in *Croton stellatopilosus* proceeds via the deoxyxylulose phosphate pathway. *Tetrahedron Lett.* 46, 2125-2128.
- Yao, H., Gong, Y., Zuo, K., Ling, H., Qiu, C., Zhang, F., Wang, F., Pi, Y., Liu, X., Sun, X. and Tang, K. 2006. Molecular cloning, expression profiling and functional analysis of a DXR gene encoding 1-deoxy-D-xylulose 5-phosphate reductoisomerase from *Camptotheca acuminata*. *J. Plant Physiol.* in press.
- Yang, J.W. and Orihara, Y. 2002. Biosynthesis of abietane diterpenoids in cultured cells of *Torreya nucifera* var. *radicans*: Biosynthetic inequality of the FPP part and the terminal IPP. *Tetrahedron*. 58, 1265-1270.