

## REFERENCES

1. Ansaruzzaman, M., M. Lucas, J. L. Deen, N. A. Bhuiyan, X. Y. Wang, A. Safa, M. Sultana, A. Chowdhury, G. B. Nair, D. A. Sack, L. von Seidlein, M. K. Puri, M. Ali, C. L. Chaignat, J. D. Clemens, and A. Barreto. 2005. Pandemic serovars (O3:K6 and O4:K68) of *Vibrio parahaemolyticus* associated with diarrhea in Mozambique: spread of the pandemic into the African continent. *J. Clin. Microbiol.* **43**:2559–2562.
2. Bhuiyan, N. A., M. Ansaruzzaman, M. Kamruzzaman, K. Alam, N. R. Chowdhury, M. Nishibuchi, S. M. Faruque, D. A. Sack, Y. Takeda, and G. B. Nair. 2002. Prevalence of the pandemic genotype of *Vibrio parahaemolyticus* in Dhaka, Bangladesh and significance of its distribution across different serotypes. *J. Clin. Microbiol.* **40**:284–286.
3. Blake, P. A., R. E. Weaver, and D. G. Hollis. 1980. Diseases of humans (other than cholera) caused by vibrios. *Annu. Rev. Microbiol.* **34**:341–367.
4. Chowdhury, N. R., S. Chakraborty, B. Eampokalap, W. Chaicumpa, M. Chongsa-Nguan, P. Moolasart, R. Mitra, T. Ramamurthy, S. K. Bhattacharya, M. Nishibuchi, Y. Takeda, and G. B. Nair. 2000. Clonal dissemination of *Vibrio parahaemolyticus* displaying similar DNA fingerprint but belonging to two different serovars (O3:K6 and O4:K68) in Thailand and India. *Epidemiol. Infect.* **125**:17–25.
5. Chowdhury, A., M. Ishibashi, V. D. Thiem, D. T. N. Tuyet, T. V. Tung, B. T. Chien, L. von Seidlein, D. G. Canh, J. Clemens, D. D. Trach, and M. Nishibuchi. 2004. Emergence and serovar transition of *Vibrio parahaemolyticus* pandemic strains isolated during a diarrhea outbreak in Vietnam between 1997 and 1999. *Microbiol. Immunol.* **48**:319–327.
6. Glynn, A. A., and C. J. Howard. 1970. The sensitivity to complement of strains of *Escherichia coli* related to their K antigens. *Immunol.* **18**: 331-346.

7. **Gonzalez-Escalona, N., V. Cachicas, C. Acevedo, M. L. Rioseco, J. A. Vergara, F. Cabello, J. Romero, and R. T. Espejo.** 2005. *Vibrio parahaemolyticus* diarrhea, Chile, 1998 and 2004. *Emerg. Infect. Dis.* **11**:129–131.
8. **Honda, S., I. Goto, I. Minematsu, N. Ikeda, N. Asano, M. Ishibashi, Y. Kinoshita, M. Nishibuchi, T. Honda, and T. Miwatani.** 1987. Gastroenteritis due to Kanagawa negative *Vibrio parahaemolyticus*. *Lancet* **i**:331–332.
9. **Iida, T., A. Hattori, K. Tagomori, H. Nasu, R. Naim, and T. Honda.** 2001. Filamentous phage associated with recent pandemic strains of *Vibrio parahaemolyticus*. *Emerg. Infect. Dis.* **7**:477–478.
10. **Kelly, M. T., and E. M. D. Stroh.** 1989. Urease-positive, Kanagawa-negative *Vibrio parahaemolyticus* from patients and the environment in the Pacific Northwest. *J. Clin. Microbiol.* **27**:2820–2822.
11. **Kim, Y. B., J. Okuda, C. Matsumoto, N. Takahashi, S. Hashimoto, and M. Nishibuchi.** 1999. Identification of *Vibrio parahaemolyticus* strains at the species level by PCR targeted to the *toxR* gene. *J. Clin. Microbiol.* **37**:1173–1177.
12. **Kishishita, M., N. Matsuoka, K. Kumagai, S. Yamasaki, Y. Takeda, and M. Nishibuchi.** 1992. Sequence variation in the thermostable direct hemolysin-related hemolysin (*trh*) gene of *Vibrio parahaemolyticus*. *Appl. Environ. Microbiol.* **58**:2449–2457.
13. **Laohaprertthisan, V., A. Chowdhury, U. Kongmuang, S. Kalnauwakul, M. Ishibashi, C. Matsumoto, and M. Nishibuchi.** 2003. Prevalence and serodiversity of the pandemic clone among the clinical strains of *Vibrio parahaemolyticus* isolated in southern Thailand. *Epidemiol. Infect.* **130**:395–406.
14. **Martinez-Urtaza, J., A. Lozano-Leon, A. DePaola, M. Ishibashi, K. Shimada, M. Nishibuchi, and E. Liebana.** 2004. Characterization of pathogenic *Vibrio*

*parahaemolyticus* isolates from clinical sources in Spain and comparison with Asian and North American pandemic isolates. J. Clin. Microbiol. **42**:4672–4678.

15. Matsumoto, C., J. Okuda, M. Ishibashi, M. Iwanaga, P. Garg, T. Rammamurthy, H. C. Wong, A. DePaola, Y. B. Kim, M. J. Albert, and M. Nishibuchi. 2000. Pandemic spread of an O3:K6 clone of *Vibrio parahaemolyticus* and emergence of related strains evidenced by arbitrarily primed PCR and *toxRS* sequence analyses. J. Clin. Microbiol. **38**:578–585.
16. Nasu, H., T. Iida, T. Sugahara, Y. Yamaichi, K. Park, K. Yokoyama, K. Makino, H. Shinagawa, and T. Honda. 2000. A filamentous phage associated with recent pandemic *Vibrio parahaemolyticus* O3:K6 strains. J. Clin. Microbiol. **38**:2156–2161.
17. Nishibuchi, M., and J. B. Kaper. 1995. Thermostable direct hemolysin gene of *Vibrio parahaemolyticus*: a virulence gene acquired by a marine bacterium. Infect. Immun. **63**:2093–2099.
18. Okuda, J., M. Ishibashi, E. Hayakawa, T. Nishino, Y. Takeda, A. K. Mukhopadhyay, S. Garg, S. K. Bhattacharya, G. B. Nair, and M. Nishibuchi. 1997. Emergence of a unique O3:K6 clone of *Vibrio parahaemolyticus* in Calcutta, India, and isolation of strains from the same clonal group from Southeast Asian travelers arriving in Japan. J. Clin. Microbiol. **35**:3150–3155.
19. Okura, M., R. Osawa, A. Iguchi, E. Arakawa, J. Terajima, and H. Watanabe. 2003. Genotypic analyses of *Vibrio parahaemolyticus* and development of a pandemic group-specific multiplex PCR assay. J. Clin. Microbiol. **41**:4676–4682.
20. Opal, S., A. Cross, and P. Gemski. 1982. K antigen and serum sensitivity of rough *Escherichia coli*. Infect. Immune. **32**: 956-960.

21. **Osawa, R., A. Iguchi, E. Arakawa, and H. Watanabe.** 2002. Genotyping of pandemic *Vibrio parahaemolyticus* O3:K6 still open to question. *J. Clin. Microbiol.* **40**:2708–2709.
22. **Sambrook, J., E. F. Fritsch, and T. Maniatis.** 1989. Molecular cloning: a laboratory manual, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
23. **Shirai, H., H. Ito, T. Hirayama, Y. Nakabayashi, K. Kumagai, Y. Takeda, and M. Nishibuchi.** 1990. Molecular epidemiologic evidence for association of thermostable direct hemolysin (TDH) and TDH-related hemolysin of *Vibrio parahaemolyticus* with gastroenteritis. *Infect. Immun.* **58**:3568–3573.
24. **Tada, J., T. Ohashi, N. Nishimura, Y. Shirasaki, H. Ozaki, S. Fukushima, J. Takano, M. Nishibuchi, and Y. Takeda.** 1992. Detection of thermostable direct hemolysin gene (*tdh*) and the thermostable direct hemolysin-related hemolysin gene (*trh*) of *Vibrio parahaemolyticus* by polymerase chain reaction. *Mol. Cell. Probes* **6**:477–487.
25. **Takeda, Y.** 1983. Thermostable direct hemolysin of *Vibrio parahaemolyticus*. *Pharmacol. Ther.* **19**:123–146.
26. **Terai, A., K. Baba, H. Shirai, O. Yoshida, Y. Takeda, and M. Nishibuchi.** 1991. Evidence for insertion sequence-mediated spread of the thermostable direct hemolysin gene among *Vibrio* species. *J. Bacteriol.* **173**:5036–5046.
27. **Vuddhakul, V., A. Chowdhury, V. Laohaprertthisan, P. Pungrasamee, N. Patararungpong, P. Thianmontri, M. Ishibashi, C. Matsumoto, and M. Nishibuchi.** 2000. Isolation of a pandemic O3:K6 clone of a *Vibrio parahaemolyticus* strain from environmental and clinical sources in Thailand. *Appl. Environ. Microbiol.* **66**:2685–2689.
28. **Vuddhakul, V., S. Soboont, W. Sunnghiran, S. Kaewpiboon, A. Chowdhury, M. Ishibashi, Y. Nakaguchi, and M. Nishibuchi.** 2006. Distribution of virulent and

pandemic strains of *Vibrio parahaemolyticus* in three molluscan shellfish species (*Meretrix meretrix*, *Perna viridis*, and *Anadara granosa*) and their association with foodborne disease in southern Thailand. J. Food Protect. 69:2615-2620.

29. **Yeung, P. S., and K. J. Boor.** 2004. Epidemiology, pathogenesis and prevention of foodborne *Vibrio parahaemolyticus* infections. Foodborne Pathog. Dis. 1: 74-88.