Table of Contents

			Page
Introduction			1
Literature Review		3	
1.	Paln	n Olein	3
2.	Lipa	ses	3
3.	Immobilized lipases		6
4.	Kinetics of reaction catalyzed by immobilized lipases		
5.	MAG production and application		
6.	The influence of reaction condition on glycerolysis		
	6.1	Sources of lipases	9
	6.2	Initial water content	9
	6.3	Glycerol/triacylglycerols molar ratio	9
Mate	rials aı	nd Methods	10
1.	Mate	erials	10
2.	Imm	obilization	12
3.	Glyd	eerolysis	12
Resul	t and	Discussion	13
1.	Imm	obilization of lipase	13
2.	Mod	eling of lipase catalytic reaction	14
3.	Para	meters estimation	. 20
4.	Sim	ulations of the effect of water concentration	21
5.	Sim	ulations of the effect of glycerol concentration	. 22
6.	Sim	ulations of the effect of triacylglycerol concentration	23
7.	Sim	ulations of the effect of triacylglycerol and glycerol ratio	24
8.	Opti	mum conditions	25
Conc	lusion	s	28
References			29
Appendix			33
Vitae			35

List of Table

27

	Page
Table 1 Effect of enzyme loading on immobilization of lipase PS with Accurel	13
T.11. 2. Demonstrate in the model of algebraic reaction	17

Table 3 Summary of model for glycerolysis of palm oil by immobilized lipase

Table 2 Parameters in the model of glycerolysis reaction

List of Figure

		Page
Figure 1	Types of reaction catalyzed by lipases	5
Figure 2	The main reactions of glycerolysis of palm olein (R: palmitin or olein)	14
Figure 3	Comparison between calculated and experimental results (symbols)	18
	of glycerolysis reaction. Reaction condition: triacylglycerol 7.16 mM;	
	glycerol 19.14 mM; water 9.89 mM; immobilized lipase 600 mg	
Figure 4	Comparison between calculated and experimental results (symbols) of	19
	monoacylglycerol production in glycerolysis reaction with various	
	enzyme concentrations (200 to 600 mg)	
Figure 5	Simulation results of effect of water concentration (8 to 12% in	20
	glycerol) on the time dependence of monoacylglycerol.	
Figure 6	Simulation results of effect of glycerol concentration (10.74 to 21.48	21
	mM) on the time dependence of monoacylglycerol.	
Figure 7	Simulation results of effect of palm olein concentration (1.19 to 9.55	22
	mM) on the time dependence of monoacylglycerol.	•
Figure 8	Simulation results of effects of palm olein concentration on the initial	23
	production rate (rMAG) and yield of monoacylglycerol at each	
	glycerol concentration.	
Figure 9	Comparison between calculated and experimental results (symbols) of	25
	glycerolysis reaction with the optimal initial production rate of	
	monoacylglycerol.	
Figure 10	Comparison between calculated and experimental results (symbols)	26
	of glycerolysis reaction with the optimal yield of monoacylglycerol.	
Figure 1	1 Standard curve of palmitic acid.	33
Figure 1	2 TLC/FID chromatogram of standard oil compositions.	34