

## บรรณานุกรม

### ก. บรรณานุกรมสำหรับการให้ความร้อน

- Cieci, C. 2000. Temperature controlled oven for low noise measurement systems. IEEE Transactions on instrumentation and measurement., 49, 546-549.
- Das Gupta, S. 1996. Heating elements and electrically conducting ceramics. Key Engineering Materials., 122, 279-282.
- Hayashi, S. 2001. Fabrication and evaluation of  $\text{LaCrO}_3$  thin films electric heaters. Key Engineering Materials., 216, 105-108.
- Kaliyugavaraden, S. 1997. Microcontroller-based programmable temperature controller. IECON Preceedings (industrial Electronics Conference)., 1, 155-158.
- Meier, K. 2001. PTC thermistor heating elements. Appliance., 58, 64-66.
- Moulson, A.J. and Herbert, J.M., 1990. Electroceramics. Chapman & Hall, London.
- Ogawa, 1998. T. Sol-gel PTC  $\text{BaTiO}_3$  thin films – application of PTC film to heater plate. IEEE International Symposium on Applications of Ferroelectrics., 101-104.
- Pelissier, K. 1998. Silicon carbide heating elements. Ceramics international., 24, 371-377.
- Reznikov, Y. A. 1997. Programmable temperature control in an electric furnace for laboratory coking based on a microprocessor controller. Fuel and Energy Abstracts., 38, 219.
- Thongchai Panmatarith, Preeyanan Thepnuan, Rudeerat Suntako and Chiraporn Sriprom. Fabrication and physical properties of  $\text{NiMn}_2\text{O}_4$ ,  $\text{ZnO}+0.02\text{TiO}_2$  and  $\text{FeNbO}_4$  as thermoelectric, heating element and negative temperature coefficient materials. Journal of metals, materials and minerals, 2004, 14(1) : 61-74.

### ก. บรรณานุกรมสำหรับเทอร์มิสเตรอร์แบบ NTC

- Adalbert Feltz. 2000. Spinel forming ceramics of the system  $\text{Fe}_x\text{Ni}_y\text{Mn}_{1-x-y}\text{O}_4$  for high temperature NTC thermistor applications. Journal of European Ceramic Society., 20, 2353-2366.
- Basu, A. 2001. NTC characteristics of bismuth based ceramic at high temperature. International Journal of Inorganic Materials., 3, 1219-1221.
- Buchanan Reiva, C. 1991. Ceramic materials for electronics. second edition, Mercel Dekker Inc., New York.
- Chanel, C. 2000. Microstructure and electrical properties of NiZn manganite ceramics. International Journal of Inorganic Materials., 2, 241-247.
- Dipika Saha, A. 2002. Preparation of bixbyite phase  $(\text{Mn}_x\text{Fe}_{1-x})_2\text{O}_3$  for NTC thermistor applications. Materials Letters., 55, 403-406.

- Dziedzic, A. 1997. Thick-film resistive temperature sensors. *Measurement Science & Technology.*, 8, 78-85.
- Fruhwirth, O. 1997. Investigation of electrical behaviour of  $\text{LaNi}_{0.6}\text{Co}_{0.4}\text{O}_3$  on perovskite NTC ceramics. *Key Engineering Materials.*, 132, 1345-1348.
- Gutierrez, D. 2002. Crystal structure, electrical conductivity and Seebeck coefficient of  $\text{Y}(\text{Mn}, \text{Ni})\text{O}_3$  solid solution. *Journal of European Ceramic Society.*, 22, 567-572.
- Hosseini, M. 2000. The effect of cation composition on the electrical properties and aging of Mn-Co-Ni thermistors. *Ceramics International.*, 26, 245-249.
- Jansak, L. 2001. Capacitance temperature sensor for the liquid nitrogen region. *Cryogenics.*, 41, 607-608.
- Lawton, K.M. 2000. A high-stability air temperature control system. *Precision Engineering.*, 24, 174-182.
- Martinez Sarrion, M. L., 1995. Preparation and characterization of NTC thermistors based on  $\text{Fe}-\text{Mn}-\text{Ni}-\text{O}_4$ . *J. Mater. Sci.*, 30, 2610-2615.
- Moulson, A.J. and Herbert, J.M., 1990. *Electroceramics*. Chapman & Hall, London.
- Schmidt, R. 2001. Preparation and performance of thick film NTC thermistors. *Key Engineering Materials.*, 206-213, 1417-1420.
- Soliman, F. A. S. 1993. Radiation effects on non-linear resistances. *J. Mater. Sci. : Mater. In Elect.*, 4, 293-300.
- Thongchai Panmatarith and Kingkan poatong , Thermoelectric, ntc, dielectric and magnetic properties of  $\text{MgFe}_2\text{O}_4+\text{Fe}_2\text{O}_3$ . *Journal of Science-Ladkrabang.*, 2003, 12(2) : 1-12.
- Thongchai Panmatarith, Preeyanan Thepnuan, Rudeerat Suntako and Chiraporn Sriprom. Fabrication and physical properties of  $\text{NiMn}_2\text{O}_4$ ,  $\text{ZnO}+0.02\text{TiO}_2$  and  $\text{FeNbO}_3$ , as thermoelectric, heating element and negative temperature coefficient materials. *Journal of metals, materials and minerals.*, 2004, 14(1) : 61-74.
- Thongchai Panmatarith and Wassana Supmark. Sample preparation and NTC property testing of  $\text{Mn}_x\text{Ni}_y\text{Fe}_2\text{O}_4$  for temperature sensor. The 2<sup>nd</sup> PSU Symposium on Graduate Research, Fac. of Sci, PSU., Hat Yai, Songkhla, Thailand March 2004.
- Thongchai Panmatarith, Chiraporn Sriprom, Nanthida Sutthirawuth, Preeyanan Thepnuan and Sirirat Rugwech. Fabrication of the  $\text{SnO}_2+\text{Fe}_2\text{O}_3$  ,  $\text{CoFe}_2\text{O}_4$  and  $\text{ZnO}+0.1\text{Ag}_2\text{O}$  materials and their application for temperature control , rotation sense and Hall effect test. The 3<sup>rd</sup> Thailand Materials Science and Technology Conference, MTEC, Thailand, 10-11 August , 2004.

- Thongchai Panmatarith and Wassana Supmark. Preparation and NTC property testing of  $Mn_{0.2}Ni_{0.8}Fe_2O_4$  for temperature measurement and control sensor. 30<sup>th</sup> Congress on Science and Technology of Thailand, 19-21 October 2004.
- Thongchai Panmatarith and Kingkan poatong , Thermoelectric, ntc, dielectric and magnetic properties of  $MgFe_2O_4+Fe_2O_3$ , Journal of Science-Ladkrabang., 2003, 12(2) : 1-12.
- Wenzhong Lu. 2000. Novel thermistor of Bi-doped  $Ba(Sn,Sb)O_3$  with linear negative temperature coefficient. Sensors and Actuators A: Physical., 80, 38-41.
- ค. บวกถะนุกรุมสำหรับเทอร์มิสเทอร์แบบ PTC**
- Al-Shahran, A. 2000. Positive temperature coefficient in Ho-doped  $BaTiO_3$  ceramics. Journal of Physics and Chemistry of Solids., 61, 955-959.
- Buchanan Relva, C., 1991. Ceramic materials for electronics. second edition, Mercel Dekker Inc., New York.
- He, Z. 2000. Strucral model of  $Cr/(Ba,Pb)TiO_3$  positive temperature coefficient composite. J. Mater. Sci. : Mater. In Elect., 11, 235-238.
- Hsing-Yi Chang. 1995. Electrical characteristics of  $(Sr_{0.2}Ba_{0.8})TiO_3$  positive temperature coefficient of resistivity materials prepared by microwave sintering. J. Appl. Phys., 78 (1), 423-427.
- Igor Z. 1999. Preparation of PTCR ceramics in the  $BaO-Nb_2O_5-TiO_2$  system. Journal of European Ceramic Society., 19, 893-896.
- Issa, M. A. A. 1992. Electrical properties of polycrystalline PTCR barium titanate. J. of Mater. Sci., 27, 3685-3692.
- Jingchang, Z. 2002. Study on the properties of (Y, Mn) co-doped  $Sr_{0.5}Pb_{0.5}TiO_3$  thermistors. Materials Science and Engineering B., 94, 202-206.
- Klaus Dostert. 1983. Applications of self-heated PTC thermistors to flow and quality of heat measurements. Sensors and Actuators., 3, 159-167.
- Masalu Miyayama., 1992. Infrared sensing properties of positive temperature coefficient thermistors with large temperature coefficient of resistivity. J. Mater. Sci., 27, 127-132.
- Meier, K. 2001. PTC thermistor heating elements. Appliance., 58, 64-66.
- Moulson, A.J. and Herbert, J.M., 1990. Electroceramics. Chapman & Hall, London.
- Padmini, P. 1994. Influence of  $Bi^{3+}$  ions in enhancing the magnitude of positive temperature coefficients of resistance in n- $BaTiO_3$  ceramics. J. Mater. Sci. : Mater. In Elect., 5, 203-209.
- Shibegaki, S., 1997. Calcium-doping effect on temperature coefficients of dielectric constants in  $SrTiO_3$  capacitors. J. Mater. Sci., 32, 1449-1453.

Thongchai Panmatarith and Kingkan Poatong, PTC effect of holmium oxide-copper holmium oxide ceramics before and after poling. The 2<sup>nd</sup> Thailand Materials Science and Technology Conference, MTEC, Thailand, 6-7 August, 2002.

Thongchai Panmatarith, Varaporn Anuntapornpanich, Pranee Promwithan, Kingkan Poatong, Pikul Ratpholsan, Waya Casol and Apisamai Eirseewattanakul. Material properties in alternating electric field, high pass filtering and the effect of electric field on property transformation from PTC effect to NTC effect for  $\text{BaTiO}_3 + 0.01\text{Nb}_2\text{O}_5$ 's ceramics. The J of NRCT., 2003, 35(2) : 185-198

Thongchai Panmatarith, Chiraporn Sriprom, and Nanthida Sutthirawuth. New Positive Temperature Coefficient Effect Based on  $\text{Bi}_2\text{O}_3 + \text{Fe}_2\text{O}_3$  or  $\text{ZrO}_2 + \text{MnO}_2$  Material and Used as Temperature Sensor. Chiang Mai Journal of Science, 2005, 32(2) : 109-120.

Thongchai Panmatarith, Nibrosulhuda Hayeemayang and Nipusanee Baka-lee. The new types of positive temperature coefficient effect based on  $\text{SnO}_2 + 2\text{CoO}$  and  $\text{SnO}_2 + \text{Cr}_2\text{O}_3$  ceramics used as temperature sensor. Songklanakarin J. Sci. Technol., 2005, 27(5) : 1113-1122.

Xue, J. 1997. Uniform incorporation of sintering aids and MnO in PTC  $\text{BaTiO}_3$  by liquid phase coating. Ferroelectrics., 195, 137-140.

Wang, D. J. 1997. Preparation and electrical properties of semiconducting strontium-lead titanate PTCR ceramics. J. Mater. Sci. : Mater. In Elect., 8, 271-276.

#### 4. บรรณานุกรมสำหรับตัวเก็บประจุไฟฟ้า

Alles, Aldo B. 1994. Piezoresistivity modeling of grain-boundary junctions in positive temperature coefficient of resistivity  $\text{BaTiO}_3$ . J. Appl. Phys., 77(10), 5322-5334.

Buchanan Reiva, C., 1991. Ceramic materials for electronics. second edition, Mercel Dekker Inc., New York.

Cha, Seon Yong. 1999. Reliability of high dielectric  $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{TiO}_3$  capacitors using iridium electrode. Integrated Ferroelectrics., 24, 44-55.

Cheng-Fu Yang. 1992. Effect of CuO on sintering and dielectric characteristics of  $(\text{Ba}_{1-x}\text{Sr}_x)(\text{Ti}_{0.9}\text{Zr}_{0.1})\text{O}_3$  ceramics. J. Mater. Sci., 27, 6573-6578.

Dimos, D. 1998. Perovskite thin films for high-frequency capacitor applications. Annual Review of Materials Science., 28, 397-419.

Ho-Gi Kim. 1994. Microwave sintering of  $\text{BaTiO}_3$  thick films. J. Mater. Sci. Lett., 13, 806-809.

Iguchi, E. 1993. Dielectric relaxation in  $\text{SrTiO}_3$  doped with  $\text{La}_2\text{O}_3$  and  $\text{MnO}_2$  at low temperatures. J. Mater. Sci., 28, 5809-5813.

Kazuhide Abe. 1994. Epitaxial growth and dielectric properties of  $(\text{Ba}_{0.24}\text{Sr}_{0.76})\text{TiO}_3$  thin film J. Appl. Phys., 33, 5297-5300.

- Kazuoui, S. 1993. Dielectric relaxation in  $\text{Ba}(\text{Ti}_{0.6}\text{Zr}_{0.2})\text{TiO}_3$  ceramics prepared from sol-gel and solid state reaction powders. *J. Mater. Sci.*, 28, 1211-1219.
- Ki Hyun Yoon. 2001. Electrical properties of Mg doped  $(\text{Ba}_{0.5}\text{Sr}_{0.5})\text{TiO}_3$  thin films. *Jan. J. of Appl. Phys.*, 40, 5497-5500.
- Liqin Zhou. 1992.  $\text{Sr}_{0.7}\text{Ba}_{0.3}\text{TiO}_3$ -based multilayer boundary-layer capacitors. *J. Mater. Sci. Lett.*, 11, 1134-1136.
- Manling BaO. 1993. Study on the dielectric properties of  $\text{Ba}(\text{Ti},\text{Sn})\text{O}_3$  ceramics prepared from ultrafine powder. *J. Mater. Sci.*, 28, 6617-6621.
- Moulson, A.J. and Herbert, J.M., 1990. *Electroceramics*, Chapman & Hall, London.
- Ng, Henneth W. H. 2002. A 3 V 44 MHz switched-capacitor bandpass filter for digital video application. *Preceddings – IEEE International Symposium on Circuits and Systems.*, 4, 627-630.
- Shail Upadhyay. 1997. Preparation and characterization of barium stannate  $\text{BaSnO}_3$ . *J. Mater. Sci. Lett.*, 16, 1330-1332.
- Sowiati, T. 1998. 20-800 MHz relaxation oscillator with automatic swing control. *Digest of Technical Papers – IEEE International Solid-State Circuits Conference.*, 222-223.
- Thongchai Panmatarith and Salinda Paduka , Electrical Properties and Applications of  $\text{BaTiO}_3+0.1\text{SrCO}_3$  . *Suranaree J. Sci. Technol.*, 2003, 10 : 125-132.
- Thongchai Panmatarith, Kingkan Poatong and Varaporn Anuntapompanich. Effect of frequency and poling field on the electrical properties and PTC effect of  $\text{BaTiO}_3+0.9\text{ZrO}_2$  . *KMUTT RESEARCH AND DEVELOPMENT JOURNAL.*, 2003, 26(2) April-June : 183-199.
- Thongchai Panmatarith, Varaporn Anuntapompanich, Pranee Promwithan, Kingkan Poatong, Pukul Ratpholsan, Waya Casol and Apisamai Eirseewattanakul. Material properties in alternating electric field, high pass filtering and the effect of electric field on property transformation from PTC effect to NTC effect for  $\text{BaTiO}_3+0.01\text{Nb}_2\text{O}_5$ 's ceramics. *The J of NRCT.*, 2003, 35(2) : 185-198.
- Thongchai Panmatarith and Kingkan poatong , Thermoelectric, ntc, dielectric and magnetic properties of  $\text{MgFe}_2\text{O}_4+\text{Fe}_2\text{O}_3$ . *Journal of Science-Ladkrabang.*, 2003, 12(2) : 1-12.
- Thongchai Panmatarith and Sasithon Sattayanuruk, Electrical Properties and Applications of  $\text{BaTiO}_3+0.01\text{Dy}_2\text{O}_3$ . *Silpakorn University Journal.*, 2003, 23(2) : 113-133.
- Thongchai Panmatarith and Chiraporn Sriprom. Voltage-time curve displaying with computer of  $(\text{Sr}_{0.5}\text{Pb}_{0.5})\text{TiO}_3$  material as RLC series resonance occurrence. *Material Technology REVIEW, MTEC*, 2548, Vol39, april-june : 63-64.

Thongchai Panmatarith, Nibrosulhuda Hayeemayang, and Nipusanee Baka-lee. Dielectric property, voltage filtering, capacitance-voltage dependence, voltage-to-frequency conversion, charge and discharge of  $\text{Ba}_{0.9}\text{La}_{0.1}\text{TiO}_3$  and  $(\text{Ba}_{0.5}\text{Zn}_{0.5})\text{TiO}_3$  ceramics.

43<sup>th</sup> Kasetsart University Annual Conference, 1-4 February 2005.

Wanklyn, B. M. 1992. Electrical transport properties of  $\text{Eu}_2\text{Ti}_2\text{O}_7$  single crystal.  
J. Mater. Sci., 27, 4080- 4084.

Zhang J. L. 1992. Electrical conduction of  $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{TiO}_3$  ceramics under d.c. voltage.  
J. Mater. Sci. Lett., 11, 294-295.