

ເອກສາຣອ້າງອີງ

- Frechard, A., Fabre, N., Pean, C., Montaut, S., Fauvel, M.T., Rollin, P. and Fouraste, I. 2002. Corrigendum to "Novel indole-type glucosinolates from woad (*Isatis tinctoria* L.)", Tetrahedron Lett. 43(8) : 1591-1592.
- Frechard, A., Fabre, N., Pean, C., Montaut, S., Fauvel, M.T., Rollin, P. and Fouraste, I. 2001. Novel indole-type glucosinolates from woad (*Isatis tinctoria* L.), Tetrahedron Lett. 42(51) : 9015-9017
- Institute of Materia Medica, Chinese Academy of Medical Sciences. 1979. Flora of traditional Chinese medicine, vol. I, People's hygiene publishing company, Beijing, pp. 453-458.
- Kokubun, T., Edmonds, J. and John, P. 1998. Indoxyl derivatives in woad in relation to medieval indigo production, Phytochemistry 49(1) : 79-87.
- Mak, N.K., Leung, C.Y., Wei, X.Y., Shen, X.L., Wong, R.N.S., Leung, K.N. and Fung, M.C. 2004. Inhibition of RANTES expression by indirubin in influenza virus-infected human bronchial epithelial cells, Biochemical Pharmacology, 67(1) : 167-174.
- Maugard, T., Enaud, E., Choisy, P. and Legoy, M.D. 2001. Identification of an indigo precursor from leaves of *Isatis tinctoria* (Woad), Phytochemistry 58(6) : 897-904.