

การสำรวจพฤติกรรมการใช้ฮาสตรีแผนโบราณ ในเบตจังหวัดสงบลา

(Servey of Behavior Traditional Woman Drug Used of Postpartum in Songkla Province)

เพชรน้อย 🖟 สิงห์ชางชัย

สุภลี

หลูด้วง

แวลูโชะ


นิมะ

からら - とり - からりがらかり - うつれ

คณะเภสัชศาสตร์

คณะพธาบาลศาสตร์

มหาวิทธาลัยสงขลานครินทร์



ได้รับทุนอุดหนุนการวิจัยจาก มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตหาดใหญ่ ประเภททุนโครงการนักศึกษา

บทคัดส่อ

การวิจัยนี้เป็นการวิจัยเชิงสารวจ มีวัตถุประสงค์เพื่อศึกษาพฤติกรรมการใช้ยาสตรี
แมนโบราณ และสาเหตุที่สัมพันธ์กับพฤติกรรมด้านความรู้เกี่ยวกับการใช้ยาสตรีแผนโบราณของ
สตรีหลังคลอดในจังหวัดสงขลา เลือกตัวอย่างแบบเจาะจง (purposive sampling) ได้
ขนาดตัวอย่าง 118 คน การเก็บข้อมูลใช้แบบสอบถามซึ่งผ่านการตรวจสอบความตรงจากผู้ทรง
คุณวุฒิจำนวน 3 ท่าน เก็บข้อมูลโดยการสัมภาษณ์ การวิเคราะห์ข้อมูลใช้สถิติเชิงพรรณา คือ
จำนวนร้อยละ ค่าเฉลี่ย ค่าเบี่ยงเบนมาตรฐาน และใช้สถิติอ้างอิงคือ Chi-square ทดสอบ
ความสัมพันธ์ระหว่างสาเหตุที่สัมพันธ์กับพฤติกรรมการใช้ยาสตรีแผนโบราณ สรุปผลการวิจัยได้ดังนี้

กลุ่มตัวอย่าง ส่วนใหญ่มีอายุ 21-30 ปี (ร้อยละ 61.0) การศึกษาระดับประกมศึกษา
มากที่สุด (ร้อยละ 59.3) มีอาชีพแม่บ้าน (ร้อยละ 52.5) ส่วนใหญ่อาศัยอยู่นอกเขตเทศบาล
(56.8) มีบุตรจำนวน 2 คน (ร้อยละ 39.8) ในเรื่องพฤติกรรมการใช้ยาสตรีแผนโบราณ พบว่า
สตรีหลังคลอดมีประสบการณ์ใช้ยาสตรีหลังคลอดสูงถึงร้อยละ 78.0 ระยะเวลาการใช้ยาเฉลี่ย
28 วัน (X = 28.17 S.D. = 6.79) การใช้ยาสตรีแผนโบราณในภาวะปกติที่มิใช่หลังคลอด
และภาวะตั้งครรภ์ พบว่ายังมีการใช้ยาสตรีแผนโบราณ นบว่า ได้รับความรู้จากญาติและเพื่อนบ้านมาก
ที่สุด (ร้อยละ 72.9) ส่วนการทดสอบความสัมพันธ์ระหว่างสาเหตุ (ประสบการณ์การมีบุตร
การศึกษา อาชีพ รายได้ สถานที่อยู่ แหล่งความรู้ ระยะเวลาการใช้ยาสตรีแผนโบราณ) กับ
พฤติกรรมด้านความรู้การใช้สตรีแผนโบราณอย่างมีนัยสำคัญทางสถิติ (P<.05) ส่วนประสบการณ์การมีบุตร
การศึกษา อาชีพ รายได้ สถานที่อยู่ ระยะเวลาการใช้ยาสตรีแผนโบราณ พบว่าไม่มีความสัมพันธ์
กับพฤติกรรมด้านความรู้การใช้ยาสตรีแผนโบราณอย่างมีนัยสำคัญ (P<.05)

Abstracts

Objective of this servey research was to study on the usage behaviors of traditional woman drugs and the factors related to these behaviors in the postpartum women in Songkhla province. The purposive sampling provided the sample size of 118 women as the subjects. The questionaire, previouly edited by three specialists, were used in interviewing for collection. The data analyses were achieved by the descriptive statistic including percentage, mean, and standard deviation values. The chi-square test, as the referrential statistices, was used to test the relevancy among the factors related to the drug-use behaviours. The results were showed as follow:

About the subjects; most were 21-30 years old (61.0%), had the highest education at the primary level (59.3%), resided out of the menicipal districts (56.8%), and had two children (39.8%). It was lound that the percentage of the postpartums using the postpartum durgs was 78%. The duration term for these usage was 28 days averagely (\overline{X} = 28.17, S.D. = 6.79). The woman drug usage in normal women (neither the postpartums nor the pregnants) was in the percentage of 36.4. The major knowledge sources about drug usage were their relation and neighbours. (72.9%). The determination of relavancy among reasons, including prenant experiences, education, occupations, incomes, residenes, knowledge sources, and duration term of drug usage, and the drug-usage behaviours reveated that the drug-user relative as sources of knowledge were stistical-significantly related to the drug-usage

behaviors (P(0.05). Other factors, however, showed as relationship in

this pattern (P(0.05)