

เอกสารอ้างอิง

Ahn K. H., Song K.G., 2000. Application of microfiltration with a novel fouling control method for reuse of wastewater from a larger-scale resort complex, Desalination, vol. 129, 207-216.

Amy G., Cho J., 1999. Interactions between natural organic matter (NOM) and membranes : Rejection and Fouling, Water Science Technology, vol. 40(9), 131-139.

Aoustin E., Schäfer A.I., Fane A.G. Waite T.D., 2001. Ultrafiltration of natural organic matter, Separation Purification Technology, vol. 22-23, 63-78.

Arnal J.M., Sancho Fernandez M., Martin Verdu G., Lora Garcia J., 2001. Design of a membrane facility for water potabilization and its application to Third World countries, Desalination, vol. 137, 63-69.

Atteia O., Mondi C., Perret D., 2001. Aggregation rates of natural particle populations, Water Research, vol. 35(10), 2429-2434.

Bian R., Watanabe Y., Tambo N., Ozawa G., 1999. Removal of humic substances by UF and NF membranes systems, Water Science Technology, vol. 40(9), 121-129.

Bodzek M., Konieczny K., 1998. Comparison of various membrane types and module configurations in the treatment of natural water by means of low-pressure membrane methods, Separation Purification Technology, vol. 14, 69-78.

Bouhabila E. H., Ben Aïm R., Buisson H., 1998. Microfiltration of activated sludge using submerged membrane with air bubbling (application to wastewater treatment), Desalination, vol. 118, 315-322.

Bourgeous K.N., Darby J.L., Tchobanoglous G., 2001. Ultrafiltration of wastewater : Effects of particles, mode of operation, and backwash effectiveness, Water Research, vol. 35(1), 77-90.

Bowen W.R., Hilal N., Lovitt R.W., Wright C.J., 1999. Characterisation of membrane surfaces: direct measurement of biological adhesion using an atomic force microscope, Journal of Membrane Science, vol 154, 205-212.

Brehant A., Bonnelye V., Perez M., 2002. Assessment of ultrafiltration as a pretreatment of reverse osmosis membranes for surface seawater desalination, Proceeding (Oral Presentation),Membrane in Drinking and Industrial Water Production, the 5th conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Chen V., Fane A.G., Madaeni S., Wenten I.G., 1997. Particle deposition during membrane filtration of colloids: transition between concentration polarization and cake formation, Journal of Membrane Science, vol. 125, 109-122.

Choksuchart P., Héran M., Grasmick A., 2002a. Ultrafiltration enhanced by coagulation in an immersed membrane system, Desalination, vol. 145, 265-272.

Choksuchart P., Héran M., Grasmick A., 2002b. Surface water clarification by ultrafiltration with an immersed membrane system, Proceeding (Oral Presentation),Membrane in Drinking and Industrial Water Production, the 5th conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Coté P., Buisson H., Pound C., Arakaki G., 1997. Immersed membrane activated sludge for the reuse of municipal wastewater, Desalination, vol. 113, 189-196.

Coté P., Mourato D., Günerich C., Russell J., Houghton Ed., 1998. Immersed membrane filtration for the production of drinking water: Case studies, Desalination, vol. 117, 181-188.

Coté P., Cadera J., Coburn J., Munro A., 2001. A new immersed membrane for pretreatment to reverse osmosis, Desalination, vol. 139, 229-236.

Decarolis J., Hong S., Taylor J., 2001. Fouling behavior od a pilot scale inside-out hollow fiber UF membrane during dead-end filtration of tertiary wastewater, Journal of Membrane Science, vol. 191, 165-178.

Doyen W., 2000. UF as an alternative pretreatment step for producing drinking water, Membrane Technology, No. 126, 8-13.

Durham B., Bourbigot M.M., Pankratz T., 2001. Membranes as pretreatment to desalination in wastewater reuse : operating experience in the municipal and industrial sectors, Desalination, vol. 138, 83-90.

Espinasse B., Bacchin P., Aimar P., 2002. On an experimental method to mesure critical flux in ultrafiltration, Desalination, vol. 146, 91-96.

Fane A.G., Fane S.A., 2004. The Role of Membrane Technology in Suatainable Decentralized Wastewater Systems, Proceeding, Small Water&Wastewater Systems, Fremantle, Feb 11-14.

Fewtrell L., Macgill S.M., Kay D., Casemore D., 2000. Uncertainties in risk assessment for the determination of drinking water pollutant concentrations: Cryptosporidium case study, Water Research, vol. 35(2), 441-447.

Field R.W., Wu D., Howell J.A., Gupta B.B., 1995. Critical flux concept for microfiltration fouling, Journal of Membrane Science, vol. 100, 259-272.

Gale P., van Dijk P.A.H., Standfield G., 1997. Drinking water treatment increases micro-organism clustering; the implications for microbiological risk assessment, Journal Water Supply Research Technol-Aqua, vol. 46, 117-126.

Gander M., Jefferson B., Judd S., 2000. Aerobic MBRs for domestic wastewater treatment: a review with cost considerations, Separation and Purification Technology, vol. 18, 119-130.

Gésan-Guiziou G., Wakeman R.J., Daufin G., 2002. Stability of latex crossflow filtration : cake properties and critical conditions of deposition, Chemical Engineering Journal, vol. 85, 27-34.

Glucina K., Laîne J.M., Durand-Bourlier L., 1998. Assessment of filtration mode for the ultrafiltration membrane process, vol. 118, 205-211.

Glucina K., Alvarez A., Laîné J.M., 2000. Assessment of an integrated membrane system for surface water treatment, Desalination, vol. 132, 73-82.

Gotor A.G., Ovidio Pérez Baez S., Espinoza C.A., Bachir S.I., 2001. Membrane processes for the recovery and reuse of wastewater in agriculture, Desalination, vol. 137, 187-192.

Green J.H., Tylla M., 1998. A comparision of ultrafiltration on various river waters, Desalination, vol. 119, 79-84.

Guibert D., 2000. Etude de l'influence de la configuration et du mode opératoire sur le fonctionnement d'un réacteur aéré à fibres creuses immergées, Thèse de doctorat, Institut National des Sciences Appliquées de Toulouse, France.

Guibert D., Ben Aim R., Rabie H., Côté P., 2002. Aeration performance of immersed hollow-fiber membranes in a bentonite suspension, Desalination, vol. 148, 395-400.

Guigui C., Manno P., Moulin P., Clifton M.J., Rouch J.C., Aptel P., Lainé J.M., 1998. The use of Dean vortices in coiled hollow-fibre ultrafiltration membrane of water and wastewater treatment, Desalination, vol. 118, 73-80.

Héran M., 2000. La rétrofiltration haute fréquence en Micro/Ultrafiltration, Thèse de doctorat, Université Montpellier II, France.

Héran M., Elmaleh S., 2001. Prediction of cross-flow microfiltration through an inorganic tubular membrane with high frequency retrofiltration, *Chemical Engineering Sci.*; vol. 56, 3075-3082.

Hesse S., Kleiser G., Frimmel F.H., 1999. Characterization of refractory organic substances (ROS) in water treatment, *Water Science Technology*, vol. 40(9), 1-7.

Hillis P., Padley M.B., Powell N.I., Gallagher P.M., 1998. Effect of backwash conditions on out-to-in membrane microfiltration, *Desalination*, vol. 118, 197-204.

Howell J.A., 1995. Sub-critical flux operation of microfiltration, *Journal of Membrane Science*, vol. 107, 165-171.

Huang L., Morrissey T.M., 1998. Fouling of membranes during microfiltration of surimi wash water : Role of pore blocking and surface cake formation, *Journal of Membrane Science*, vol. 144, 113-123.

Huisman I.H., Vellenga E., Trägårdh G., Trägårdh C., 1999. The influence of the membrane zeta potential on the critical flux for crossflow microfiltration of particle suspensions, *Journal of Membrane Science*, vol 156, 153-158.

Imai A., Fukushima T., Matsushige K., Kim Y.H., Choi K., 2002. Characterization of dissolved organic matter in effluents from wastewater treatment plants, *Water Research*, vol. 36, 859-870.

Jacangelo J.G., Trussell R.R., Watson M., 1997. Role of membrane technology in drinking water treatment in the United States, *Desalination*, vol. 113, 119-127.

Klijn R.B., van der Meer W.G.J., Vriezen H., van Ekkendonk F.H.J., 2000. Surface water treatment with Zenon microfiltration membranes : minimisation of energy and chemical use, *Desalination*, vol. 131, 337-343.

Kwon D.Y., Vigneswaran S., Fane A.G., Ben Aim R., 2000. Experimental determination of critical flux in cross-flow microfiltration, Separation Purification Technology, vol. 19, 169-181.

Lainé J.-M., Vial D., Moulart P., 2000. Status after 10 years of operation-overview of UF technology today, Desalination, vol. 131, 17-25.

Lebeau T., Lelièvre C., Buisson H., Cléret D., W. Van de Venter L., Côté P., 1998. Immersed membrane filtration for the production of drinking water : combination with PAC for NOM and SOCs removal, Desalination, vol. 117, 219-231.

Le Chevallier MW., Norton WD., Lee RG., 1991. Occurrence of Giardia and Cryptosporidium spp. In surface water supplies, Appl Environ Microbiol, vol. 57, 2610-2616.

Lee H., Amy G., Cho J., Yoon Y., Moon S.H., Kim In.S., 2001. Cleaning strategies for flux recovery of an ultrafiltration membrane fouled by natural organic matter, Water Research, vol. 35(14), 3301-3308.

Lee N., Amy G., Habarou H., Schrotter J.C., 2002. Identification and control of fouling of low-pressure (MF and UF) membranes by drinking-water natural organic matter (NOM), Membrane in Drinking and Industrial Water Production, the 5th conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Li H., Fane A.G., Coster H.G.L., Vigneswaran S., 1998. Direct observation of particle deposition on the membrane surface during crossflow microfiltration, Journal of Membrane Science, vol. 149, 83-97.

Li H., Fane A.G., Coster H.G.L., Vigneswaran S., 2003. Observation of deposition and removal behaviour of submicron bacteria on the membrane surface during crossflow microfiltration, Journal of Membrane Science, vol. 217, 29-41.

Lin C.F., Huang Y., Hao J.O., 1999. Ultrafiltration processes from removing humic substances: effect of molecular weight fractions and PAC treatment, Water Research, vol. 33(5), 1252-1264.

Lin C.F., Liu S.H., Hao J.O., 2001. Effect of functional groups of humic substances on UF performance, Water Research, vol. 35(10), 2395-2402.

Maartens A., Swart P., Jacobs E.P., 1999. Feed-water pretreatment: methods to reduce membrane fouling by natural organic matter, Journal of Membrane Science, vol. 163, 51-62.

Maartens A., Swart P., Jacobs E.P., 1999. Removal of natural organic matter by ultrafiltration: Characterisation Fouling and Cleaning, Water Science Technology, vol. 40(9), 113-120.

Machenbach I., Leiknes T., ødegaard H., 2002. Coagulation/Submerged hollow-Fibre ultrafiltration for NOM removal, Proceeding (Oral Presentation),Membrane in Drinking and Industrial Water Production, the 5th conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Mandec A., 2000. Influence d'un écoulement diphasique sur les performances de filtration d'un procédé à membranes immersées, Thèse de doctorat, Institut National des Sciences Appliquées de Toulouse, France.

Metsämuuronen S., Howell J., Nyström M., 2002. Critical flux in ultrafiltration of myoglobin and baker's yeast, Journal of Membrane Science, vol. 196, 13-25.

MoresW.D, Davis R.H, 2001. Direct visual observation of yeast deposition and removal during microfiltration, Journal of Membrane Science, vol. 189, 217-230.

Nieminski EC., Ongerth JE., 1995. Removing Giardia, Cryptosporidium by convention treatment, direct filtration, Journal of American Water Work Association, vol. 87(9), 96-106.

Panglisch S., 2002. Formation and Prevention of hardly removable particle layers in inside-out capillary membrane operating in dead-end mode, Proceeding (Oral Presentation), Membrane in Drinking and Industrial Water Production, the 5th conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Panlisch S., Hagmeyer G., Dantzenberg W., Kiepke O., Gimble R., 2000. Enhancing The particle removal Efficiency of Drinking water Treatment Plant By Membrane Filtration, The 8 th World Filtration Congress, Brighton (UK), April 3-7.

Parameshwaran K., Fane A.G., Cho B.D., Kim K.J., 2001. Analysis of microfiltration performance with constant flux processing of secondary effluent, Water Research, vol. 35 (18), 4349-4358.

Park K., Seo Y.T., Whang G.D., Lee W., 2000. Optimizing enhanced coagulation for DOC removal with ultrafiltration membrane separation using response surface methods and particle trajectory analysis, Water Science Technology, vol. 42(3-4), 187-192.

Rautenbach R., Voßenkau K., Linn T., Katz T., 1996. Waste water treatment by membrane process-New development in ultrafiltration, nanofiltration and reverse osmosis, Desalination, vol. 108, 247-253.

Ribas F., Bernal A., Perramón J., 2000. Elimination of Giardia cysts, Cryptosporidium oocysts, turbidity and particles in a drinking water treatment plant with clarification and double filtration, Water Science Technology, vol. 41(7), 203-211.

Schäfer A.I., Fane A.G. Waite T.D., 2001. Cost factors and chemical pretreatment effects in the membrane filtration of waters containing natural organic matter, Water Research, vol. 35(6), 1509-1517.

Serra C., Durand-Bourlier L., J. Clifton M., Moulin P., Rouch J-C., Aptel P., 1999. Use of air sparging to improve backwash efficiency in hollow-fiber modules, Journal of Membrane Science, vol. 161, 95-113.

Sheikholeslami R., 1999. Fouling mitigation in membrane processes : Report on a Workshop held January 26-29, 1999, Technion-Israel Institute of Technology, Haifa, Israel, Desalination, vol. 123, 45-53.

Tardieu E., Grasmick A., Geaugey V., Manem J., 1998. Hydrodynamic control of bioparticle deposition in a MBR applied to wastewater treatment, Journal of Membrane Science , vol. 147, 1-12.

Tazi-Pain A., Schrotter J.C., Bord G., Payreaud M., Buisson H., 2002. Recent improvement of BIOSEP^R process for industrial and municipal wastewater treatment, Desalination, vol. 146, 439-443.

Tchobanoglous G., 2003. The strategic importance of decentralized wastewater management in the twenty-first century, Proceeding, IDA Conference on Water Reuse and Desalination, Singapore, Feb 25-26.

Thorsen T., 1999. Membrane filtration of humic substances-state of the art, Water Science Technology., vol. 40(9), 105-112.

Tsujimoto W., Kimura H., Izu T., Irie T., 1998. Membrane filtration and pre-treatment by GAC, Desalination, vol. 119, 323-326.

Vilgé-Ritter A., Rose J., Masion A., Bottero J.-Y., Lainé J.-M., 1999. Chemistry and structure of aggregates formed with Fe-salts and natural organic matter, Colloids and Surfaces, vol. 147, 297-308.

Voßenkau K., Schäfer S., 2002. Development of a new capillary module of water production and wastewater treatment, Proceeding (Oral Presentation), Membrane in Drinking and Industrial Water Production, the 5th conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Waite T.D., 1999. Measurement and implications of floc structure in water and wastewater treatment, *Colloids and Surfaces*, vol. 151, 27-41.

Wakeman R.J., Williams C.J., 2002. Additional techniques to improve microfiltration, *Separation Purification Technology*, vol. 26, 3-18.

Weber P., Knauf R., 1998. Ultrafiltration of surface water with MOLPURE FW50 hollow fiber module, *Desalination*, vol. 119, 335-339.

Wilkinson K.J., Balnois E., Leppard G.G., Buffle J., 1999. Characteristic features of the major components of freshwater colloidal organic matter revealed by transmission electron and atomic force microscopy, *Colloids and Surfaces*, vol. 155, 287-310.

Wu D., Howell J.A., Field R.W., 1999. Critical flux measurement for model colloids, *Journal of Membrane Science*, vol. 152, 89-98.

Yeom I.T., Nah Y.M., Ahn K.H., 1999. Treatment of household wastewater using an intermittently aerated membrane bioreactor, *Desalination*, vol. 124, 193-204.

Yianatos S.G., Karabelas A.J., 2001. An experimental study of humic acid and powdered activated carbon deposition on UF membranes and their removal by backwashing, *Desalination*, vol. 140, 195-209.

<http://wwwchem.csustan.edu/Tutorials/quickir.htm> สิ้นคันเมื่อ 6 พ.ค.2551