

## บรรณานุกรม

Amy G., Cho J., 1999. Interactions between natural organic matter (NOM) and membranes : Rejection and Fouling, Water Science Technology, vol. 40(9), 131-139.

Aouston E., Schäfer A.I., Fane A.G. Waite T.D., 2001. Ultrafiltration of natural organic matter, Separation Purification Technology, vol. 22-23, 63-78.

Arnal J.M., Sancho Fernandez M., Martin Verdu G., Lora Garcia J., 2001. Design of a membrane facility for water potabilization and its application to Third World countries, Desalination, vol. 137, 63-69.

Atteia O., Mondi C., Perret D., 2001. Aggregation rates of natural particle populations, Water Research, vol. 35(10), 2429-2434.

Beaubien A., Bâty M., Jeannot F., Francoeur E., Manem J. 1996. Design and operation of anaerobic membrane bioreactors: development of a filtration testing strategy, J. Membr. Sci., vol 109, 173-184.

Belfort G., Davis R.H. and Zydny A.L. 1994. The behavior of suspensions and macromolecular solutions in crossflow microfiltration, J. Membr. Sci., 96, 1-58.

Bian R., Watanabe Y., Tambo N., Ozawa G., 1999. Removal of humic substances by UF and NF membranes systems, Water Science Technology, vol. 40(9), 121-129.

Bodzek M., Konieczny K., 1998. Comparison of various membrane types and module configurations in the treatment of natural water by means of low-pressure membrane methods, Separation Purification Technology, vol. 14, 69-78.

Bouhabila E., Ben Aim R. and Buisson., 2001. Fouling caracterisation in membrane bioreactors, Separation and Purification, vol 22-23, 123-132

Bowen W.R., Hilal N., Lovitt R.W., Wright C.J., 1999. Characterisation of membrane surfaces: direct measurement of biological adhesion using an atomic force microscope, Journal of Membrane Science, vol 154, 205-212.

Choksuchart P., Héran M. and Grasmick A. 2003. Surface water clarification by ultrafiltration with an immersed membrane system, Water Science and Technology, 3 (5-6), 393-399.

Choksuchart Sridang P., Heran M. and Grasmick A. 2004. Influence of module configuration and hydrodynamics in water clarification by Immersed membrane systems, Water Science and Technology, 51 (6-7).

Defrance L., Jaffrin M.Y. 1999. Comparision between filtrations at fixed transmembrane pressure and fixed permeate flux : application to a membrane bioreactor used for wastewater treatment, Journal of Membrane Science, 152, 203-210.

Defrance L. and Jaffrin M.Y. 1999. "Reversibility of fouling in activated sludge filtration", J. Membr. Sci., 157, 3-84.

Defrance L., Jaffrin M.Y., Gupta B., Paullier P. and Geaugey V. 2000. "Contribution of various constituents of activated sludge to membrane bioreactor fouling", Bioresource Technol, 73, 105-112.

Gésan-Guiziou G., Wakeman R.J., Daufin G., 2002. Stability of latex crossflow filtration : cake properties and critical conditions of deposition, Chemical Engineering Journal, vol. 85, 27-34.

Gotor A.G., Ovidio Pérez Baez S., Espinoza C.A., Bachir S.I. 2001. Membrane processes for the recovery and reuse of wastewater in agriculture, Desalination, vol. 137, 187-192.

Glucina K., Laîne J.M., Durand-Bourlier L. 1998. Assessment of filtration mode for the ultrafiltration membrane process, vol. 118, 205-211.

Green J.H., Tylla M. 1998. A comparision of ultrafiltration on various river waters, Desalination, vol. 119, 79-84.

Hesse S., Kleiser G., Frimmel F.H., 1999. Characterization of refractory organic substances (ROS) in water treatment, Water Science Technology, vol. 40(9), 1-7.

Huang L., Morrissey T.M., 1998. Fouling of membranes during microfiltration of surimi wash water : Role of pore blocking and surface cake formation, Journal of Membrane Science, vol. 144, 113-123.

Jacangelo J.G., Trussell R.R., Watson M., 1997. Role of membrane technology in drinking water treatment in the United States, Desalination, vol. 113, 119-127.

Klijn R.B., van der Meer W.G.J., Vriezen H., van Ekkendonk F.H.J. 2000. Surface water treatment with Zenon microfiltration membranes: minimisation of energy and chemical use, Desalination, vol. 131, 337-343.

Kothari N., Schideman L., 2002. Surface water clarification by ultrafiltration with an immersed membrane system, Proceeding (Oral Presentation),Membrane in Drinking and Industrial Water Production, the 5<sup>th</sup> conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Laîné J.M., Vial D. and Moullart P. 2000. Status after 10 years of operation-overview of UF technology today, Desalination, 131, 17-25.

Lee N., Amy G., Habarou H., Schrotter J.C., 2002. Identification and control of fouling of low-pressure (MF and UF) membranes by drinking-water natural organic matter (NOM), Membrane in Drinking and Industrial Water Production, the 5<sup>th</sup> conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Lee W., Kang S. and Shin H. 2003. Sludge characteristics and their contribution to microfiltration in submerged membrane bioreactors, Journal of Membrane Science, 216, 217-227.

Liu R., Huang X., Feng Sui Y. And Qian Y. 2003. Hydrodynamic effect on sludge accumulation over membrane surfaces in a submerged membrane bioreactor, Process Biochem, 39, 157-163

Maartens A., Swart P., Jacobs E.P., 1999. Feed-water pretreatment: methods to reduce membrane fouling by natural organic matter, Journal of Membrane Science, vol. 163, 51-62. Muller E.B., Stouthmer A.H., Verseveld H.W., Eikeboom D.M. 1995. Aerobic domestic wastewater treatment in a pilot plant with complete sludge retention by crossflow filtration, Water Research, vol. 29, 1179.

Maartens A., Swart P. And Jacobs E.P. 1999. Removal of natural organic matter by ultrafiltration: Characterization, Fouling and Cleaning, Water Science Technology, 40 (9), 13-120.

Ognier S., Wisniewski C. and Grasmick A. 2002. Influence of macromolecule adsorption during filtration of a membrane bioreactor mixed liquor suspension, J. Membr. Sci., 209, 27-37.

Panlisch S., Hagmeyer G., Dantzenberg W., Kiepke O., Gimble R. 2000. Enhancing The particle removal Efficiency of Drinking water Treatment Plant By Membrane Filtration, The 8 th World Filtration Congress, Brighton (UK), April 3-7.

Panglisch S., 2002. Formation and Prevention of hardly removable particle layers in inside-out capillary membrane operating in dead-end mode, Proceeding (Oral Presentation), Membrane in Drinking and Industrial Water Production, the 5<sup>th</sup> conference, held in Mülheim an der Ruhr, Germany, September 22-26.

Parameshwaran K., Fane A.G., Cho B.D., Kim K.J. 2001. Analysis of microfiltration performance with constant flux processing of secondary effluent, Water Research, 35 (18), 349-4358.

Rautenbach R. and Voßenkau K. 2001. Pressure driven membrane process-the answer to the need of a growing world population for quality water supply and waste water disposal, Separation and Purification Technology, 22-23, 193-208.

Schäfer A.I., Fane A.G. Waite T.D. 2001. Cost factors and chemical pretreatment effects in the membrane filtration of waters containing natural organic matter, Water Research, vol. 35(6), 1509-1517.

Soffer Y., Ben Aim R., Adin A. 2000. Membrane for water reuse: effect of pre-coagulation on fouling and selectivity, Water Science Technology, vol. 42(1-2), 367-372.  
Stephenson T., Judd S.J., Jefferson B., Brindle K. 2000. Membrane bioreactors for wastewater treatment, IWA publishing-London.

Sridang Choksuchart P., Wisniewski C., Ognier S., Grasmick A., 2005, Role of the Nature and Composition of Solutions / Suspensions on the Fouling of Plane Organic Membrane in Frontal Filtration Application to Water and Wastewater Clarification, Desalination, (*acceptance for publication*).

Tardieu E., Grasmick A. and Geaugey V. 1998. Hydrodynamic control of bioparticle deposition in a MBR applied to Wastewater treatment, J. Membr. Sci., 147, 1-12.

Thorsen T., 1999. Membrane filtration of humic substances-state of the art, Water Science Technology., vol. 40(9), 105-112.

Vilgé-Ritter A., Rose J., Masion A., Bottero J.-Y., Lainé J.-M., 1999. Chemistry and structure of aggregates formed with Fe-salts and natural organic matter, Colloids and Surfaces, vol. 147, 297-308.

Waite T.D., 1999. Measurement and implications of floc structure in water and wastewater treatment, Colloids and Surfaces, vol. 151, 27-41.

Wilkinson K.J., Balnois E., Leppard G.G., Buffle J., 1999. Characteristic features of the major components of freshwater colloidal organic matter revealed by transmission electron and atomic force microscopy, Colloids and Surfaces, vol. 155, 287-310.

Yamamoto K., Hiasa M., Mahmood T. 1994. Direct solid-liquid separation using hollow fiber membrane in an activated sludge aeration tank, Water Sci. Tech., vol 27, 171.

Yiantsios S.G., Karabelas A.J., 2001. An experimental study of humic acid and powdered activated carbon deposition on UF membranes and their removal by backwashing, Desalination, vol. 140, 195-209.

Xing C.-H., Tardieu E., Qian Y., Wen X.-H. 2000. Ultrafiltration membrane bioreactor for urban wastewater reclamation, J. Membr. Sci., vol 177, 73-82.