

หนังสืออ้างอิง

Campbell D.J, Rong P, Kladis A, Rees B, Ganten D and Skinner S.L.(1995) Angiotensin and Bradykinin peptides in the TGR (mRen-2)²⁷ rat. *Hypertension*, 25, 1014-1020.

Cigola E, Kajstura, Li B, Meggs L.G. and Anversa P. (1997) Angiotensin II activates programmed myocyte cell death *in vitro*. *Exp. Cell Res*, 231,363-371.

De Mello WC. (2001) Cardiac arrhythmias: the possible role of the renin-angiotensin system. *J Mol Med*, 79, 103-108.

Harada H, Komuro I, Hayashi D, Sugaya T, Murakami K, Yazaki Y. (1998) Angiotensin II Type 1a receptor is involved in the occurrence of reperfusion arrhythmias. 97, 315-317.

Hein L, Steven ME, Barsh GS, Pratt RE, Kobilka BK, Dzau VJ. (1997) Overexpression of angiotensin AT1 receptor trasgene in the mouse myocardium produces a lethal phenotype associated with myocyte hyperplasia and heart block. *Pre. Natl. Acad. Sci*, 94, 6391-6396.

James T.N. , Nichols M.M, Sapire D.W, Dipatre D.L and Lopez S.M (1996^a) Complete heart block and fatal right ventricular failure in an infant. *Circulation*, 93 , 1588-1600.

James T.N., Martin E, Willis III P.W and Lohr T.O. (1996^b) Apoptosis as a possible cause of gradual development of complete heart block and fetal arrhythmias associated with absence of the AV node, sinus, and internodal pathways. *Circulation*, 93, 1424-1432.

James T.N. (1994) Normal and abnormal consequences of apoptosis in the human heart : from postnatal morphogenesis to paroxysmal arrhythmias *Circulation*, 90 (1),

James T.N.(1998) Normal and abnormal consequences of apoptosis in the human heart. *Annu Rev Physiol*, 60, 309-325.

Kajstura J, Cigola E, Malhotra A, Li P, Cheng W, Meggs L.G and Anversa P. (1997) Angiotensin II induces apoptosis of adult ventricular myocytes *in vitro*. *J. Mol cell cardiol*, 29, 859-870.

Kajstura J, Mansukhani M, Cheng W, Reiss K, Kralewski S, Reed JC, Quaini F, Sonnenbleck EH, Anversa P. (1995) Programmed cell death and expression of the protooncogene bcl-2 in myocytes during postnatal maturation of the heart. *Exp. Cel Res*, 219, 110-121.

Kass RS, Blair ML. Effects of angiotensin II on membrane current in cardiac Purkinje fibers. *J Mol Cell Cardiol*, 13, 797-809.

Liu J.J, Peng L, Bradley C.J, Zulli A, Shen J, Buxton B.F. (2000) Increased apoptosis in the heart of genetic hypertension, associated with increased fibroblasts. *Cardiovasc Res*, 45, 729-735.

Marrere M.B, Schieffer B, Paxton W.G, Heerdt L, Berk B.C, Delafontaine P and Bernstein K.E. (1995) Direct stimulation of Jak/STAT pathway by the angiotensin II AT₁ receptor. *Nature*, 375,247-259.

Murphy T.J, Alexander R.W, Griendling K.K, Runge M.S and Bernstein K.E (1991) Isolation of a cDNA encoding the vascular type – 1 angiotensin II receptor. *Nature*, 351, 233-236.

Pitt B, Segal R, Martinez FA, Meurers G, Cowley AJ, Thomas I, Deedwania PC, Ney DE, Snively DB, Change PI. (1997) Randomised trial of losartan versus captopril in patients over 65 with heart failure (Evaluation of Losartan in the Elderly Study, ELITE). *Lancet*, 349, 747-752.

Sarraste A. and Pulkki K (2000) Morphologic and biochemical hallmarks of apoptosis. *Car Res*, 45,528-537

Sechi LA, Griffin CA, Grady EF, Kalinyak JE and Schambelan M. (1992) Characterization of angiotensin II receptor subtypes in rat heart. *Circ Res*, 71, 1482-1489.

Timmermans P.B.M.W.M, Wong P.C, Chiu A.T, Herblin W.F, Benfield P, Carini D.J, Lee R.J, Wexler P.R, Saye J.A.M, and Smith R.D. (1993) Angiotensin II receptors and angiotensin II receptor antagonists, *Pharmacol Rev*, 45(2), 206-251.

Yaoita H, Ogawa K, Machara K and Maruyama Y (2000) Apoptosis in relevant clinical situations contribution of apoptosis in myocardial infarction. *Car Res*, 45,630-641

Output จากโครงการวิจัยที่ได้รับทุนจาก ทบวงมหาวิทยาลัยและ สกว.

บทความวิจัยเสนอในที่ประชุมวิชาการ ของ Australian Physiological and Pharmacological Society

Vongvatcharanon U., Vongvatcharanon S., Radenahmad N., Kirirat P., Intasaro P., Sabhon P and Parker T.L. (2003) Angiotensin II via AT₁ receptors may mediate apoptosis in the cardiac conduction system of rat heart. ***Proceeding of the Australian Physiological and Pharmacological Society***, Syney, Australia, 33, 82 P.