

เอกสารอ้างอิง

- กิจการ สุขมาตย์, จรีพร เรืองศรี, สุภฎา ศิริรัฐนิคม และนรินทร์ สงสีจันทร์. 2543. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ: IV. การศึกษาค่าปกติของระบบภูมิคุ้มกันและองค์ประกอบเลือดในกุ้งกุลาดำ. ว. สงขลานครินทร์ วทท. 22 (ฉบับพิเศษ): 597-603.
- กิจการ สุขมาตย์ และ สิทธิ บุญรัตผลิน. 2538. การศึกษาภูมิคุ้มกันโรคและแนวทางการใช้วัคซีนป้องกันโรคติดเชื้อแบคทีเรียและไวรัสในกุ้งกุลาดำ (*Penaeus monodon*) รายงานการวิจัยสำนักงานคณะกรรมการวิจัยแห่งชาติ. หน้า 1-17.
- โครงการศึกษาวิจัยสมุนไพร. 2524. สมุนไพร: อันดับที่ 02. จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพฯ. หน้า 103-108.
- จินต์จิรา สุวรรณกุล และ สุวดี อุสาหะ. 2544. การใช้น้ำมันปาล์มทดแทนเนยในผลิตภัณฑ์เค้ก. โครงการงานนักศึกษา คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์.
- ประจวบ หล้าอุบล. 2536. สรีรวิทยาของกุ้ง. ภาควิชาวิทยาศาสตร์ทางทะเล คณะประมง มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ
- ประดิษฐ์ ชนชื่นชอบ สุขศรี:สัมภาวะผล. อุดม บุญชุม และบุญเกิด โสมปีดทุม. 2532. ผลของความเค็มต่อภูมิคุ้มกันปลากระพงขาว. ว. ประมง 42: 35 – 39.
- มะลิ บุญรัตผลิน กิจการ สุขมาตย์ และชูศักดิ์ บริสุทธี. 2543. ผลของแอสตาแซนทีน (astaxanthin) ต่อการเจริญเติบโต องค์ประกอบเลือด ระบบภูมิคุ้มกันโรค และความต้านทานโรคในกุ้งกุลาดำ. ว. สงขลานครินทร์ ฉบับ วทท. 22: 633-640.
- วุฒิพร พรหมขุนทอง และ สมบัติ สิริพันธ์วรารณ. 2529. สไปรูไลนา (*Spirulina*): โปรตีนแหล่งใหม่ของมนุษย์. ว. สงขลานครินทร์ วทท. 8: 99-103.
- ศิวาพร ศิวเวช. 2529. วัตถุเจือปนในอาหาร. ภาควิชาวิทยาศาสตร์และเทคโนโลยีอาหาร คณะอุตสาหกรรมเกษตร มหาวิทยาลัยเกษตรศาสตร์ กรุงเทพฯ.
- สวนิตย์ อ่อนรุ่งเรือง. 2535. น้ำมันปาล์ม. ว. สงขลานครินทร์ วทท. 14: 112-119.
- สุกิจ รัตนวินิจกุล และพูนสิน พานิชสุข. 2538. การผสมสไปรูไลนาและคอกคาวเรืองในอาหารต่อสีของกุ้งกุลาดำ. เอกสารวิชาการ ฉบับที่ 3/2538 มิถุนายน 2538.
- สำนักงานเศรษฐกิจการเกษตร กระทรวงเกษตรและสหกรณ์. 2548. ภาวะเศรษฐกิจการเกษตรปี 2548 และแนวโน้มปี 2549. เอกสารประกอบการสัมมนาวันพฤหัสบดีที่ 1 ธันวาคม 2548 ณ โรงแรมราม่า การ์เด็นส์.

- AOAC (Association of Official Analytical Chemists). 1990: Official Methods of Analysis. Washington DC. 1263 p.
- Arredondo-Figueroa, J.L., Pedroza-Islas, R., Ponce-Palafox, J.T. and Vernon-Carter, E.J. 2003. Pigmentation of Pacific white shrimp (*Litopenaeus vannamei*, Boone 1931) with esterified and saponified carotenoids from red chili (*Capicum annum*) in comparison to astaxanthin. *Revista Mexicana de Ingeniera Quimica* 2: 101-108.
- Baker, R. T. M., Pfeiffer, A. M., Schoner, F. J. and Lemmon, L. S. 2002. Pigmentation efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*. *Animal feed Science and Technology* 99: 97-106.
- Balon, E. K. 1979. Early ontogeny of *Labeotropheus* Ahl, 1927 (Mbuna, Cichlidae, Lake Malawi), with a discussion on advanced protective styles in fish reproduction and development. *Environ. Biol. Fish.* 2: 147-176.
- Barbosa, M. J., Morais, R. and Choubert, G. 1999. Effect of carotenoid source and dietary lipid content on blood astaxanthin concentration in rainbow trout (*Oncorhynchus mykiss*). *Aquaculture* 176: 331-341.
- Barclay, M.C., Irvan, S.J., Williams, K.C. and Smith, D.M. 2006. Comparative of diets for the tropical spiny lobster *Panurirus ornatus*: astaxanthin-supplemented feeds and mussel flesh. *Aquacul. Nutr.* 12: 117-125.
- Batistella, C. B. and Maciel, M. R. 1998. Recovery of carotenoid from palm oil by molecular distillation. *Computers chem. Engng.* 22: 53-60.
- Belitz, H. D. and Grosch, W. 1999. Food Chemistry. Berlin Germany: Springer-Verlag.
- Birkeland, S. and Bjerkeng, B. 2004. Extractability of astaxanthin and protein from mussel tissue of Atlantic salmon (*Salmo salar*) as affected by brine concentration and pH. *Food Chem.* 85: 559-568.
- Bjerkeng, B., Hatlen, B. and Jobling, M. 2000. Astaxanthin and its metabolites idoxanthin and crustaxanthin in fies, skin, and gonad of sexually immature and maturing Arctic charr (*Salvelinus alpinus* (L.)). *Com. Biochem. Physiol.* 125B: 395-404.
- Bjerkeng, B., Hatlen, B. and Wathne, E. 1999. Deposition of astaxanthin of Atlantic salmon (*Salmo salar*) fed diets with herring, capelin, sand eel, or Peruvian high PUFA oil. *Aquaculture* 180: 307-319.

- Bjerkeng, B., Storebakken, T. and Jensen, S. L. 1992. Pigmentation of rainbow trout from start feeding to sexual maturation. *Aquaculture* 108: 333-346.
- Boonyaratpalin, M., Thongrod, S., Supamattaya, K., Britton, G. and Schlipalius, L. E. 2001. Effects of β -carotene source, *Dunaliella salina*, and astaxanthin on pigmentation, growth, survival and health of *Penaeus monodon*. *Aqua. Res.* 31: 182-190.
- Boonyaratpalin, M., Wannagawat, J., Borisut, C. and Boonchuay, S. 1994. Effect of various dietary canthaxanthin and astaxanthin levels on pigmentation of giant tiger shrimp. Technical paper no.18/1994, Songkhla National Institute of Coastal Aquaculture. Department of Fisheries. 11 p.
- Britton, G. 1983. The biochemistry of natural pigments. Cambridge: Cambridge University Press. 366 pp.
- Castillo, R. and Negre-Sadargues, G. 1991. Effect of eyestalk ablation on the metabolism of carotenoid pigments of the hermit crab *Clibanarius erythroropus* Latreille (1818) (Crustacean Decapoda Anomura). *Comp. Biochem. Physiol.* 99B: 187-192.
- Cejas, J. R., Almansa, E., Tejera, N., Jerez, S., Bolanos, A. and Lorenzo, A. 2003. Effect of dietary supplementation with shrimp on skin pigmentation and lipid composition of red porgy (*Pagrus pagrus*) alevin. *Aquaculture* 218: 457-469.
- Chien, Y. H. and Jeng, S. C. 1992. Pigmentation of kuruma prawn, *Penaeus japonicus* Bate, by various pigment sources and levels and feeding regimes. *Aquaculture* 102: 333-346.
- Chien, Y. H., Chen, I. M., Pan, C. H. and Kurmaly, K. 1999. Oxygen depletion stress on mortality and leathal course of juvenile tiger prawn *Penaeus monodon* fed high level of dietary astaxanthin. *J. Fish. Soc. Taiwan.* 26 (2): 85-93.
- Chien, Y. H., Pand, C. H. and Hunter, B. 2003. The resistance to physical stresses by *Penaeus monodon* juveniles fed diets supplemented with astaxanthin. *Aquaculture* 216: 177-191.
- Choo, Y. M. 2000. Specialty products: carotenoids. In *Advances in Oil Palm Research*. Vol. II. (eds Yusof, B., Jalani, B. S. and Chen, K. W.,.) p.1036-1060. Bangi: MPOB.
- Choubert, G. and Heinrich, O. 1993. Carotenoid pigments of the green alga *Haematococcus pluvialis* : assay on rainbow trout, *Onchorhynchus mykiss*, pigmentation in comparison with synthetic astaxanthin and canthaxanthin. *Aquaculture* 112: 217-226.

- Choubert, G. and Luquet, P. 1983. Utilization of shrimp meal for rainbow trout (*Salmo gairdneri* RICH) pigmentation influence of fat content of the diet. *Aquaculture* 32: 19-26.
- Choubert, G. 1979. Tentative utilization of *Spirulina* algae as a source of carotenoid pigments for rainbow trout. *Aquaculture* 18: 135-143.
- Collera-Zuniga, O., Jimenez, F.G. and Gordillo, R.M. 2004. Comparative study of carotenoid composition in three Mexican varieties of *Capsicum annum* L. *Food Chem.* 90: 109-114.
- Cooper, K. A., Adelekan, D. A., Esimai, A. O., Northrop-Clewes, C. A. and Thurnham, D. I. 2002. Lack of influence of red palm oil on severity of malaria infection in pre-school Nigerian children. *Transaction of the Royal Society of Tropical Medicine and Hygiene* 96: 216-223.
- Cuzon, Z., Dos Santos, R., Hew, M. and Roullaouec, G. 1985. Use of *Salmo salar* L., macrophages *in vitro*. *J. Fish Disease* 18: 175-185.
- Dahlgren, R. M. T., Clifford, H. T. and Yeo, P. F. 1985. The families of the monocytoledon : structure, evolution and taxonomy. New York: Springer-Verlag press.
- Dall, W. 1995. Carotenoid versus retinoid (vitamin A) as essential growth factor in penaeid prawns (*Penaeus semiculcatus*). *Mar. Biol.* 124: 209-213.
- Darachai, J., Piyatiratitivorakul, S., Kittakoop, P., Nitithamyong, C., and Menasveta, P. 1998. Effects of astaxanthin on larval growth and survival of the giant tiger prawn, *Penaeus monodon*. In *Advances in Shrimp Biotechnology*, (Flegel T.W., ed.), National Center for Genetic Engineering and Biotechnology, Bangkok p. 117-121.
- Dhert, P., Lavens, P. and Sorgeloos, P. 1992. State of the art of Asian seabass. *Lates calcarifer* larviculture. *J. World Aqua. Soc.* 23(4): 317 – 328.
- Dore, I. and Frimodt, C. 1987. *An Illustrated Guide to Shrimp of the World*. USA: New York: Osprey Books.
- Estrada, P., Bermejo, J.E, Bescos, P. and Villar del Fresno, A.M. 2001. Antioxidant activity of different fractions of *Spirulina platensis* protean extract. *Farmaco.* 56: 497-500.
- Foss, P., Renstrom, B. and Liaaen-Jensen, S. 1987. Natural occurrence of enantiometric and mesoastaxanthin. 7. Crustaceans including zooplankton. *Comp. Biochem. Physiol.* 86 B: 313-314.

- Fox, H.M. and Vevers, G. 1960. *The Nature of Animal Colors*. New York: Macmillan.
- Gentles, A. and Haard, N. F. 1991. Pigmentation of rainbow trout with enzyme-treated and spray-dried *Phaffia rhodozyma*. *Prog. Fish. Cult.* 53 (1): 1-6.
- Gomez-Jimenez, S., Urias-Reyes, A. A., Vazquez-Ortiz, F. and Hernandez-Watanabe, G. 2004. Ammonia efflux rate and free amino acid levels in *Litopenaeus vannamei* postlarvae during sudden salinity changes. *Aquaculture* 233: 573-581.
- Goodwin, T. W., 1960. Biochemistry of pigment. *In* *The physiology of crustacea*. Vol.1, Metabolism and growth. (eds. Waterman, T.H). pp.101-140. London: Academic Press.
- Gosse, K. and Wroblewski, J. S. 2004. Variant colourations of Atlantic cod (*Gadus morhua*) in Newfoundland and Labrador nearshore waters. *Journal of Marine Science* 61: 752-759.
- Gouveia, L., Choubert, G., Pereira, Santinha, J. Empis, J. and Gomes, E. 2002. Pigmentation of gilthead seabream, *Sparus aurata* (Lin. 1875), using *Chlorella vulgaris* (Chlorophyta, Volvocales) microalga. *Aquaculture Research* 33: 987-993.
- Gouveia, L., Veloso, V., Reis, A., Fernandes, H., Novais, J. and Empis, J. 1996. Evolution of pigment composition in *Chlorella vulgaris*. *Bioresource Technology*. 57: 157-163.
- Hansson, S., Karlsson, L., Ikonen, E., Cristensen, O., Mitans, A., Uzars, D., Petersson, E. and Ragnarsson, B. 2001. Stomach analysis of Baltic salmon from 1959-1962 and 1994-1997: possible relations between diet and yolk-sac-fry mortality (M74). *J. Fish Biol.* 58: 1730-1745.
- Harker, M., Tsavalos, A. J. and Young, A.J. 1996. Factors responsible for astaxanthin formation in the chlorophyte *Haematococcus pluvialis*. *Bioresource Technology*. 55: 207-214.
- Harpaz, S. Rise, M. Arad, S. Gur, N 1998. The effect of three carotenoid sources on growth and pigmentation of juvenile freshwater crayfish *Cherax quadricarinatus*. *Aquaculture Nutrition*. 4: 3, 201-208.
- Hata, M. and Hata, M. 1976. Carotenoid metabolism in fancy carp, *Cyprinus carpio*-II metabolism of ¹⁴C-zeaxanthin. *Blulletin of the Japanese Society of Scientific Fisheries*. 42 (2): 203-205.

- Hieber, A. D., King, T. J., Morioka, S., Fukushima, L. H., Franke, A. A. and Bertram, J. S. 2000. Comparative effects of all-trans β -carotene vs 9-cis β -carotene on carcinogen-induced neoplastic transformation and connexin 43 expression in murine 10T1/2 cells and on the differentiation of human keratinocytes. *Nutrition and Cancer*. 37: 234-244.
- Hill, C. 1980. *The secrets of Spirulina*. California: University of the Tress Press.
- Holmblad, T. and Soderhall, K. 1999. Cell adhesion molecules and antioxidative enzymes in a crustacean, possible role in immunity. *Aquaculture* 172: 111-123.
- Hunter, B. 2000. Physiological function of astaxanthin and other carotenoids in marine organisms. *In First South East Asia and Pacific Regional Meeting on carotenoids*. p 19. Bangkok Thailand 2-5 August 2000, Mahidol University.
- Itami, T., Yan, Y. and Takahashi, Y. 1992. Study vaccination against vibriosis in cultured kuruma prawn *Penaeus japonicus* I: effect of vaccine concentration and duration of vaccination efficacy. *J. Shimonoseki University of Fisheries* 40: 83-87.
- Iversen, E. and Hale, K. 1992. *Aquaculture sourcebook. A Guide to North American species*. 1st ed. New York: Van Nostrand Reinhold. 308 p.
- Kittipreechakul, D. 2002. Effects of astaxanthin from yeast (*Phaffia rhodozyma*) on coloration, growth, survival, disease resistance and tolerance to salinity change in black tiger prawn (*Penaeus monodon* Fabricius). Master thesis. Kasetsart University. Bangkok 100 p.
- Kobayashi, M. and Sakamoto, Y. 1999. Singlet oxygen quenching ability of astaxanthin esters from the green alga *Haematococcus pluvialis*. *Biotechnol. Lett.* 21: 265-269.
- Kritchevsky, D., Tepper, S. A., Kuksis, A., Wright, S. and Susanne, K. 2000. Cholesterol vehicle in experimental atherosclerosis. 22. refined, bleached, deodorized (PBD) palm oil, randomized palm oil and red palm oil. *Nutrition Res.* 20 (6): 887-892.
- Lastcha, T. 1991. Carotenoids in aquatic animal nutrition. *Proceedings of the Aquaculture Feed Processing and Nutrition Workshop, Bangkok, Thailand, Sep. 19-25 1991*. pp. 68-78.
- Lee, Y.K. 1999. *Spirulina* and immunological activity of cultured prawn. *Book of abstract, Second Asian Pacific Phycological Forum* M-25.
- Lee, Y.K., Chew, P.F., Soh, B.S. and Tham, L.Y. 2003. Enhancing phagocytic activity of haemocytes and disease resistance in the prawn *Penaeus merguensis* by feeding *Spirulina platensis*. *Appl. Phycol.* 15: 279-287.

- Liao, W. L., Nur-E-Borhan, S. A., Okada, S., Matsui, T. and Yamaguichi, K. 1993. Pigmentation of cultured black tiger prawn by feeding with a *Spirulina*-supplemented diet. *Nippon Suisan Gakkaishi* 59 (1): 165-169.
- Lietz, G. and Henry, C. J. K. 1997. A modified method to minimise losses of carotenoids and tocopherols during GLPC analysis of red palm oil. *Food Chem.* 60 (1): 109-117.
- Linan-Cabello, M.A., Paniagua Michel, J. and Zenteno-Sevin, T. 2003. Carotenoids and retinal in captive and wild shrimp, *Litopenaeus vannamei*. *Aquacul. Nutr.* 9: 383-389.
- Linden, H. 1999. Carotenoid hydroxylase from *Haematococcus pluvialis*: cDNA sequence, regulation and functional complementation. *J. Biol. Chem.* 274: 203-212.
- Lorenz, R.T. and Cysewski, G.R. 2000. Commercial potential of *Haematococcus* microalgae as natural source of astaxanthin. *Trends Biotechnol.* 18: 160-167.
- Lundstrom, J., Carney, B., Amcoff, P., Patterson, A., Borjeson, H., Forlin, L. and Norrgren, L. 1999. Antioxidative systems, detoxifying enzymes and thiamine levels in the Baltic salmon (*Salmon salar*) that develop M 74. *Ambio* 28: 24-29.
- Merchie, G., Kontara, G., Lavens, P., Robles, R., Kurmaly, K. and Sorgeloos, P. 1998. Effect of vitamin C and astaxanthin on stress and disease resistance of postlarval tiger shrimp, *Penaeus monodon* (Fabricius). *Aqua Res.* 29: 579-585.
- Metusalach, Synowiecki, J., Brown, J. and Shahidi, F. 1996. Deposition and metabolism of dietary canthaxanthin in different organs of Arctic charr (*Salvelinus alpinus* L.). *Aquaculture* 142: 99-106.
- Miranda, M.S., Cintra, R.G., Barros, S. B. M. and Mancini, J. 1998. Antioxidant activity of *Spirulina maxima*. *Braz. J. Med. Biol. Res.* 31: 1075-1079
- Mishyn, L. and Zalashko, M. 2000. Separation and Spectrophotometric Studies of *Laetiporus sulphureus* (Bull:FR) Murr. Carotenoid Problems of Microbiology and Biotechnology. Belarus: Institute of Microbiology.
- Morais, H., Ramos, A. C., Cserhati, T. and Forgacs, E. 2001. Effects of fluorescent light and vacuum packaging on rate of decomposition of pigments in paprika (*Capsicum annuum* L.) powder determined by reversed-phase high-performance liquid chromatography. *J. Chromatogr.* 936 A: 139-144.

- Munoz, M., Vandenbulcke, F., Gueguen, Y. and Bachere, E. 2003. Expression of penaeidin antimicrobial peptides in early larval stages of the shrimp *Penaeus vannamei*. Dev. Comp. Immunol. 27: 283-289.
- Nakamura, H. 1982. *Spirulina: Food for Hunger World* California: University of the Tress Press, Boulder Creek.
- Nandeesh, M., Gangadhar, B., Varghese, T. J. and Keshavanath, P. 1998. Effect of feeding *Spirulina platensis* on the growth proximate composition and organoleptic quality of common carp, *Cyprinus carpio* L. Aquaculture Research 29: 305-312.
- Negre-Sadargues, G., Castillo, R. and Segonzac, M. 2000. Carotenoid pigment and behavior of deep-sea shrimp (Crustacea, Decapoda, Alvinocarididae) from a hydrothermal area of the Mid-Atlantic Ridge. Comp. Biochem. Physiol. 127A: 293-300.
- Nesaretnam, K., Lim, E. J., Reimann, K. and Lai, L. C. 2000. Effect of carotene concentrate on growth on growth of human breast cancer cell and pS2 gene expression. Toxicology 151: 117-126.
- Ng, W. K., Lim, P. K. and Boey, P. L. 2003. Dietary lipid and palm oil source affect growth, fatty acid composition and muscle α -tocopherol concentration of African catfish, *Clarias gariepinus*. Aquaculture 215: 229-243.
- Ohkubo, M., Tsushima, M., Maoka, T. and Matsuno, T. 1999. Carotenoids and metabolism in the goldfish *Carassius auratus* (Hibuna). Comp. Biochem. Physiol. 124 B: 333-340.
- Olatunde, E. and Britton, G. 1999. Antioxidant activity of palm oil carotenes in organic solution: effects of structure and chemical reactivity. Food Chem. 64: 315-321.
- Page, G. I. and Davies, S. J. 2003. Hepatic carotenoid uptake in rainbow trout (*Oncorhynchus mykiss*) using an isolated organ perfusion model. Aquaculture 225: 405-419.
- Pan, C. H., Chien, Y. and Cheng, J. H. 2001. Effects of Light regime, algae in the water, and dietary astaxanthin on pigmentation, growth, and survival of black tiger prawn *Penaeus monodon* post-larvae. Zoological studies. 40 (4):371-382.
- Pan, C. H., Chien, Y. H. and Hunter, B. 2003. The resistance to ammonia stress of *Penaeus monodon* Fabricius juvenile fed diets supplemented with astaxanthin. J. Exp. Mar. Biol. Ecol. 297: 107-118.

- Patterson, A. and Lignell, A. 1999. Astaxanthin deficiency in eggs and fry of Baltic salmon (*Salmo salar*) with the M-74 syndrome. *Ambio* 28: 43-47.
- Perez-Farfante, I. and Kensley, B. 1997. Penaeoid and Sergestoid Shrimps and Prawns of the World. Keys and Diagnoses for the Families and Genera. Paris, France: Memories du Museum National D'Histoire Naturelle, 233 pp.
- Perez-Rostro, C. I., Racotta, I. S. and Ibarra, A. M. 2004. Decreased genetic variation in metabolic variables of *Litopenaeus vanamei* shrimp after exposure to acute hypoxia. *J. Exp. Zool.* 189: 189-200.
- Pickering, A.D. 1981. Stress and Fish. New York: Academic Press. 367 pp.
- Ponce-Palafox, J., Martine-Palacios, C.A., Ross, L.G. 1997. The effects of salinity and temperature on the growth and survival rates of juvenile white shrimp, *Penaeus vannamei* Boone, 1931: *Aquaculture* 157, 107-115.
- Rafiqul, I. M., Jalal, K. C. A. and Alam, M. Z. 2005. Environmental factors for optimization of *Spirulina* biomass in laboratory culture. *Biotechnology* 4: 19-22.
- Rauscher, R., Edenharder, R. and Platt, K. L. 1998. *In vitro* antimutagenic and *in vivo* anticlastogenic effects of carotenoids and solvent extracts from fruits and vegetables rich in carotenoids. *Mutation Res.* 413: 129-142.
- Reigh, R. C. and Stickney, R. R. 1989. Effects of purified dietary fatty acids on the fatty acid composition of freshwater shrimp, *Macrobrachium Rosenbergii*. *Aquaculture* 77: 157-174.
- Ronsholdt, B. and Mclean, E. 2001. Determination of total carotenoid in rainbow trout muscle by multivariate calibration of VIS reflectance spectra. *J. Food Comp. Anal.* 14: 345-357.
- Sachindra, N.M. Bhaskar, N. and Mahendrakar, S.N. 2004. Carotenoids in different body components of Indian shrimps. *Journal of the Science of Food and Agriculture* 85: 167 - 172.
- Sanderson, G. W. and Jolly, S. O. 1994. The value of *Phaffia* yeast as a feed ingredient for salmonid fish. *Aquaculture* 124: 193-200.
- Schmidt, K., Connor, A. and Britton, G. 1994. Analysis of pigments: carotenoid and related polyenes. *In* Chemical methods in prokaryotic systematics. (eds. M. Goodfellow and A. G. O'Donnell). pp. 403-461. England: John Wiley and Sons, Chichester.

- Smith, P.G., Villalon, B. and P.L. Villa. 1987. Horticultural classification of peppers under stress shading condition. *Euphytica* 78: 133-136.
- Sommer, T. R., Potts, W. T. and Morrissy, N. M. 1991. Utilization of microalgal astaxanthin by rainbow trout (*Oncorhynchus mykiss*). *Aquaculture* 94: 79-88.
- Song, Y.L. and Hsieh, Y.T. 1994. Immunostimulation of black tiger shrimp (*Penaeus monodon*) hemocytes for generation of microbial substances: analysis of reactive oxygen species. *Dev. Comp. Immunol.* 18: 201-209.
- Storebakken, T. and Goswami, U. C. 1996. Plasma carotenoid concentration indicates the availability of dietary astaxanthin for Atlantic salmon, *Salmo salar*. *Aquaculture* 146: 147-153.
- Storebakken, T., Foss, P., Schiedt, K., Austreng, E., Jensen, S. L. and Manz, U. 1987. Carotenoid in diets for Salmonids IV. Pigmentation of atlantic salmon with astaxanthin, astaxanthin dipamitate and canthaxanthin. *Aquaculture* 65: 279-292.
- Tanaka, Y., Matsuguchi, H., Katayama, T., Simpson, K. L. and Chichester, C. O. 1976. The biosynthesis of astaxanthin. XVIII. The metabolism of the carotenoids in the prawn, *Penaeus japonicus* Bate. *Bull. Jpn. Soc. Sci. Fish.* 42: 197-202.
- Tangeras, A. and Slinde, E. 1994. Coloring of Salmonids in Aquaculture : The yeast *Phaffia rhodozyma* as a source of astaxanthin. In *Fisheries Processing Biotechnological Applications.* (ed Martin A.M.) pp 223-262. London: Chapman and Hall.
- Tocher, D. R., Fonseca-Marigal, J., Dick, J. D., Ng, W. K., Bell, J. G. and Campbell, P. J. 2004. Effects of water temperature and diets containing palm oil on fatty acid desaturation and oxidation in hepatocytes and intestinal enterocytes of rainbow trout (*Oncorhynchus mykiss*). *Comp. Biochem. Physiol.* 137 B: 49-63.
- Torrissen, O. J and Naevdal, G. 1984. Pigmentation of salmonids genetical variation in carotenoid deposition in rainbow trout. *Aquaculture* 38: 59-66.
- Tripathi, U., Sarada, R and Ravishankar, G.A. 2001. A culture method for microalgal forms using two-tier vessel providing carbon-dioxide environment: studies on growth and carotenoid production. *World J. of Microbiol. and Biotechnol.* 17: 325-329.
- Tsushima, M., Ikuno, Y., Nagata, K., Kodama, K. and Matsuno, T. 2002. Comparative biochemical studies of carotenoid in catfishes. *Com. Biochem. Physiol.* 133 B: 331-336.

- Umerie, S. C., Ogbuaga, A. S. and Ogbuagu, J. O. 2004. Stabilization of palm oils by *Ficus exasperata* leaves in local processing methods. *Bioresource Technology*. 94: 307-310.
- Uquiche, E., Valle, J. M. and Ortiz, J. 2004. Supercritical carbon dioxide extraction of red pepper (*Capsicum annum L.*) oleoresin. *J. Food Engineering* 65: 55-66.
- Velu, C. S., Czczuga, B. and Munuswamy, N. 2003. Carotenoprotein complexes in entomostrean crustaceans (*Streptocephalus dichotomus* and *Moina micrura*). *Comp. Biochem. Physiol.* 135 B: 35-42.
- Venkataraman, L.V. 1983. Bluegreen alga *Spirulina*. Mysore: Central Food Technological Research Institute.
- Wänstrand, I. 2004. Pigment and Thiamine Dynamics in Marine Phytoplankton and Copepods. *In* Comprehensive Summaries of Uppsala Dissertations from Faculty of Science and Technology, Uppsala, Sweden. 36 pp.
- Weissenberg, M., Schaeffler, I., Menagem, E., Barzilai, M. and Levy, A. 1997. Isocratic non-aqueous reversed-phase high-performance liquid chromatographic separation of capsorubin in red peppers (*Capsicum annum L.*), paprika and oleoresin. *J. Chromatogr.* 757 A: 89-95.
- Wyban, J., Martinez, G. and Sweeney, J. 1997. Adding paprika to *Penaeus vannamei* maturation diet improve nauplii quality. *J. World Aquaculture* 28: 59-62.
- Yamada, S., Tanaka, Y., Sameshima, M. and Ito, Y. 1990. Pigmentation of prawn (*Penaeus japonicus*) with carotenoids I. Effect of dietary astaxanthin, β -carotene and canthaxanthin on pigmentation. *Aquaculture* 87: 323-330.
- Yanar, Y., Celik, M. and Yanar, M. 2004. Seasonal changes in total carotenoid contents of wild marine shrimps (*Penaeus semisulcatus* and *Metapenaeus monoceros*) inhabiting the eastern Mediterranean. *Food Chem.* 2004: 267-269.
- Yano., I., Kanna, R.A., Oyama, R.N. and Wyban, J.A. 1998. Mating behavior in the penaeid shrimp *Penaeus vannamei*. *Marine Biology* 97: 171-175.
- Young, A. J. 1993. Carotenoids in Photosynthesis, ed. A. J. Young and G. Britton, Chapman and Hall, London. pp. 161-205.
- Yu, B.P. 1994. Cellular defenses against damage from reactive oxygen species. *Physiol. Rev.* 74: 139-162.

Zar, J. H. 1984. Biostatistical Analysis. 2nd edition. New York: Prentice Hall.

Zorn, H., Breithaupt, D. E., Takenberg, M., Schwack, W. and Berger, R. G. 2003. Enzymatic hydrolysis of carotenoic ester of marigold flowers (*Tagetes erecta* L.) and red paprika (*Capsicum annuum* L.) by commercial lipases and *Pleurotus sapidus* extracellular lipase. Enzyme Microb. Technol. 32: 623-628.