

បរណាណករណ៍

1. Rowey JD. A new consistent chromosomal abnormality in chronic myelogenous leukemia identified by quinacrine fluorescence and Giemsa staining. *Nature*.1973;243:290-291
2. Rowey JD. Chromosome abnormalities in human leukemia. *Ann Rev Genet.* 1980;14:17-39
3. An International System for Human Cytogenetic Nomenclature (1995) .
4. Parakash O, Yunis JJ. High resolution chromosomes of t(9;22) positive leukemias. *Cancer Cytogenet.*1984;11:361-367.
5. Dreazen O, Cananni E, Galr RP. Molecular Biology of Chronic Myelogenous Leukemia. *Seminars in Hematology.*1988;25(1):35-49
6. Dobrovic A, Peters GB, Ford JH. Review : Molecular analysis of the Philadelphia chromosome. *Chromosoma.*1991;100:479-486.
7. Kawasaki ES, Clark SS, Coyne MY, Smith SD, et al. Diagnosis of chronic myeloid and acute lymphocytic leukemias by detection of leukemia-specific mRNA sequences amplified in vitro. *Proc Natl.Acad.Sci.USA.*1988;85:5698-5702.
8. Kantarjan HM, Deisseroth A, Kurzrock R, et al. Chronic Myeloid Leukemia : a Concise Update. *Blood.*1993;82(3):691-703.
9. Negrin RS, Blume KG. The use of the polymerase chain reaction for the detection of residual malignant disease. *Blood.*1991;78(2);255-258.
10. De Brackeleer M. Variant Philadelphia translocation in chronic myeloid leukemia. *Cytogenet.*1987;44:215-222.
11. Groska-Flipot I, Norman C, Addy L, Minden M. Molecular Pathology of Chronic Myeloid Leukemia. *Tumor Biol.*1990;11(suppl);25-43.
12. Fenaux P, Preghomme C, Quiquandon I, et al. Mutations of the P53 gene in acute myeloid leukemia. *Br J. of Hematol.* 1992;80:178-183.
13. de Klein A. and Hagemeijer A. Cytogenetic and molecular analysis of the Ph translocation in chronic myeloid leukemia. *Cancer Survival.* 1984;3:515-519.

14. Hooberman AL, Westbrook CA. Molecular methods to detect the Philadelphia chromosome. *Clinics in Laboratory Medicine*. 1990;10(4):830-855.
15. Epner DE, Koeffler HP. Molecular genetic advances in chronic myelogenous leukemia. *Annals of Internal Medicine*. 1990;113(1):3-6.
16. Kurzrock R, Talpaz M. The molecular pathology of chronic myelogenous leukemia. *Br J. of Hematol.* 1991;79(suppl);34-37.
17. Cline MJ. The molecular basis of leukemia. *The New England J. of Med.* 1994;330(5); 328-335
18. Heisterkamp N, Stephenson JR, Groffen J, et al. Localization of the c-abl oncogene adjacent to a translocation breakpoint in chronic myelocytic leukemia. *Nature*. 1983;306:239-242.
19. Ben-Neriah Y, Darley GQ, Mes-Masson AM, et al. The chronic myelogenous leukemia-specific p210 protein is the product of the *bcr/abl* hybrid gene. *Science*. 1986;233:212-214.
20. Shtivelman E, Lifshitz B, Gale RP, Canaani E. Fused transcript of *abl* and *bcr* genes in chronic myelogenous leukemia. *Nature*. 1985;315:550-554.
21. Shtivelman E, Lifshitz B, Gale RP, et al. Alternative splicing RNAs transcribed from the human *abl* gene from the *bcr/abl* fused gene. *Cell*;1986;47:277-284.
22. Darley GQ, van Etten RA, Baltimore D. Induction of chronic myelogenous leukemia in mice by the p210 bcr/abl gene of the Philadelphia chromosome. *Science*. 1990;247:824-830.
23. Lugo TG, Pendergast AM, Muller AJ, Witte ON. Tyrosine kinase activity and transforming potency of bcr-abl oncogene products. *Science*. 1990;247:1079-1082.
24. Roth MS, Antin JH, Bingham EL, Ginsburg D. Detection of Philadelphia chromosome-positive cells by the polymerase chain reaction following bone marrow transplant for chronic myelogenous leukemia. *Blood*. 1983;74(2):882-885.
25. Heisterkamp N, Stam K, Groffen J, et al. Structural organization of the *bcr* gene and its role in the Ph translocation. *Nature*. 1985;315:758-761.
26. Chomczynski P. and Sacchi N. Single-Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Chloroform Extraction. 1987;162:156-159.

27. Margaret JB, Helen JL, Marilyn SA. Peripheral Blood Culture.In: Barch MJ. eds. The ACT Cytogenetics Laboratory Manual. second ed.,New york:Reven Press Ltd. 1991.;14-30
28. Muarree j, Kinzel H, Nentwig T, Thiel E. Molecular diagnosis of the Philadelphia chromosome in chronic myelogenous and acute lymphoblastic leukemia by PCR. Disease Markers.1990;8;211-218.
29. Lin F, Goldman JM, and Cross NCP. A comparison of the sensitivity of blood and bone marrow for the detection of minimal residual disease in chronic mylloid leukemia. Br. J. Haematol. 1994;86;683-685
30. Paldi-Harris P, Foldi J. Experiences with the determination of chimeria bcr-abl messages in bone marrow and peripheral blood samples in chronic myeloid leukemia. Br. J. Haematol. 1995;89(3);684-685
31. Timothy P, Hughes P, Morgan GJ, et al. Detection of residual leukemia after bone marrow transplant for chronic myelogenous leukemia; role of polymerasw chain reaction in predicting relapse. Blood.1991;77(4);874-878.
32. Alistair R, susan M, Brain JP, et al. Variant Philadelphia translocations in chronic myeloid leukemia can mimic typic blast crisis chromosome abnormalities or classic t(9 ;22) : a report of two cases. Br. J. Haematol. 2001;113;439-442.
33. Lim TH, Tien SL, Lim P, Lim AST. The incidence and patterns of *BCR/ABL* rearrangements in chronic myeloid leukemia (CML) using Fluorescence In situ Hybridisation (FISH). Ann Acad Med Singapore.2005;34;533-538.