พฤติกรรมการมารับการบำบัดรักษาและปัจจัยที่มีผลต่อกระบวนการบำบัดรักษายาเสพติดตาม การรับรู้ของผู้ติดยาเสพติดที่มารับการบำบัดรักษา

ในสถานบำบัดรักษายาเสพติด ภากใต้¹

บุญวดี เพชรรัคน์ ² ประณีต ส่งวัฒนา² ขวัญตา บาลทิพย์ ยาวรัตน์ มัชฌิม ³

บทกัดย่อ

การวิจัยนี้มีวัตถุประสงค์เพื่อศึกษาพฤติกรรมการมารับการบำบัดและปัจจัยที่มีผลต่อกระบวน
การบำบัดรักษายาเสพติดของผู้ติดยาเสพติดที่รับการบำบัดยาเสพติดซ้ำ ในสถานบำบัดรักษายาเสพติด
กลุ่มตัวอย่าง ได้แก่ ผู้ติดยาเสพติดซ้ำที่มารับการบำบัดรักษาในสถานบำบัดรักษายาเสพติดต่างๆ ในภากใต้
โดยการเลือกสถานบำบัดแบบเจาะจง จำนวน 4 แห่ง คือ โรงพยาบาลสูนย์หาดใหญ่ สูนย์บำบัดรักษายา
เสพติดภากใต้ จังหวัดสงขลา โรงพยาบาลสุไหงโก-ลก และสูนย์บำบัดรักษายาเสพติด จังหวัดปัตตานี มี
จำนวน 400 ราย เครื่องมือการวิจัย ได้แก่แบบสอบถามกึ่งสัมภาษณ์เรื่อง พฤติกรรมการมารับการบำบัด
รักษาและกระบวนการบำบัดรักษายาเสพติดตามการรับรู้ของผู้ติดยาเสพติดไม่ระบุชื่อผู้ตอบ เก็บรวบรวม
ข้อมูลเน้นการรักษาสิทธิ์โดยกลุ่มตัวอย่างสามารถปฏิเสธการให้ข้อมูลหรือไม่ตอบบางข้อคำถามก็ได้
วิเคราะห์ข้อมูลโดยใช้สถิติก่าความถี่ ค่าร้อยละ ค่าเฉลี่ย ส่วนเบี่ยงเบนมาตรฐานและการวิเคราะห์ความ
สัมพันธ์และทำนายพฤติกรรมการบำบัดรักษาโดย วิเคราะห์ถดถอยพหุดูณแบบขั้นตอน (stepwise multiple regression analysis)

ผลการวิจัยพบว่าเกี่ยวกับพฤติกรรมการมารับการบำบัครักษา พบว่ากลุ่มตัวอย่างที่อยู่ในชุมชนที่ มีสถานบำบัคส่วนใหญ่เคยไปรับการบำบัคในสถานบำบัคในชุมชนของตนเอง เคยมีประสบการณ์การ หยุดยาด้วยตัวเองและสามารถหยุดเสพได้นานที่สุดประมาณ 5 ปี น้อยที่สุดคือ ไม่สามารถหยุดได้ การมา รับการบำบัคช้ำขณะนี้เพราะอยากจะเลิกเอง เบื่อหน่ายตัวเอง บุคคลที่มีส่วนช่วยให้มารับการบำบัครักษา ครั้งนี้ก็อ ครอบครัว ร้อยละ 36.60 มีความมุ่งมั่นในการบำบัครักษาให้สามารถหยุดเสพได้ร้อยเปอร์เซ็นต์ ส่วนใหญ่เลือกแผนการบำบัครักษาแบบผู้ป่วยนอก ประเมินการบำบัครักษาที่ได้รับในด้านสถานบำบัค ยาที่ได้รับ ค่าใช้จ่ายและ เจ้าหน้าที่ อยู่ในระดับดี หลังการบำบัครักษา กลุ่มตัวอย่างส่วนใหญ่รับรู้ว่า ตน เองมีสุขภาพคีขึ้นและทำงานได้ ครึ่งหนึ่งรับรู้ว่า ได้รับการเตรียมพร้อมที่จะกลับสู่ชุมชน และปัจจัย หรือตัวแปรอิสระที่สามารถอธิบายความแปรปรวนของตัวแปรตามหรือกระบวนการบำบัครักษาได้อย่างมี นัยสำคัญทางสถิติที่ระดับ .01 ได้แก่ แผนการบำบัครักษา อาชีพ ประสบการณ์การหยุดใช้ยาเสพติดและ ระดับการศึกษา โดยตัวแปรอิสระเหล่านี้สามารถร่วมกันอธิบายความแปรปรวนของตัวแปรปรานของตัวแปรตามได้ร้อย ละ 15 ผลการวิจัยครั้งนี้สามารถใช้เป็นแนวทางในการป้องกันบำบัค และฟื้นฟูสภาพผู้ติดยาเสพติด

¹ ได้รับทุนอุดหนุนการวิจัย จากงบประมาณแผ่นดินสำนักวิจัยและพัฒนามหาวิทยาลัยสงขลานกรินทร์ปี 2545-46

²รองศาสตราจารย์ คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลานกรินทร์

³ อาจารย์ คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลานครินทร์

ทั้งในคลินิกและชุมชนมากขึ้น รวมทั้งเป็นแนวทางในการสร้างฐานข้อ ให้เหมาะสมและครอบคลุม

มูลเพื่อการฅิดตามผู้เสพอย่างต่อเนื่อง

Perceived Therapeutic Behaviors and Factors Influencing to Perceived the
Therapeutic Process to Reduce from Substance Addiction of the Addicted Clients During
Received the Therapy from the Drug Treatment Centers of Southern Thailand.

Boonvadee Petcharat² Praneed Songwathana², Quantar Baltip³, Yauwarat Muchchim³

Abstract

The research objectives were to study perceived therapeutic behaviors and factors influencing to perceived the therapeutic process to reduce from substance addiction of the addicted clients during received the therapy from the Drug Treatment Centers of Southern Thailand. Four hundred subjects were selected by purposive randomized method from relapse addicted clients during received the therapy from four the Drug Treatment Centers of Southern Thailand: the Drug Treatment Centers of Southern Thailand, Pattani; HadYai Hospital and Sughi Go-lok Hospital. Before data was collected by using a semi-structural interviewed questionnaire, all samples had right to denial or reject to answer any questions. Data was analyzed by using frequency, percentage, mean, standard deviation and stepwise multiple regression analysis.

The finding were revealed that most subjects had experienced to received drug treatment from drug treatment establishment in their community. Most of them also had experienced to stop using addiction by themselves and some of them could do the longest as 5 years, unfortunately, some absolutely could not. Now their reasons for received the treatment from drug treatment centers were to intend to withdraw from addiction and boring. They was helped to be here by their family. Thirty-six percent of subjects report that they had 100% intention to stop addict. Most of them seek treatment and therapeutic pattern at out patient department. Most of them evaluated their received treatment and therapy: drug treatment centers' environment, drug prescribe, payment and service of personnel, as good. Most subjects perceived themselves after treatment and therapeutic process that they were more healthy than before and be able to work. The independence variables could significantly explain the treatment and therapeutic process (p = 0.00) were treatment and therapeutic pattern, occupations, withdrawal experience from addiction and educational level. All of independence

² Associated Professor, Faculty of Nursing, Prince of Songkla University, Hatyai, Songkhla

³ Lecturer, Faculty of Nursing, Prince of Songkla University, Hatyai, Songkhla

variables could explain dependence variable at 15 %. The finding could apply for seeking appropriate prevention, treatment, therapy and rehabilitation for relapsed addicted clients, both in clinic and community. Also it's might had relapsed addicts data base for continually follow

up these clients.