



ปัจจัยที่ส่งผลต่อการดำเนินงานสาธารณสุขมูลฐานของเจ้าหน้าที่สาธารณสุข  
ระดับตำบล ในจังหวัดสงขลา

Factors Affecting Primary Health Care Practices of Community Health Workers  
in Changwat Songkhla

พรสวรรค์ พรกาญจนวงศ์

Pornsawan Pornkanchanawong

วิทยานิพนธ์ศึกษาศาสตรมหาบัณฑิต สาขาวิชาศึกษาศาสตร์เพื่อพัฒนาชุมชน  
มหาวิทยาลัยสงขลานครินทร์

Master of Education Thesis in Community Development Education  
Prince of Songkla University

2539

เลขที่ RA ๙๗6 N45 2539  
เลขที่ ๗/ต.ค. 2539

Order Key... 8847  
BIB Key... 106902



ด้านการพึ่งตนเองของชุมชน ด้านการเข้าถึงบริการของชุมชน ส่วนใหญ่อยู่ในระดับดีมาก

2. ปัจจัยที่มีความสัมพันธ์กับผลการดำเนินงานสาธารณสุขมูลฐานระดับหมู่บ้านโดยรวม พบว่า ความสัมพันธ์ระหว่างเจ้าหน้าที่สาธารณสุขกับชุมชนมีความสัมพันธ์ทางบวกกับผลการดำเนินงานสาธารณสุขมูลฐานระดับหมู่บ้าน อย่างมีนัยสำคัญทางสถิติที่ระดับ .001, ความสัมพันธ์ระหว่างเจ้าหน้าที่สาธารณสุขกับอาสาสมัครสาธารณสุข เจตคติต่อการดำเนินงานสาธารณสุขมูลฐาน มีความสัมพันธ์ทางบวกกับผลการดำเนินงานสาธารณสุขมูลฐานระดับหมู่บ้าน อย่างมีนัยสำคัญทางสถิติที่ระดับ .01, ประสบการณ์การทำงานสาธารณสุขมูลฐาน รายได้ มีความสัมพันธ์ทางบวกกับผลการดำเนินงานสาธารณสุขมูลฐานระดับหมู่บ้าน อย่างมีนัยสำคัญทางสถิติที่ระดับ .05

3. ปัจจัยที่ส่งผลต่อการดำเนินงานสาธารณสุขมูลฐานระดับหมู่บ้านของเจ้าหน้าที่สาธารณสุขตำบลในจังหวัดสงขลา ได้แก่ ความสัมพันธ์ระหว่างเจ้าหน้าที่สาธารณสุขกับชุมชน ( $X_7$ ) เจตคติต่อการดำเนินงานสาธารณสุขมูลฐาน ( $X_8$ ) และรายได้ ( $X_4$ ) มีค่าสัมประสิทธิ์สหสัมพันธ์พหุคูณ (R) เท่ากับ .3168 อย่างมีนัยสำคัญทางสถิติที่ระดับ .001 และค่าอำนาจการทำนาย ( $R^2$ ) เท่ากับ .1003 ได้สมการพยากรณ์ในรูปคะแนนดิบ คือ

$$Y' = 28.2430 + 2.1599(X_7) + 2.0538(X_8) + 2.0039(X_4)$$

ข้อเสนอแนะ : จากผลการวิจัยครั้งนี้ ผู้วิจัยขอเสนอแนะว่า ทางสำนักงานสาธารณสุขอำเภอ โรงพยาบาลชุมชน สำนักงานสาธารณสุขจังหวัด ศูนย์ฝึกอบรมและพัฒนาศูนย์สาธารณสุขมูลฐานภาคใต้ ควรดำเนินการพัฒนาบุคลากรในด้านการมีความสัมพันธ์กับชุมชน เจตคติต่อการดำเนินงานสาธารณสุขมูลฐาน สนับสนุนทางด้านขวัญกำลังใจในการดำเนินงานสาธารณสุขมูลฐานแก่ผู้ปฏิบัติ ในส่วนของหน่วยงานที่เกี่ยวข้องกับการผลิตบุคลากรสาธารณสุขควรปลูกฝังหลักการแนวคิดในการดำเนินงานสาธารณสุขมูลฐาน เจตคติที่ดีต่อการดำเนินงานสาธารณสุขมูลฐาน สามารถเป็นผู้ปฏิบัติงานได้อย่างมีประสิทธิภาพ

<b>Thesis Title</b>	<b>Factors Affecting Primary Health Care Practices of Community Health Workers in Changwat Songkhla</b>
<b>Author</b>	<b>Miss Pornsawan Pornkanchanawong</b>
<b>Major Program</b>	<b>Community Development Education</b>
<b>Academic Year</b>	<b>1996</b>

### ABSTRACT

This research is intended (1) to measure the levels of primary health care practices implemented at the village level by community health workers in Changwat Songkhla, (2) to establish the relationship among human factors, psychological characteristics of development workers and primary health care practices, and (3) to investigate factors effecting primary health care practices. The independent variables in this study include sex, level of education, experience in primary health care practices, income, knowledge in primary health care practices, relationship between community health workers and village health volunteers, relationship between community health workers and the communities, attitude toward primary health care practices, internal control, future-orientation and self-control, need of achievement, and moral reasoning. The dependent variable is the village-level primary health care practice.

Through a proportional stratified sampling, 232 subjects are drawn from 550 community health workers from health centers or community hospitals in Changwat Songkhla. A questionnaire is used in collecting the data. Percentage, arithmetic mean, and standard deviation are used in data analysis. The relationship between afore-mentioned factors and village-level primary health care practices is established through Pearson Product Moment Correlation Coefficient while factors effecting primary health care practices are determined by a stepwise multiple regression analysis

The research findings are as follows:

1. Overall, primary health care practices are found to be at a 'good' level. However, when each area is considered, it is found that practices in the areas of Output BMN. Indicators, Process Self Reliance Indicators, and Health Accessibility Indicators are at a 'very good' level.

2. Overall, the relationship between community health workers and the communities correlates with primary health care practices with the significant difference of .001 while that between community health workers and village health volunteers, and attitude toward primary health care practices correlate with primary health care practices with the significant difference of .01. Experience in primary health care practices and income correlate with primary health care practices with the significant difference of .05.

3. Multiple coefficient of correlation (R) of the relationship between community health workers and the communities ( $X_7$ ), attitude toward primary health care practices ( $X_8$ ) and income ( $X_4$ ) is established at .3168 with the significant difference of .001. The prediction value ( $R^2$ ) is .1003, and the prediction equation for unstandardized scores is formulated as:

$$Y' = 28.2430 + 2.1599(X_7) + 2.0538(X_8) + 2.0039(X_4)$$

Based on the above findings, the researcher would suggest that personnel development with emphasis on relationship with the communities, attitude toward primary health care practices, and moral support be initiated by authorities in district health offices, community hospitals, provincial health offices as well as Southern Regional Training Center for Primary Health Care Development. In addition, responsible organizations should implant sound principles and attitudes toward primary health care practices in health personnel so as to enable them to perform their functions efficiently.