Contents

| | Page |
|---|------|
| Abstract | iii |
| Acknowledgements | viii |
| Contents | ix |
| List of Tables | xii |
| List of Figures | xiii |
| Chapter | |
| 1. Introduction | 1 |
| 1. Introduction1.1 Overview of the thesis1.2 Background of the data | 1 |
| 1.2 Background of the data | 2 |
| 1.2.1Vital registration mortality data | 2 |
| 1.2.1Vital registration mortality data1.2.2 Inpatient mortality data1.3 Infectious diseases | 6 |
| 1.3 Infectious diseases | 7 |
| 1.4 Length of hospital stay | 8 |
| 1.5 Literature reviews | 9 |
| 1.5.1 Statistical methods for mortality trends | 10 |
| 1.5.2 Infectious disease mortality trends | 11 |
| 1.5.3 Statistical methods for length of hospital stay | 12 |
| 1.5.4 Variation of length of hospital stay (LOS) | 13 |
| 1.6 Rationale | 14 |
| 1.7 Research questions | 16 |
| 1.8 Objectives | 17 |

| 2. Methodology | y . | 18 |
|-------------------|--|----|
| 2.1 Conce | eptual framework | 18 |
| 2.2 Metho | odology Part I: Studying of mortality from infectious diseases | 24 |
| 2.2.1 | Study design | 24 |
| 2.2.2 | Study population | 24 |
| 2.2.3 | Inclusion criteria | 24 |
| 2.2.4 | Exclusion criteria | 24 |
| 2.2.5 | Variables | 24 |
| 2.2.6 | Data collection | 25 |
| 2.2.7 | Data collection Data management Statistical analysis | 25 |
| 2.2.8 | Statistical analysis | 26 |
| 2.3 Metho | odology Part II: Study of length of stay of patients dying in | |
| hospit | al O | 31 |
| 2.3.1 | Study design Study population | 31 |
| 2.3.2 | Study population | 31 |
| 2.3.3 | Inclusion criteria | 32 |
| 2.3.4 | Exclusion criteria | 32 |
| 2.3.5 | Variables | 32 |
| 2.3.6 | Data collection | 32 |
| 2.3.7 | Data management | 32 |
| 2.3.8 | Statistical analysis | 33 |
| 3. Details of the | e Studies | 35 |
| 3.1 Manu | script I | 35 |
| 3.1.1 | Abstract | 35 |

| 3.1.2 Rationale | 36 |
|---|-----|
| 3.1.3 Result | 37 |
| 3.1.4 Further comments | 50 |
| 3.2 Manuscript II | 50 |
| 3.2.1 Abstract | 50 |
| 3.2.2 Rationale | 51 |
| 3.2.3 Result | 52 |
| 3.2.4 Further comments | 56 |
| 4. General discussion and conclusions | 57 |
| 4.1 General discussion | 57 |
| 4.1 General discussion 4.1.1 Statistical methods used | 57 |
| 4.1.2 Overall lindings | 64 |
| 4.1.3 Implication of the study | 66 |
| 4.1.3 Implication of the study4.1.4 Advantage of the study | 66 |
| 4.1.5 Limitation of the study | 67 |
| 4.2 Conclusions and Recommendations | 68 |
| References | 70 |
| Appendix I | 83 |
| Appendix II | 96 |
| Appendix III | 110 |
| Appendix IV | 127 |
| Vitae | 157 |

List of Tables

| Table | | Page |
|------------|---|------|
| Table 2.1 | Classification of hospitals by region and size in southern Thailand | 23 |
| Table 2.2 | Populations (2000 census) of super-districts in Southern Thailand | 26 |
| Table 3.1 | Percentages of hospital deaths in Southern Thailand, by year | 38 |
| Table 3.2 | Percent of hospital death in each disease group | 39 |
| Table 3.3 | Percent of hospital death in each province | 39 |
| Table 3.4 | Distribution of death rates per 1000 by super-district for each | |
| | disease group | 40 |
| Table 3.5 | Distribution of HIV/AIDS death rate per 100000, of patients age | |
| | 15 and over, by gender and super-district | 42 |
| Table 3.6 | Distribution of infectious disease (excluding HIV/AIDS) hospital | |
| | death rate per 1000 of patients age 40 and over, by super-district | 43 |
| Table 3.7 | Regression coefficients and standard errors for super-district | |
| | effects in negative binomial GLM fitted to HIV/AIDS mortality | |
| | in Southern Thailand | 45 |
| Table 3.8 | Regression coefficients and standard errors for super-district | |
| | effects in negative binomial GLM fitted to other infectious diseases | |
| | mortality in Southern Thailand | 48 |
| Table 3.9 | Descriptive results of all factors for in-patients who died in hospital | 52 |
| Table 3.10 | Coefficients and standard errors from logistic regression | 54 |
| Table 3.11 | Coefficients and standard errors from linear regression | 55 |

List of Figures

| Figures | | Page |
|------------|--|------|
| Figure 1.1 | Quality of cause-of-death information from national civil | |
| | registration systems 2003 | 5 |
| Figure 1.2 | Projected global deaths for selected causes of death, 2002–2030 | 8 |
| Figure 2.1 | Map of provinces with district borders Southern Thailand | 20 |
| Figure 2.2 | Path diagram for HIV/AIDS | 21 |
| Figure 2.3 | Path diagram for other infectious diseases | 22 |
| Figure 2.4 | Path diagram for length of hospital stay | 23 |
| Figure 2.5 | Map of combining districts in each province to form super-districts | 28 |
| Figure 3.1 | Distribution of death rates, by other infectious diseases group and | |
| | super-district | 44 |
| Figure 3.2 | Plot of regression coefficient and confidence interval from negative | |
| | binomial GLM fitted to HIV/AIDS mortality for each super-district | 46 |
| Figure 3.3 | Observed and fitted plot (on left panel) and deviance residual plot | |
| | (on right panel) from negative binomial GLM fitted to HIV/AIDS | |
| | mortality | 47 |
| Figure 3.4 | Plot of regression coefficient and confidence interval from negative | |
| | binomial GLM fitted to other infectious disease mortality for each | |
| | super-district | 49 |
| Figure 3.5 | Observed and fitted plot (on left panel) and deviance residual plot | |
| | (on right panel) from negative binomial GLM fitted to other | |
| | infectious disease mortality | 50 |