

เอกสารอ้างอิง

- ภัทรพล จันทร์ภรณ์. 2543. สภาพที่เหมาะสมต่อการผลิตแบคทีเรียโอสลินโดยเชื้อ *Lactobacillus casei* ssp. *rhamnosus* (SN.11) ที่ถูกตรึง. วิทยานิพนธ์วิทยาศาสตร์ มหาบัณฑิต สาขาวิชาเทคโนโลยีชีวภาพ. มหาวิทยาลัยสงขลานครินทร์.
- มัทนา แสงจินดาวงศ์. 2538. คุณภาพและมาตรฐานของผลิตภัณฑ์ประมง. ใน จุลชีววิทยาของผลิตภัณฑ์ประมง. หน้า 86-133. กรุงเทพฯ : ภาควิชาผลิตภัณฑ์ประมง คณะประมง มหาวิทยาลัยเกษตรศาสตร์.
- วิจิต วรรณวิบูลย์. 2529. มะพร้าว กลุโคสธรรมชาติ. อาหาร. 87 : 48-49.
- วิลาวัณย์ เจริญจิระตระกูล. 2539. จุลินทรีย์ที่มีความสำคัญด้านอาหาร. ใน จุลินทรีย์ที่มีความสำคัญด้านอาหาร. หน้า 48-91. สงขลา : ภาควิชาจุลชีววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- วิลาวัณย์ เจริญจิระตระกูล. 2543. ฤทธิ์ต้านแบคทีเรียของแบคทีเรียแลคติกที่แยกจากอาหารหมักพื้นบ้านภาคใต้ของไทย. ว. สงขลานครินทร์ 22 : 177-189.
- ศิรินาถ หนูเอก. 2540. การคัดเลือกแบคทีเรียแลคติกที่สร้างสารแบคทีเรียโอสลินจากอาหารหมัก. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาเทคโนโลยีอาหาร มหาวิทยาลัยสงขลานครินทร์.
- สายชล ชิวปรีชาและนภา โล่ห์ทอง. 2517. การใช้น้ำมะพร้าวเป็นอาหารเลี้ยงและเก็บเชื้อแบคทีเรียแลคติกเพื่อเสริมในอาหารสุกร. รายงานการประชุมทางวิชาการเกษตรและชีววิทยาครั้งที่ 13. มหาวิทยาลัยเกษตรศาสตร์บางเขน
- สุมาลี เหลืองสกุล. 2535. การติดเชื้อและการเป็นพิษของอาหารที่มีแบคทีเรียเป็นสาเหตุ. ใน จุลชีววิทยาทางอาหาร. หน้า 220-227. กรุงเทพฯ : ภาควิชาชีววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยศรีนครินทรวิโรฒ ประสานมิตร.

- อภิญา วงศ์กิดาการ. 2531. การวิเคราะห์ความแปรปรวนข้อมูลแบบจำแนกทางเดียว. ใน สถิติสำหรับชีววิทยา. หน้า 265-300. สงขลา : คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- อรัญา สังขศรี. 2542. การยับยั้งแบคทีเรียก่อโรคติดต่อทางอาหารของ *Lactobacillus* spp. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาจุลชีววิทยา มหาวิทยาลัยสงขลานครินทร์.
- Barcena, B. J. M., Sineria, F., Gonzalez, L. D., Rodriguea, A. and Suarez, J. E. 1998. Chemostat production of plantaricin C by *Lactobacillus plantarum* LL41. Appl. Environ. Microbiol. 62 : 3512-3514.
- Barefoot, S.F., Chen, Y.R., Hughes, T.A., Bodine, A.B., Shearer, M.Y. and Hughes, M.D. 1994. Identification and purification of a protein that induces production of the *Lactobacillus acidophilus* bacteriocin lactacin B. Appl. Environ. Microbiol. 60 : 3522-3528.
- Barefoot, S.F. and Klaenhammer, T.R. 1983. Detection and activity of lactocin B, a bacteriocin produced by *Lactobacillus acidophilus*. Appl. Environ. Microbiol. 45 : 1808-1815.
- Bennik, M.H., Verheul, A., Abee, T., Naaktgeboren-Stoffels, G., Gorris, L.G.M. and Smid, E. 1997. Interactions of nisin and pediocin PA-1 with closely related lactic acid bacteria that manifest over 100-fold differences in bacteriocin sensitivity. Appl. Environ. Microbiol. 63 : 3628-3636.
- Biswas, S.R., Ray, P., Johnson, M.C. and Ray, B. 1991. Influence of growth conditions on the production of a bacteriocin, pediocin AcH, by *Pediococcus acidilactici* H. J. Appl. Environ. Microbiol. 57 : 1265-1267.

- Bogovic-Matijasic, B., Rogelj, I., Nes, F. and Holo, H. 1998. Isolation and characterization of two bacteriocins of *Lactobacillus acidophilus* LF221. Appl. Microbiol. Biotechnol. 49 : 606-612.
- Bogovic-Matijasic, B and Rogelj, I. 2000. *Lactobacillus* K7-A new candidate for a probiotic strain. Food technol. biotechnol. 38 : 113-119.
- Callewaert, R., Holo, H., Devreese, B., Beeumen, J.B., Nes, I. And De Vuyst, L. 1999. Characterization and production of amylovorin L471, a bacteriocin purified from *Lactobacillus amylovorus* DCE471 by a novel three-step method. Microbiology. 145 : 2559-2568.
- Caridi, A. 2003. Identification and first characterization of lactic acid bacteria isolated from the artisanal ovine cheese Pecorino del Poro. International Journal of Dairy Technology. 56 : 105-110.
- Child, R. 1974. Coconut. 335 pp. London : Longman.
- Contreras, B.G.L., De Vuyst, D., Devreese, B., Busanyava, K., Bosman, F., Raymaeckers, J., Sablon, E. and Vandamme, E.J. 1997. Isolation, purification and amino acid sequence of lactobin A, one of the two bacteriocins produced by *Lactobacillus amylovorus* LMGP-13139. Appl. Environ. Microbiol. 63 : 13-20.
- Conventry, M. J., Wan, J. Gordon, J. B., Mawson, R. F. and Hickey, M. W. 1996. Production of Brevisin 286 by *Lactobacillus brevis* VB 286 and partial characterization. J. Appl. Bacteriol. 80 : 91-98.
- Cutter, C.N. and Siragusa, G.R. 1994. Efficacy of organic acids against *Escherichia coli* O157 : H7 attached to beef carcass tissue using a pilot scale model carcass washer. J. Food Prot. 57 : 97-103.

- Daba, H., Lacroix, C., Huang, J. and Simard, E. 1993. Influence of growth condition on production and activity of mesenterocin 5 by a Strain of *Leuconostoc mesenteroides* . Appl. Microbiol. Biotechnol. 39 : 166-173.
- Daeschel, M.A. 1989. Antimicrobial substances from lactic acid bacteria for use as food preservatives. J. Food Technol. 24 : 164-166.
- Delgado, A., Brito, C., Fervereiro, P., Peres, C. and Marques, J.F. 2001. Antimicrobial activity of *L. plantarum*, isolated from a traditional lactic acid fermentation of table olives. EDP Science. 81 : 203-215.
- De Martinis, E.C.P., Publio, M.R.P., Santarosa, P.R. and Freitas, F.Z. 2001. Antilisterial activity of lactic acid bacteria isolated from vacuum-packed Brazilian meat and meat products. Electronic journal of Braz. J. Microbiol.32 number 1
- De Vuyst, L., Calliwaert, R. and Crabbe, K. 1996. Primary metabolite kinetics of bacteriocin biosynthesis by *Lactobacillus amylovorus* and evidence for stimulation of bacteriocin production under unfavourable growth conditions. Microbiol. 142 : 817-827.
- De Vuyst, L. and Vandamme, E. J. 1994a. Antimicrobial potential of lactic acid bacteria. In Bacteriocins of Lactic Acid Bacteria Microbiology, Genetics and Applications. (De Vuyst, L. and Vandamme, E.J., eds.) pp. 91-142. New York : Chapman & Hall.
- De Vuyst, L. and Vandamme, E. J. 1994b. Lactic acid bacteria and bacteriocins : Antimicrobial potential of lactic acid bacteria. In Bacteriocins of Lactic Acid Bacteria Microbiology, Genetics and Applications. (De Vuyst, L. and Vandamme, E.J., eds.) pp. 91-142. New York : Chapman & Hall.

- Desai, P. and Sheth, T. 1997. Controlled fermentation of vegetables using mixed inoculum of lactic cultures. *J. Food Sci. Technol.* 34 : 155-158.
- Desmazeaud, M. 1996. Growth inhibitors of lactic acid bacteria. *In Dairy Starter Cultures.*(Kolter, R., ed.) pp. 131-153. New York : VCH Publishers. Inc.
- Dick, L.M.T., Melett, F.D. and Hoffman, L.C. 2004. Use of bacteriocin-producing starter culture of *Lactobacillus plantarum* and *Lactobacillus curvatus* in production of ostrich meat salami. *Meat Science.* 66. 703-708.
- Dosar, W.J., Cutter,C.N. and Siragusa, G.R. 1997. Affects of acetic acid, lactic acid and trisodium phosphate on the microflora of refrigerated beef carcass surface tissue inoculated with *Escherichia coli* O157 : H7, *Listeria innocua* and *Clostridium sporogenes*. *J. Food Prot.* 60 : 619-624.
- Eijsink, V.G.H., Brurberg, M.B., Middelhoven, P. H. and Nes, I.F. 1996. Induction of bacteriocin production in *Lactobacillus sake* by a secreted peptide. *J. Bacteriol.* 178 : 2232-2237.
- Elotmani, F. and Assobhei, O. 2003. *In vitro* inhibition flora of fish by nisin and lactoperoxidase system. *Lett. in App. Microbiol.*38 : 60-65.
- Enan, G., El-Essawy, A. A., Uyttendaele, M. and Debevere, J. 1996. Antibacterial Activity of *Lactobacillus plantarum* UG1 Isolated from Cheese. *Appl. Environ. Microbiol.* 62 : 4381-4387.
- Ennahar, S., Aoud-Werner, D., Sorokine, O., Dorselaer, A.V., Bringel, F., Hubert, J. C. and Hasselmann, C. 1996. Production of pediocin AcH by *Lactobacillus plantarum* WHE 92 isolated from meat. *Appl. Environ. Microbiol.* 55 : 1901-1906.

- Fiorentini, A.M., Sant'Anna, E.S., Porto, A.C.S., Mazo, J.Z. and Franco, B.D.G.M. 2001. Influence of bacteriocins produced by *Lactococcus plantarum* BN in the shelf-life of refrigerated bovine meat. *Brazilian Journal of Microbiology*. 32 : 42-46.
- Flores, S. H. and Alegre, R.M., 2001. Nisin production from *Lactococcus lactis* ATCC 7962 using supplemented whey permeate. *Biotechnol. Appl. Biochem.* 34 : 103-107.
- Garver, K.I. and Muriana, P.M. 1994. Purification and partial amino acid sequence of curvaticin FS47, a heat-stable bacteriocin produced by *Lactobacillus curvatus* FS47. *Appl. Environ. Microbiol.* 60 : 2191-2195.
- Goncalves, L.M.D., Ramos, A., Almeida, J.S., Xavier, A.M.R.B. and Carrondo, M.J.T. 1997. Elucidation of the mechanism of lactic acid growth inhibition and production in batch cultures of *Lactobacillus rhamnosus*. *Appl. Microbiol. Biotechnol.* 48 : 346-350.
- Gonzalez, B., Arca, P., Mayo, B and Suarez, J.E. 1994. Detection, purification and partial characterization of plantaricin C, a bacteriocin produced by a *Lactobacillus plantarum* strain of dairy origin. *Appl. Environ. Microbiol.* 60 : 2158-2163.
- Gould, G.W. 1996. Industry perspectives on the use of natural antimicrobials and inhibitors for food applications. *J. Food Prot.* 59 : 82-86.
- Guerra, N.P. and Castro, L.P. 2003. Enhancement of nisin production by *Lactococcus lactis* in periodically re-alkalized cultured. *Biotechnol. Appl. Biochem.* 38 : 157-167.

- Hammes, W.P., and Vogel, R.F. 1995. The genus *Lactobacillus*. In The genera of lactic acid bacteria. (Wood, B.J.B. and Holzappel, W.H., eds.) pp. 19-49. Glasgow : Blackie Academic & Professional.
- Herich, R. and Levkut, M. 2002. Lactic acid bacteria, probiotics and immune system. Vet.Med.-Czech. 47 : 169-180.
- Hoover, D.G, and Harlander, S.K. 1993. Screening method for detecting bacteriocin activity. In Bacteriocins of lactic bacteria.(Hoover, G.D. and Steenson L.R., eds.) pp.23-37. New York : Academic press.
- Hugenholtz, J., Kleerebezem, M., Starrenburg, M., Delcour, J., de Vos, W. and Hols, P. 2000. *Lactococcus lactis* as a cell factory for high-level diacetyl production. Appl. Environ. Microbiol. 66 : 4112-4114.
- Ivanova, I, Kabadjova, P.,Pantev, A., Danova, S. and Dousset, X. 2000. Detection, purification and partial characterization of a novel bacteriocin substance produced by *Lactococcus lactis* subsp.*lactis*. B14 isolated from boza-bulbarian traditional cereal beverage. Biocatalysis-2000 Fundamentals & applications. 41 : 47-53.
- Jack, R.W., Tagg, J.R. and Ray, B. 1995. Bacteriocins of gram-positive bacteria. Microbiol. Rev. 59 : 171-200.
- Jimenez-Diaz, R., Rios-Sanchez, R.M., Desmazeaud, M., Riuz-Barba, J.L. and Piard, J. C. 1993. Plantaricin S and T, two new bacteriocin produced by *Lactobacillus plantarum* LPCO10 isolated from a green olive fermentation. Appl. Microbiol. 59 : 1416-1424.
- Juven, B. and Pierson, M.D. 1996. Antibacterial effects of hydrogen peroxide and methods for its detection and quantitation. J. Food Prot. 59 : 1233-1241.

- Kato, J., Matsuda, T., Ogawa, T., Ogawa, H., Kato, H., Doi, U. and Nakamura, R. 1994. Plantaricin-149, a bacteriocin produced by *Lactobacillus plantarum* NRIC 149. J. Ferment. Bioeng. 3 : 277-282.
- Kato, T., Maeda, K., Kasuya, H. and Matsuda, T. 1999. Complete growth inhibition of *Bacillus subtilis* by nisin-producing lactococci in fermented soybeans. Biosci. Biotechnol. Biochem. 63 : 642 –647.
- Kelly, W. J., Asmundson, R.V. and Huang, C. M. 1996. Characterization of plantaricin KW30, a bacteriocin produced by *Lactobacillus plantarum*. J. Appl. Bacteriol. 81 : 657-662.
- Kimura, H., Nagano, R., Matsusaki, H., Sonomoto, K. and Ishizaki, A. 1997. A bacteriocin of strain *Pediococcus* sp. ISK-1 isolated from *Nukadoko* bed of fermented rice bran. Biosci. Biotech. Biochem. 61 : 1049 – 1051.
- Klaenhammer, T.R. 1993. Genetics of bacteriocins produced by lactic acid bacteria. FEMS. Microbiol. Reviews. 12 : 39-86.
- Ko, S.H and Ahn, C. 2000. Bacteriocin production by *Lactococcus lactis* KCA2386 isolated from white kimchi. Food Sci. Biotechnol. 9: 263-269.
- Leroy, F. and De Vuyst, L. 1999. Temperature and pH conditions that prevail during fermentation of sausages are optimal for production of the antimicrobial bacteriocin sakacin K. Appl. Environ. Microbiol. 65 : 974-981.
- Lewus, C. B. and Montville, T. J. 1992. Further characterization of bacteriocin plantaricin BN, bavaricin MN and pediocin A. Food Biotechnol. 6 : 153-174.

- Matsusaki, H., Endo, N., Sonomoto, K. and Ishizaki, A. 1996. Development of purification method and identification of a peptide antibiotic produced by *Lactococcus lactis* IO-1. Food Sci. Technol. 2 : 157-162.
- McMullen, L.M. and Stiles, M.E. 1996. Potential for use of bacteriocin-producing lactic acid bacteria in the preservation meats. 59 : 64-71.
- Meghrou, J., Hout, E., Quittelier, M. and Petitdemange, H. 1992. Regulation of nisin biosynthesis by continuous cultures and by resting cells of *Lactococcus lactis* subsp. *lactis*. Microbiol. 143 : 879-890.
- Moretro, T., Aasen, I.M., Storro, I. and Axeisson, L. 2000. Production of sakacin P by *Lactobacillus sakei* in a completely defined medium. J. of Appl. Microbiol. 88 : 356-358.
- Mortvedt-Abildgaard, C. I., Nissen – Meyer, J., Jelly, B., Grenov, B., Skaugen, M. and Nes, I. F. 1995. Production and pH-dependent bactericidal activity of lactocin S, a lantibiotic from *Lactobacillus sake* L45. Appl. Environ. Microbiol. 61 : 175-179.
- Motlagh, A.M., Johnson, M.C. and Ray, B. 1991. Viability loss of foodborne pathogens by starter culture metabolites. J. Food Prot. 54 : 873-878.
- Muriana, P.M. 1996. Bacteriocins for control of *Listeria* spp. in food. J. Food Prot. 59 : 54-63.
- Muriana, P.M. and Luchansky, J.B. 1993. Biochemical methods for Purification of Bacteriocins. In Bacteriocins of Lactic Acid Bacteria (Taylor, S.L.,ed) pp 41-61. New York : Academic Press.

- Niemand, J.G., Van Der Linde, H.J. and Holzapfel, W. H. 1983. Shelf-life extension of minced beef through combined treatments involving radurization. *J. Food Prot.* 46 : 791-796.
- Niku-Paavola, M.L., Laitila, A., Mattila-Sandholm, T. and Haikara, A. 1999. New types of antimicrobial compounds produced by *Lactobacillus plantarum*. *J. of Appl. Microbiol.* 86: 29-35.
- Ocana, V.S., De Ruizz Holgado, A.P. and Nader – Macfas, M.E. 1999. Selection of vaginal H₂O₂-generating *Lactobacillus* species for probiotic use. *Current Microbiol.* 38 : 279-284.
- Ogunbanwo, S.T., Sanni, A.I. and Onilude, A.A. 2003a. Influence of cultural conditions on the production of bacteriocin by *Lactobacillus brevis* OG1. *Afr. J. of Biotechnol.* 2 : 179-184.
- Ogunbanwo, S.T., Sanni, A.I. and Onilude, A.A. 2003b. Characterization of bacteriocin produced by *Lactobacillus plantarum* F1 and *Lactobacillus brevis* OG1. *African Journal of Biotechnology.* 2 : 219-227.
- Okereke, A. and Montville, T.J. 1992. Nisin dissipated the proton motive force of the obligate anaerobe *Clostridium sporogenes* PA 3679. *Appl. Environ. Microbiol.* 58 : 2463-2467.
- Oyetayo, V.O. 2004. Phenotypic characterization and assessment of the inhibitory potential of *Lactobacillus isolates* from different sources. *Afr. J. of Biotechnol.* 3 : 355-357.
- Parente, E. and Hill. 1992. Characterization of enterocin 1146, a bacteriocin from *Enterococcus faecium* inhibitory to *Listeria monocytogenes*. *J. Food Prot.* 55 : 497-502.

- Parente, E. and Ricciardi, A. 1999. Production, recovery and purification of bacteriocins from lactic acid bacteria. *Appl. Microbiol. Biotechnol.* 52 : 628-638.
- Pereira, D. and Gibson, G.R. 2002. Cholesterol assimilation by lactic acid bacteria and bifidobacteria isolated from the human gut. *Appl. Environ. Microbiol.* 68 : 4689-4693.
- Pol. I.E., van Arendonk, W.G.C., Mastwijk, H.C., Krommer, J., Smid, E.J. and Moezelaar, R. 2001. Sensitivities of germinating spores and carvaveol-adapted vegetative cells and spored of *Bacillus cereus* to nisin and Pulse-Electric-Field treatment. *Appl. Environ. Microbiol.* 67 : 1693-1699.
- Rafter, J. 2002. Lactic acid bacteria and cancer : mechanistic perspective. *British Journal of Nutrition.* 88 : 89-94.
- Rekhif, N., Atrih, A. and Lefebvre, G. 1994. Characterization and partial purification of plantaricin LC74, a bacteriocin produced by *Lactobacillus plantarum* LC74. *Biotechnol. Lett.* : 771-776.
- Ryan, M.P., Rea, M.C., Hill, C. and Ross, R.P. 1996. An Application in cheddar cheese manufacture for a strain of *Lactococcus lactis* producing a novel broad – spectrum bacteriocin, lacticin 3147. *Appl. Environ. Microbiol.* 62 : 612-619.
- Ryan, M.P., Meaney, W.J., Ross, R.P. and Hill, C. 1998. Evaluation of lacticin 3147 and a teat seal containing this bacteriocin for inhibition of mastitis pathogens. *Appl. Environ. Microbiol.* 64 : 2287-2290.
- Sarkar, P.K. and Banerjee, S. 1996. Antimicrobial activity of lactic acid bacterial isolates obtained from natural habitats, *J. Food Sci. Technol.* 33 : 231-233.

- Schillinger, U. and Lucke, F.K. 1989. Antimicrobial activity of *Lactobacillus sake* isolated from meat. *Appl. Environ. Microbiol.* 55 : 1901-1906.
- Scope, R.K. 1978. Techniques of protein purification. *In* Techniques in the Life Sciences :Techniques and Enzymes. Biochemistry. (Kornberg, H.L., Netcakfd, J.C., Northcote, D.H., Pogson, C.I. and Tipton, K.F., eds.) pp. 1-42, New York : Amsterdam, Elsevier, North-Holland Biochemical Press.
- Shimoda, M., Yamamoto, Y., Cocunubo – Castellanos, J., Tonoike, H., Kawano, T., Ihikawa, H. and Osajima, Y. 1998. Antimicrobial effects of pressured carbon dioxide in a continuous flow system. *J. Food Science.* 63 : 709-712.
- Soomro, A.H., Masud, T. and Anwarr, K., 2002. Role of lactic acid bacteria (LAB) in food preservation and human health-a review. *Pakistan Journal of Nutrition.* 1 : 20-24.
- Spelhaug, S.R. and Harlander, S.K. 1989. Inhibition of foof born bacterial pathogens by bacteriocins from *Lactococcus lactis* and *Pediococcus pentosaceus*. *J. Food Prot.* 52 : 856-862.
- Stannard, C.J. and Wood, J.M. 1983. Measurement of residual hydrogenperoxide in preformed food cartons decontaminated with hydrogenperoxide and ultraviolet irradiation. *J. Food Prot.* 46 : 107-1077.
- Stevens, K.A., Klapes, N.A., Sheldon, B.W. and Klaenhammer, T.R. 1992. Antimicrobial action of nisin againts *Salmonella typhimurium* lipopolysaccharide mutants. *Appl. Environ. Microbiol.* 58 : 1786-1788.
- Stoffels, G., Guomundsdottir, A. and Abee, T. 1994. Membrane-associated proteins encoded on the nisin gene cluster may function as a receptor for the lantibiotic carnocin UI49. *Microbiology.* 140 : 1443-1450.

- Suskovic, J., Kos, B., Goreta, J. and Matosic, S. 2001. Role of lactic acid bacteria and bifidobacteria in symbiotic effect. *Food technol.biotechnol.* 39 : 227-235.
- Tagg, J.R., Dijini, A.S. and Wannamaker, L.W. 1976. Bacteriocin of gram-positive bacteria. *Bacteriol.Rev.* 40 : 722-756.
- Tahara, T. and Kanatoni, K. 1996. Isolation, partial characterization and mode of action of acidocin J1229, a bacteriocin produced by *Lactobacillus acidophilus* JCM 1229. *J. Appl. Bacteriol.* 81 : 669-677.
- Tamblyn, K.C. and Conner, D.E. 1997. Bactericidal activity of organic acids against *Salmonella typhimurium* attached to broiler chicken skin. *J. Food Prot.* 60 : 629-633.
- Thompson, J. K., Collins, M. A. and Mercer, W. D. 1996. Characterization of a proteinaceous antimicrobial produced by *Lactobacillus helveticus* CNRZ450. *J. Appl. Bacteriol.* 80 : 338-348.
- Tserovska, L., Stefanova, S., and Yordanova, T. 2000 - 2002. Identification of lactic acid bacteria isolated from katyk goat's milk and cheese. *J. of culture collections.* 3 : 48-52.
- Ugean, P., Hamelin, J., Le Penec, J.P. 1999. Influence of osmolarity and presence of an osmoprotectant on *Lactococcus lactis* growth and bacteriocin production. *Appl. Environ. Microbiol.* 65 : 291-293.
- Villegas, E. and Gililand, S.E. 1998. Hydrogen peroxide production by *Lactobacillus delbrueckii* Subsp. *Lactis* I at 5 ° C. *J. Food Science.* 63 : 1070-1074.

- Wilderdyke, M.R., Smith, D.A. and Brashears, M.M. 2004. Isolation, identification, and selection of lactic acid bacteria from alfalfa sprouts for competitive inhibition of foodborne pathogens. *J. of Food Protection*. 67 :947-951.
- Wilaipan, P., Zendo, T., Sangjindavong, M., Nitisinorasert, S., Leelawatcharamas, V., Nakayama, J. and Sonomoto, K. 2002. Influence of physical factors and various complex media on growth and bacteriocin production of two-synergistic peptide with heat stable bacteriocin producer, *Enterococcus faecium* NKR-5-3, Isolated from Thai fermented fish. *Kasetsart J.(Nat.Sci.)* 36 : 268-277.
- Wolfson, L.M. and Sumner, S.S. 1994. Antibacterial activity of the lactoperoxidase system against *Salmonella typhimurium* in trypticase soy broth in the presence and absence of a heat treatment. *J. Food Prot.* 57 : 365-368.
- Yan , T.R. and Lee , C.S. 1997. Characterization of a partially purified bacteriocin , fermencin B , from *Lactobacillus fermentum*. *Biotechnol. Lett.* 19 (8) : 741-744.
- Yang, R., Johnson, M.C. and Ray, B. 1992. Novel method to extract large amounts of bacteriocins from lactic acid bacteria. *Appl. Environ. Microbiol.* 58 : 3355-3359.
- Yang, R. and Ray, B. 1994. Factors influencing production of bacteriocins by lactic acid bacteria. *J. Food Microbiol.* 11 : 255-258.
- Zhu, W.M., Liu, W. and Wu, D.Q. 2000. Isolation and characterization of a new bacteriocin from *Lactobacillus gasseri* KT7. *J. of Appl. Microbiol.* 88 :877-886.