

## เอกสารอ้างอิง

- ก้าวี ศรีภูลกิจ. 2543. สีข้อม. สารสารคดเลอร์เวย์. 7(34): 14-19.
- ก้าวี ศรีภูลกิจ. 2545. หลักการย้อมสีสิ่งทอ. ภาควิชาวัสดุศาสตร์, คณะวิทยาศาสตร์, จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.
- ธิตินันภูร์ คำใจ มนูรัส ชัยหาญ และฐปน ชื่นนาล. 2549. ประสิทธิภาพของแบคทีเรียอัดเม็ดในการนำบัคหน้าเสียจากอุตสาหกรรมฟอกย้อม. การประชุมวิชาการเทคโนโลยีและวัตกรรมสำหรับการพัฒนาอย่างยั่งยืน คณะวิศวกรรมศาสตร์ มหาวิทยาลัยขอนแก่น, 25-26 มกราคม 2549, หน้า 679.
- วีรนุช กลาง ชนสิริ มีชัย วิชชุพร จันทร์ศรี และสาวรอนี ศิริศันสนียกุล. 2551. ความสามารถในการกำจัดสีข้อมผ้าประเภททรีแอคทีฟของ *Burkholderia glumae*. Journal of Environment and Natural Resources, 1(6): 66-80.
- ศศิพงษ์ ลายเงิน. 2550. การขอยสลายสีอะโซโดยแบคทีเรียม. วิทยานิพนธ์ระดับปริญญาโท สาขาวิชาชลชีววิทยาประยุกต์ คณะวิทยาศาสตร์ มหาวิทยาลัยเทคโนโลยีพระจอมเกล้าธนบุรี.
- เสาวนีษ ธรรมสติ. 2547. แบคทีเรียทางเทคโนโลยีชีวภาพ: เซลล์และผลิตภัณฑ์ของเซลล์. โรงพิมพ์สถาบันพัฒนาสาธารณสุขอาเซียน, นครปฐม.
- อดิสา วงศ์. 2550. การนำบัคสารามลดพิษทางชีวภาพ. โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.
- อังคณา ตุลย์ไตรรัตน์. 2540. สุขภาพและสิ่งแวดล้อมกับการใช้สีอินทรีย์. สารสารคดเลอร์เวย์, 2(2): 29-34.
- อรชีรา เพ็ชรช้อบ. 2552. การลดความเข้มสารละลายสีข้อมรีแอคทีฟโดยเชื้อรากลุ่ม *Datronia* sp. KAPI0039. วิทยานิพนธ์ระดับปริญญาโทสาขาวิทยาศาสตร์สิ่งแวดล้อม มหาวิทยาลัยเกษตรศาสตร์.
- Asad, S., Amoozegar, M.A., Pourbabaee, A.A., Sarbolouki, M.N. and Dastgheib, S.M.M. 2007. Decolorization of textile azo dyes by newly isolated halophilic and halotolerant bacteria. Bioresource Technology, 98: 2082-2088.
- Bafana, A., Chakrabarti, T. and Devi, S.S. 2008. Azoreductase and dye detoxification activities of *Bacillus velezensis* strain AB. Applied Biochemistry and Microbiology, 77: 1139-1144.

- Bin, Y., Jiti, Z.W., Chihong, D., Hongman, H., Zhiyong, S. and Yongming, B. 2004. Expression and characteristic of the gene encoding azoreductase from *Rhodobacter sphaeroides* AS1.1737. FEMS Microbiology Letters, 236: 129-136.
- Blumel, S., Knackmuss, H.J. and Stolz, A. 2002. Molecular cloning and characterization of the gene coding for aerobic azoreductase from *Xenophilus azvorans* KF46F. Applied Environment and Microbiology, 68: 3948-3955.
- Chen, H. 2006. Recent advances in azo dye degrading enzyme research. Current Protein and Peptide Science, 11: 101-111.
- Chen, H., Hopper, S.L. and Cerniglia, C.E. 2005. Biochemical and molecular characterization of an azoreductase from *Staphylococcus aureus* a tetrameric NADPH – dependent flavoprotein. Microbiology, 151: 1433-1441.
- Chen, K.C., Wu, T.J., Liou, J.D. and Hwang, J.S. 2003. Decolorization of the textile dyes by newly isolated bacterial strains. Journal of Biotechnology, 101: 57-68.
- Chen, Y.B. 2002. Understanding decolorization characteristics of reactive azo dyes by *Pseudomonas luteola* : toxicity and kinetics. Process Biochemistry, 38: 437-46.
- Dafale, N., Rao, N.N., Mesharm, U.S. and Wate, R.S. 2008. Decolorization of azo dyes and simulated dye bath wastewater using acclimatized microbial consortium - biostimulation and halo tolerance. Bioresource Technology, 99: 2552-2558.
- Dafale, N., Wate, S., Meshram, S. and Nandy, T. 2008. Kinetic study approach of remazole black-B use for the development of two-stage anoxic – oxic reactor for decolorization / biodegradation of azo dyes by activated bacterial consortium. Journal of Hazard Material, 159:319-328.
- Deng, D., Guo, J., Zeng, G. and Sun, G. 2008. Decolorization of anthraquinone, triphenymethane and azo dyes by a new isolated *Bacillus cereus* strain DC11. International Biodeterioration and Biodegradation, 62: 263-269.
- Diaz, E. 2004. Bacterial degradation of aromatic pollutants: a paradigm of metabolic diversity. International Microbiology, 7: 173-180.
- Dong-lei, W., Bao-lan, H., Zheng, P. and Mahmood, Q. 2007. Amoxic biodegradation of dimethyl phthalate (DMP) by activated sludge cultures under nitrate-reducing conditions. Journal of Environmental Science, 19: 1252-1256.

- Dong, X., Zhou, J. and Liu, Y. 2003. Peptone-induced biodecolorization of reactive brilliant blue (KN-R) by *Rhodocyclus gelatinosus* XL-1. *Process Biochemistry*, 39: 89-94.
- Eichlerova, I., Homolka, L. and Nerud, F. 2003. Decolorization of orange G by *Pleurotus ostreatus* monokaryotic isolates with different laccase activity. *Folia Microbiology*, 48: 775-779.
- Forgacs, E., Cserhati, T. and Oros, G. 2004. Removal of synthetic dye from wastewater: a review, *Environment International*, 30: 953-971.
- Frijters, C.T.M.J., Vos, R.H., Scheffer, G. and Mulder, R. 2006. Decolorizing and detoxifying textile wastewater containing both soluble and insoluble dye in a full scale combined anaerobic/aerobic system. *Water Research*, 40: 1249-1257.
- Gopinath, K.P., Sahib, H.A.M., Muthukumar, K. and Velan, M. 2009. Improved biodegradation of congo red by using *Bacillus* sp. *Bioresource Technology*, 100: 670-675.
- Gottlieb, A., Shaw, C., Smith, A., Wheatley, A. and Forsythe S. 2003. The toxicity of textile azo dyes after hydrolysis and decolourisation, *Journal of Biotechlogy*. 8: 49-56.
- Hsueh, C.C. and Chen, B.Y. 2008. Exploring effect of chemical structure on azo dye decolorization characteristics by *Pseudomonas luteola*. *Journal of Hazardous Materials*, 154: 703-710.
- Joseph, R. 1992. The dyeing of textile fibers: theory and pratice. Philadelphia College of Textiles and Science, Pennsylvania, pp. 30-35.
- Jirasripongpun, K., Nasanit, R., Niruntasook, J. and Chotikasatian, B. 2007. Decolorization and degradation of C.I. reactive red 195 by *Enterobacter* sp. *Thammasart International Journal of Science Technology*, 12: 6-13.
- Kalme, S.D., Parshetti, G.K., Jadhav, S.U. and Govindwar, S.P. 2007. Biodegradation of benzidine based dye Direct Blue-6 by *Pseudomonas desmolyticum* NCIM 2112. *Bioresource Technology*, 98: 1405–1410.
- Khehra, S.M., Saini, S.H., Bhupinder, S.C. and Chimmi, S.S. 2005. Decolorization of various azo dyes by bacterial consortium. *Dyes and Pigments*, 67: 55-61.
- Leelakriangsak, M., Kobayashi, K. and Zuber, P. 2007. Dual negative control of *spx* transcription initiation from the P<sub>3</sub> promoter by repressors PerR and YodB in *Bacillus subtilis*. *Journal of Bacteriology*, 189: 1736-1744.

- Leelakriangsak, M., Huyen, N.T.T., Towe, S., Duy, N.V., Becher, D., Hecker, M., Antelmann, H. and Zuber, P. 2008. Regulation of quinone detoxification by the thiol – stress sensing DUF24/MarR – like repressor YodB in *Bacillus subtilis*. Molecular Microbiology, 67: 1108-1124.
- Mabrouk, E.M.M. and Yusef, H.H. 2008. Decolorization of fast red by *Bacillus subtilis* HM. Journal of Applied Science Research, 4: 262-269.
- Mohanty, S., Dafale, N. and Rao, N.N. 2006. Microbial decolorization of reactive black 5 in a two-stage anaerobic-aerobic reactor using acclimatized activated textile sludge. Biodegradation, 17: 403-413.
- Nishiya, Y. and Yamamoto, Y. 2007. Characterization of a NADH : dichroindophynol oxidoreductase from *Bacillus subtilis*. Biotechnology, 71: 611-614.
- Olukanni, O.D., Osuntoki, A.A. and Gbenle, G.O. 2009. Decolorization of azo dyes by strain of *Micrococcus* isolate from a refuse dump soil. Biotechnology, 8 (4): 442-448.
- Padamavathy, S., Sandhy, S., Swaminathan, K., Subrahmanyam, Y.V. and Kaul, S.N. 2003. Comparison of decolorization of reactive azo dyes by microorganisms isolated from various source. Journal of Environmental Science, 15: 628-632.
- Pandy, A., Singh, P. and Iyengar, L. 2007. Bacteria decolorization and degradation of azo dyes. International Biodeterioration and Biodegradation, 59: 73-84.
- Pearce, C.I., Lloyd, J.R. and Guthrie, J.T. 2003. The removal of colour from textile wastewater using whole bacterial cell: a review. Dyes and Pigments, 58: 179-196.
- Razo-Flores, E., Luijten, M., Donlon, B., Lettinga, G. and Field, J. 1997. Biodegradation of select azo dyes under methanogenic condition. Water Science Technology, 36: 65-72.
- Sen, S. and Demirer G.N. 2003. Anaerobic treatment of real textile wastewater with a fluidized bed reactor. Water Research, 37: 1868-1878.
- Silveira, E., Marques P.P., Silva, S.S., Lima-Filho, J.L., Porto, A.L.F. and Tambourgi, E.B. 2009. Selection of *Pseudomonas* for industrial textile dyes decolourization. International Biodeterioration and Biodegradation, 63:230-235.
- Sugiura, W., Yoda, T., Matsuba, T., Tanaka, Y. and Suzuki, Y. 2006. Expression and characterization of genes encoding azoreductase from *Bacillus subtilis* and *Geobacillus stearothermophilus*. Bioscience Biotechnology and Biochemistry, 70: 1655-1665.

- Supaka, N. 2003. Microbial Decolorization of Reactive Dyes in Ananaerobic Aerobic Treatment System. Ph. D. Thesis, Chulalongkorn University, Bangkok, Thailand.
- Töwe, S., Leelakriangsuk, M., Kobayashi, K., Duy, N.V., Hecker, M., Zuber. And Atelmann, H. 2007. The MarR-type repressor MhqR (YkvE) regulate multiple dioxygenases / glyoxalases and an azoreductase which confer resistance to 2-methylhydroquinone and catechol in *Bacillus subtilis*. Molecular Microbiology, 66: 40-54.
- Vidali, M. 2001. Bioremediation, an overview. Pure and Applied chemistry, 73(7): 1163-1172.
- Vijaya, P.P. and Sandhya, S. 2003. Decolorization and complete degradation of methyl red by a mixed culture. The Environmentalist, 23:145–149.
- Wackerow-Kouzova, N.D. 2005. Isolation and study of azobenzene-transforming soil bacteria. Applied Biochemistry and Microbiology, 41: 62-164.
- Wang, X., Cheng, X. and Sun, D. 2008. Autocatalysis in reactive black 5 biodecolorization *Rhodopseudomonas palustris* W1. Applied Microbiology and Biotechnology, 80: 907-915.
- Xu, M., Guo, J., Zeng, G., Zhong, X. and Sun, G. 2006. Decolorization of anthraquinone dye by *Shewanella decolorationis* S12. Applied Microbiology and Biotechnology, 71: 246-251.
- Yang, Q.X., Yang, M., Pritsch, K., Yediler, A., Hagn, A., Schloter, M. and Kettrup, A. 2003. Decolorization of synthetic dyes and production of manganese-dependent peroxidase by new fungal isolates. Biotechnology Letters, 25: 709-713.
- Yoo, E.S., Libra, J. and Adrian, L. 2001. Mechanism of decolorization of azo dyes in anaerobic mixed culture. Journal of Environmental and Engineering, 127: 844-849.
- Zhang, X., Hong, H., Li, Z., Guan, J. and Schulz, L. 2009. Removal of azobenzene from water by kaolinite. Journal of Hazardous Materials, 170: 1064-1069.
- Zimmermann, T., Kulla, H.G. and Leisinger, T. 1982. Properties of purified orange II azoreductase, the enzyme initiating azo dye degradation by *Pseudomonas* KF46. Journal of Biochemistry, 129:197-203.