

BIBLIOGRAPHY

- Abrass, C.K. (2002). Renal disease in the elderly, *Best Practice of Medicine*. Retrieved March 25, 2004 from http://merck.praxis.md/index.asp?page=bpm_brief&article_id=CPM01NP277
- Adioetomo, S.M., Toersilaningsih, R., Asmanedi, Hendratno, S., Fitriati. L., Eggleston, E., et al. (1997). *Helping the husband, maintaining harmony: family planning, women work, and women's household autonomy in Indonesia*. Retrieved February 29, 2004 from <http://www.fhi.org/NR/rdonlyres/indo3f.pdf>
- Albert, S.M. (1997). Assessing health-related quality of life in chronic care populations. In J.A. Teresi, M.P. Lawton, D. Holmes, & M. Ory (Eds.), *Measurement in elderly chronic care populations* (pp. 210-226). New York: Springer Publishing Company
- Ali, H. (1996). *Renal disease in the elderly, distinctive disorders, tailored treatments, Postgraduate medicine*. Retrived March 25, 2004 from http://www.postgradmed.com/issues/1996/12_96/ali1.htm
- Anderson, K.L., & Burckhardt, C.S. (1999). Conceptualization and measurement of quality of life as an outcome variable for health care intervention and research. *Journal of Advanced Nursing*, 29, 298-306.
- Auer, J. (2002). Psychological perspectives. In N. Thomas (Ed.), *Renal nursing, second edition*, (pp. 75- 102). London: Bailliere Tindall
- Baldree, K.S., Murphy, S.P., & Powers, M.J. (1982). Stress identification and coping patterns in patients on hemodialysis. *Nursing Research*, 31, 107-113

- Belasco, A.G., & Sesso, R. (2002). Burden and quality of life of caregivers for hemodialysis patients. *American Journal of Kidney Diseases*, 39, 805-812
- Blake, C.W., & Courts, N.F. (1996). Coping strategies and styles of hemodialysis patients by gender. *ANNA Journal*, 23, 477-489.
- Cagney, K.A., Wu, A.W., Fink, N.E., Jenckes, M.W., Meyer, K.B., Bass, E.B., et al. (2000). Formal literature review of quality of life instruments used in end stage renal disease. *American Journal of Kidney Disease*, 36, 327-336
- Caress, A.L., Luker, K.A., & Owens, R.G. (2001). A descriptive study of meaning of illness in chronic renal disease. *Journal of Advanced Nursing*, 33, 716-727
- Cheng, K.S., Baker, C.R., Hamilton, G., Hoeks, A.P.G, & Seifalian, A.M. (2002). Arterial elastic properties and cardiovascular risk/event [Electronic version]. *European Journal of Vascular and Endovascular Surgery*, 24, 383-397
- Coelho, R., Amorim, I., & Prata, J. (2003). Coping styles and quality of life in patients with non-insulin-dependent diabetes mellitus [Electronic version]. *Psychosomatics*, 44, 312-318.
- Coping effectively: A guide for patients and their families*. Retrieved June 5, 2003, from <http://www.kidney.org/general/atoz/content/coping.html>.
- Corless, I.B., Nicholas, P.K, & Nokes, K.M. (2001). Issues in cross cultural quality of life research [Electronic version]. *Journal of Nursing Scholarship*, 33, 15-20
- Courts, N.F. (2000). Psychosocial adjustment of patients on home hemodialysis and their dialysis partners. *Clinical Nursing Research*, 9, 177-190.
- Cristavao, F. (1999). Stress, coping and quality of life among chronic hemodialysis patients. *EDTNAERCA-Journal*, 25, 35-38. Abstract retrieved May 23, 2002, from CINAHL database.

- Dean, H. (1997). Multiple instruments for measuring quality of life. In M.F. Stromborg & S.J. Olsen (Eds.), *Instruments for clinical health-care research* (pp. 135-148). Boston: Jones and Bartlett Publisher, Inc.
- Donald, S., Doy, W., Miriam, B., Doron, S., & Adrian, I. (2004). The association between congestive heart failure and chronic renal disease [Electronic version]. *Clinical Nephrology*, 13: 163-170
- Dowel, I.M., & Newell, C. (1987). *Measuring health, a guide to rating scales and questionnaires*. New York: Oxford University Press
- Dunn S.A., Lewis, S.L., Bonner P.N., & Meize-Grochowski, R. (1994). Quality of life of spouses of CAPD patients. *ANNA Journal* 21: 237-247
- Farquhar, M. (1995). Definitions of quality of life: a taxonomy. *Journal of Advanced Nursing*, 22, 502-508
- Ferrans, C.E., & Powers, M.J. (1992). Psychometric assessment of the quality of life index. *Research in Nursing & Health*, 15, 29-38
- Ferrans, C.E., & Powers, M.J. (1993). Quality of life of hemodialysis patients. *ANNA Journal*, 20, 575-581
- Flaherty, M.J., & O'Brien, M.E. (1992). Family styles of coping in end stage renal disease. *ANNA Journal*, 19, 345-350
- Friedman, E.A. (2003). Coping with the coming pandemic of renal failure due to diabetes mellitus [Electronic version]. *Medicine and Biology*, 10, 1-15
- Friesen, D. (1997). A descriptive study of home hemodialysis spouses [Electronic version]. *Dialysis & Transplantation*, 26, 310-325.

- Gibson, M.H. (1995). The quality of life of adult hemodialysis patients. *Ph.D Dissertation, The University of Texas at Austin*. Abstract retrieved May 23, 2002, from CINAHL database.
- Grant, M.M., & Rivera, L.M., (1998). Quality of life in oncology and oncology nursing. In C.R. King, & P.S. Hinds (Eds.), *Quality of life, from nursing and patient perspectives* (pp. 3-17). Canada: Jones and Bartlett Publishers
- Gregor, F., & Herbert, R. (1997). Quality of life and coping strategies of clients with COPD (Abstract). *Rehabilitation Nurses*, 22, 182-187. Abstract retrieved August 7, 2003 from [http:// www.pubmed.com](http://www.pubmed.com) PMID: 9275808
- Gurklis, J.A., & Menke, E.M. (1988). Identification of stressors and use of coping methods in chronic hemodialysis patients. *Nursing Research*, 37, 236-239
- Gurklis, J.A., & Menke, E.M. (1995). Chronic hemodialysis patients' perceptions of stress, coping, and social support. *ANNA Journal*, 22, 381-388
- Haberman, M.R., & Bush, N. (1998). Quality of life methodological and measurement issues. In C.R. King & P.S. Hinds (Eds.), *Quality of life, from nursing and patient perspectives* (pp.117-139). Canada: Jones and Bartlett Publishers
- Hagren, B., Pettersen, I.M., Severinsson, E., Lutzen, K., & Clyne, N. (2001). The hemodialysis machine as a lifeline: experiences of suffering from end-stage renal disease. *Journal of Advanced Nursing*, 34, 196-202
- Hemodialysis*. Retrieved November 16, 2002 from <http://www.merck.com/pubs/mmanual/section17/chapter223/223b.htm>
- Hibbert, M.P., & Sohi, P. (2001). Source of uncertainty and coping strategies used by family members of individuals living with end stage renal disease. *Nephrology Nursing Journal*, 28, 411-418.

- Howes, D.S., Talavera, F., Sinert, R., Halamka, J., & Plantz, S.H., (2004). *Renal failure, chronic and dialysis complication*. Retrieved April 30, 2004 from <http://www.Emedicine.com/emrg/topic501.htm>
- Horsburgh, M.E., Rice, V.H., & Matuk, L. (1998). Sense of coherence and life satisfaction: Patient and spousal adaptation to home dialysis. *ANNA Journal*, 25, 219-227.
- Ignatavicius, D.D., (1995). *Medical surgical nursing, a nursing process approach*. Philadelphia: WB Saunders Company.
- Inaba, K. (1996). Psychosocial aspects of chronic illness. In P.D. Barry (Ed.), *Psychosocial nursing care of physically ill patients & their families* (pp. 359-374). Philadelphia: Lippincott
- Jaloweic, A. (1987). *Jaloweic Coping Scale*. Unpublished material
- Jaloweic, A., & Powers, M. (1981). Stress and coping in hypertensive and emergency room patients. *Nursing Research*, 30, 10-15
- Jones, E.G., & Kay, M. (1992). Instrumentation in cross-cultural research. *Nursing Research*, 42, 186-188
- Ketelaars, C.A., Schlosser, M.A., Mostert, R., Huyer Abu Saad, H., Halfens, R.J., & Wouters, E.F. (1996). Determinants of health-related quality of life in patients with chronic obstructive pulmonary disease. *Thorax*, 51:39-43
- Kimmel, P.L., Peterson, R.A., Weihs, K.L., Simmens, S.J., Boyle, D.H., Umana, W.O., et al. (1996). Psychologic functioning, quality of life, and behavioral compliance in patients beginning hemodialysis. *Journal of the American Society of Nephrology*, 7, 2152-2159

- King, C.R. (1998). Overview of quality of life and controversial issues. In C.R. King & P.S. Hinds (Eds.), *Quality of life, from nursing and patient perspectives* (pp.23-34). Canada: Jones and Bartlett Publishers
- King, C.R., & Hinds, P.S. (1998). *Quality of life, from nursing and patient perspectives*. Canada: Jones and Bartlett Publishers
- Lancaster, L.E. (1995). *ANNA core curriculum for nephrology nursing*. New Jersey: Anthony J. Jannetti, Inc.
- Lazarus, R.S., Folkman, S.-(1984). *Stress, appraisal, and coping*. New York: Springer Publishing Company
- LeMone, Priscilla, and Burke, K.M. (2000). *Medical surgical nursing, critical thinking in client care*. Philadelphia: WB Saunders Company
- Lindqvist, R., & Sjoden, P. (1998). Coping strategies and quality of life among patients on continuous ambulatory peritoneal dialysis (CAPD). *Journal of Advanced Nursing*, 27, 312-319
- Lindqvist, R., Carlsson, M., & Sjoden, P. (2000). Coping strategies and health-related quality of life among spouses of continuous ambulatory peritoneal dialysis, hemodialysis, and transplant patients. *Journal of Advanced Nursing*, 31, 1398-1408
- Lok, P. (1996). Stressors, coping mechanisms and quality of life among dialysis patients in Australia. *Journal of Advanced Nursing*, 23, 873-881
- Luyckx, V.A., Ballantine, R., Claeys, M., Cuyckens, F., Van den Heuvel, H., Cimanga, R.K., et al (2002). Herbal remedy-associated acute renal failure secondary to Cape aloes. *American Journal of Kidney Disease*, 39, E13

- Maillonx. (2002). Quality improvement. In A.R. Nissensson, & R.N. Fine (Eds.), *Dialysis therapy* (3rd ed.) (pp. 1-6). Philadelphia: Hanley & Belfus, Inc.
- McCann, K., & Boore, J.R.P. (2000). Fatigue in persons with renal failure who require maintenance hemodialysis. *Journal of Advanced Nursing*, 32, 1132-1142
- Meifen, Z. (1997). *Coping styles and quality of life of breast cancer patients receiving chemotherapy*. Unpublished master's thesis, Chiang Mai University, Chiang Mai, Thailand.
- Miller, J.A., Scholey, J.W., Duncan, J.A., & Cattran, D.C. (1999). Gender and progression to chronic renal failure (CRF) in primary glomerulonephritis (GN), Retrieved March 24, 2004 from <http://www.niddk.nih.gov/fund/reports/womenrd/poster12.htm>
- Miller, J.F. (1992). Analysis of coping with illness. In J.F. Miller (Ed.), *Coping with chronic illness: Overcoming powerlessness* (2nd ed.) (pp. 10-44). Philadelphia: F.A. Davis Company
- Mills, R. (1996). *The Pleasures of Health, the Joys of Illness, and the delights of longing to meet my Maker ~ The Islamic Perspective on Life and Death*. Retrieved February 28, 2004 from http://muslim-canada.org/health_sickness.html.
- Mok, E., & Tam, B. (2001). Stressors and coping methods among chronic hemodialysis patients in Hong Kong. *Journal of Clinical Nursing*, 10, 503-511
- Mok, E., Lai, C., & Zhang, Z.X. (2004). Coping with renal failure in Hong Kong [Electronic version]. *International Journal of Nursing Studies*, 42, 203-213.

- Molzahn, A.E. (1998). Psychosocial impact of renal disease. In J. Parker (Ed.), *Contemporary nephrology nursing*, (pp. 271-282). New Jersey: Anthony J. Janetti, Inc.
- Molzahn, A.E., Northcott, H.C., Dossetor, J.B. (1997). Quality of life of individuals with end stage renal disease: Perceptions of patients, nurses, and physicians. *ANNA Journal*, 24, 325-332.
- Moniaga, H. (2002, May 13). Pasien Ginjal Beresiko Hipertensi dan Anemia (Renal patients risky to hypertension and anemia). *Kompas*. Retrieved August 4, 2003, from <http://www.kompas.com>
- Nelson, C.B., & Lotfy, M. (1999). *The World Health Organization's WHOQoL-BREF quality of life assessment: psychometric properties and results of the international field trial*. WHO (MNH/MHP/99.7). Retrieved November 28, 2002, from http://www.who.int/msa/qol/documents/WHOQOL_BREF.pdf
- Nursing Department of Mrs. Habibi Hospital. (2002, January). *Annual data report*. Bandung: Author.
- O'Brien, M.E. (1999). *Spirituality in nursing standing on holy ground*. Massachusetts: Jones and Bartlett Publishers
- Oberley, E.T., & Schatell, D.R. (1995). *Home hemodialysis and patient outcomes*. Retrieved on November 16, 2002, from http://www.eneph.com/feature_archive/outcomes/v24n10p551.html.
- Paiboon (1999, August 2). *Current Issues: body parts trade, a donor can give the gift of life*. Retrieved September 8, 2003 from <http://www.bangkokpost.net/issues/organs/020899c.html>

- Patel, S.S., Shah, V.S., Peterson, R.A., & Kimmel, P.L. (2002). Psychosocial variables, quality of life, and religious beliefs in ESRD patients treated with hemodialysis. *American Journal of Kidney Disease*, 40, 1013-1022
- Perz, J.M. (1997). Development of menopause symptom list: A factor analytic study of menopause associated symptoms. *Women & Health*, 25, 53-68
- Polaschek, N. (2003). Living on dialysis: concerns of clients in renal setting. *Journal of Advanced Nursing*, 41, 44-52.
- Polit, D.F., & Hungler, B.P. (1999). *Nursing research, principal and methods*. Philadelphia: Lippincott
- Polit, D.F., Beck, C.T., & Hungler, B.P. (2001). *Essentials of nursing research, methods, appraisal, and utilization*. Philadelphia: Lippincott
- Problems associated with dialysis*. (2004). Retrieved April 7, 2004 from <http://www.Kidneypatientnews.org/kpt7.html>
- Reichsman F., & Levy N.B. (1972). Problems in adaptation to maintenance hemodialysis: a 4 year study of 25 patients. *Archives of Internal Medicine*, 130, 859-865
- Richard, C.J. (1986). *Comprehensive nephrology nursing*. Canada: Little Brown and Company.
- Roesli, R.M.A. (2000, November 28). Penderita gagal ginjal meningkat (Renal failure patients was increasing). *Indokini*. Retrieved November 16, 2002 from <http://www.indokini.com/kesehatan/kes1128.shtml>.
- Roesli, R.M.A. (2002, June 22). Baru 10% pasien gagal ginjal yang cuci darah (Just 10% of renal failure patients receive hemodialysis). *Suaran Merdeka*. Retrived August 4, 2003 from <http://www.suaramerdeka.com/harian/0206/22/kot6.htm>

- Roesma, J. (2002, May 13). Pasien gagal ginjal beresiko hipertensi dan anemia (Renal failure patients risky to get hypertension or anemia). *Kompas*. Retrieved August 4, 2003 from <http://www.kompas.com/kompas-cetak/0205/13/ipitek/pasi10.htm>.
- Sartorius, N., & Kuyken, W. (1994). Translation of health status instruments. In J. Orley & W. Kuyken (Eds.), *Quality of Life Assessment: International Perspectives*. Heidelberg: Springer Verlag.
- Sarvimaki, A., & Stenhock-Hult, B. (2000). Quality of life in old age described as a sense of well-being, meaning and value. *Journal of Advanced Nursing*, 32, 1025-1033
- Schade-Serin, V. Morewitz, S.J., Lee, R., St. Louis, J., Jackman, M., & Anderson, M. (2002). *Gender differences in kidney failure and ankle pain symptoms among insulin-dependent diabetics*. Retrieved April 5, 2004 from http://apha.confex.com/apha/130am/techprogram/paper_39299.htm
- Sitprija, V (2003). Nephrology in South East Asia: fact and concept (Abstract). *Kidney International, supplement*, 83, S128-30
- Soedarsono, H. (2003, August 11). Karena mahalnya biaya dan keterbatasan ekonomi, baru 10% gagal ginjal yang cuci darah (Because of economically limitation and high expense of hemodialysis, just 10% of renal failure patients received hemodialysis). *Pikiran Rakyat*. Retrieved February 23, 2004 from <http://www.pikiran-rakyat.com/cetak/0803/11/0305.htm>.
- Sophie, S. (1998). Measuring quality of life in the evaluation of health care [Electronic version]. *Nursing Standard*, 12, 36-39.

- Stack, A.G., & Port, F.K. (2002). Demographics of the End-Stage Renal Disease Population, In A.R. Nissenson, & R.N. Fine (Eds.), *Dialysis therapy* (3rd ed.) (pp. 1-6). Philadelphia: Hanley & Belfus, Inc.
- Stapleton, S. (1992). Etiologies and indicators of powerlessness in persons with end-stage renal disease. In J.F. Miller (Ed.), *Coping with chronic illness: Overcoming powerlessness* (2nd ed.) (pp. 163-177). Philadelphia: F.A. Davis Company
- Stromborg, M.F. (1992). Single instruments for measuring quality of life. In M.F. Stromborg (Ed.), *Instruments for clinical nursing research* (pp. 79-95). Boston: Jones and Bartlett Publisher, Inc.
- Stromborg, M.F., & Padilla (1997). Single instruments for measuring quality of life. In M.F. Stromborg & S.J. Olsen (Eds.), *Instruments for clinical health-care research* (pp. 114-134). Boston: Jones and Bartlett Publisher, Inc.
- Suet-Ching, W.L. (2001). The quality of life for Hong Kong dialysis patients. *Journal of advanced nursing*, 35, 218-27
- Suwileh, M.A. (1996). The relationships among social support, coping methods, and quality of life in adult Bahraini clients on maintenance hemodialysis. *Ph.D Dissertation, The University of Texas at Austin*. Abstract retrieved May 23, 2002, from CINAHL database.
- Tariq, S.A. (2000). Does Islam permit meditation. Our Dialog [Electronic version]. *Islamic Voice*, 14, 04
- Tawney, K.W., Tanwey, P.J.W., Hladik, G., Hogan, S.L., Falk, R.J., Weaver, C., et al. (2000). The life readiness program: A physical rehabilitation program for patients on hemodialysis. *American Journal of Kidney Disease*, 36, 581-591

- Taylor, E.J., Jones, P., & Burn, M. (1998). Quality of life. In Ilene, Morof, & Lubkin (eds.), *Chronic illness, impact and interventions* (pp. 207-223). Canada: Jones and Bartlett Publishers
- The Facts about End-Stage Renal Disease*. Retrieved November 16, 2002 from http://biomed.brown.edu/Courses/BI108/BI108_2001_Groups/WAK/currentesrd/popstats.htm
- The WHOQoL Project*. Retrieved November 28, 2003 from <http://www.acpmh.unimelb.edu.au/whoqol/chapter2.htm#after footnote 2>
- Thomas, H.C. (2000). Symptom distress and day-to-day changes in functional status in chronic hemodialysis patients. *Nephrology Nursing Journal*, 27, 369-380
- Ulrich, B.T. (1989). *Nephrology nursing concepts and strategies*. London: Appleton & Lange
- Verrelli, M. (2002). *Chronic renal failure*. Retrieved on July 20, 2003 from <http://www.emedicine.com/med/topic374.htm>.
- Voge, S.A., Beaton, S.R. (1988). *Measurement for long-term care, a guide book*. London: SAGE Publications
- Wegmann, J.A. (1997). Measuring coping. In M.F. Stromborg & S.J. Olsen (Eds.), *Instruments for clinical health-care research* (pp. 177-187). Boston: Jones and Bartlett Publisher, Inc.
- Welch, J.L., & Austin, J.K. (1998). Factors associated with treatment-related stressors in hemodialysis patients. *ANNA Journal*, 26, 318-325.
- Welch, J.L., & Austin, J.K. (2001). Stressors, coping and depression in hemodialysis patients. *Journal of Advanced Nursing*, 33, 200-207

- White, Y., Grenyer, B.F.S. (1999). The biopsychosocial impact of end-stage renal disease: the experience of dialysis patients and their partners. *Journal of Advanced Nursing*, 30, 1312-1320
- Williams, L.S., & Hopper, P.D. (2003). *Understanding medical-surgical nursing, second edition*. Philadelphia: F.A. Davis Company
- Wish, J.B. (2002). Quality improvement, In A.R. Nissenenson, & R.N. Fine (Eds.), *Dialysis therapy* (3rd ed.) (pp. 127-130). Philadelphia: Hanley & Belfus, Inc.
- World Health Organization (1999). *The world health report 1999*. Geneva
- World Health Organization Quality of Life Group (1994). *WHOQoL-BREF, introduction, administration, scoring, and generic version of the assessment, field trial version*. Retrieved November 28, 2002, from <http://www.popcouncil.org/horizons/AIDSQuest/Instrument/WHOQOL-REF.pdf>
- Yues De Vos, J. (2002). Future trend in renal nursing. In N. Thomas (Ed.), *Renal nursing, second edition*, (pp. 431- 440). London: Bailliere Tindall
- Zhan, L. (1992). Quality of life: conceptual and measurement issues. *Journal of Advanced Nursing*, 17, 795-800
- Zhang, X. (1995). *Research and development WHO's policy and activities in the field of traditional medicine*. Retrieved April 2, 2004 from http://www.gfmer.ch/TMCAM/Hypertension/WHO_policy_activities_traditional_medicine.htm