

# CONTENTS

	Page
Contents	ix
List of Tables	xi
List of Figures	xii
List of Abbreviations and Symbols	xv
<b>Chapter 1.</b> Introduction	1
Statement of the problem	1
Introduction to the order Trichoptera	3
Diversity and classification of the order Trichoptera	4
Characteristics of family Hydropsychidae	5
Importance of Trichoptera	11
Previous caddisfly taxonomic research in Thailand	12
Thesis arrangement	14
Thesis objectives	15
Usefulness of the research (Theoretical and / or Applied)	15
Description of study areas	16
Study site	17
<b>Chapter 2.</b> The diversity of adult and larva of hydropsychid species in mountain streams of southern Thailand	26
Introduction	26
Materials and methods	27
Results and discussion	29

## CONTENTS (Continued)

	Page
<b>Chapter 3.</b> Larva and adult association of hydropsychid species	50
Introduction	50
Materials and methods	52
Results and discussion	54
<b>Chapter 4.</b> Association of larval and adult of hydropsychids species using mitochondrial DNA sequence	253
Introduction	253
Materials and methods	256
Results	262
Discussion	270
<b>Chapter 5.</b> Preliminary key to the mature larvae of hydropsychidae of southern Thailand	272
Introduction	272
Key to subfamilies, genera, and species of mature hydropsychid larvae (in part)	273
<b>Chapter 6.</b> Conclusions and remaining problems	283
References	287
Appendix	300
Vitae	338

## LIST OF TABLES

Table	Page	
1.1	Details of each sampling site	19
2.1	Summary of Trichoptera adult sampling dates in each collecting site	31
2.2	Summary of hydropsychid larvae sampling dates in each collecting site	32
2.3	Checklist of adult Trichoptera species in each collecting site	33
2.4	Larvae of hydropsychid species in collecting sites	42
4.1	Hydropsychid species were successful to amplify DNA.	263
4.2	Pairwise distances between taxa in analysis expressed as a percentage of nucleotide differences of <i>ND4</i> ( <i>p</i> -distances)	269
4.3	Pairwise distances between taxa in analysis expressed as a percentage of nucleotide differences of <i>COI</i> ( <i>p</i> -distances)	269

## LIST OF FIGURES

Figure		Page
1.1	General characters of Hydropsychidae: <i>Hydatomanicus adonis</i> larva	7
1.2	Map of southern Thailand showing the twenty-four sampling sites	18
1.3-1.24	Study sites	22
2.1	Percentage of caddisflies individuals collected in each family	40
2.2	Percentage of species richness in each family	40
2.3-2.9	New species of caddisflies	43
3.1-3.24	Larval and pupal features of <i>Diplectrona gombak</i>	61
3.25-3.41	Larval and pupal features of <i>Cheumatopsyche charites</i>	70
3.42-3.63	Larval and pupal features of <i>Cheumatopsyche copia</i>	78
3.64-3.84	Larval and pupal features of <i>Cheumatopsyche tramota</i>	87
3.85-3.110	Larval and pupal features of <i>Hydatomanicus adonis</i>	96
3.111-3.133	Larval and pupal features of <i>Hydatomanicus klanklini</i>	106
3.134-3.156	Larval and pupal features of <i>Hydromanicus abiud</i>	115
3.157-3.181	Larval and pupal features of <i>Hydromanicus inferior</i>	123
3.182-3.195	Larval and pupal features of <i>Hydromanicus serubabel</i>	132
3.196-3.214	Larval and pupal features of <i>Hydropsyche assarakos</i>	139
3.215-3.234	Larval and pupal features of <i>Hydropsyche brontes</i>	148
3.235-3.252	Larval and pupal features of <i>Hydropsyche butes</i>	156
3.253-3.275	Larval and pupal features of <i>Hydropsyche camillus</i>	163
3.276-3.299	Larval and pupal features of <i>Hydropsyche dolosa</i>	172

## LIST OF FIGURES (Continued)

Figure		Page
3.300-3.320	Larval and pupal features of <i>Hydropsyche pallipenne</i>	181
3.321-3.345	Larval and pupal features of <i>Potamyia chaos</i>	190
3.346-3.369	Larval and pupal features of <i>Potamyia phaidra</i>	199
3.370-3.389	Larval and pupal features of <i>Macrostemum dohrni</i>	209
3.390	<i>Macrostemum dohrni</i> . Schematic gill diagrams of the lateral aspect of the meso- and metathorax and first 8 abdominal segments	207
3.391-3.411	Larval and pupal features of <i>Macrostemum fenestratum</i>	217
3.412	<i>Macrostemum fenestratum</i> . Schematic gill diagrams of the lateral aspect of the meso- and metathorax and first 8 abdominal segments	215
3.413-3.433	Larval and pupal features of <i>Macrostemum hestia</i>	225
3.434	<i>Macrostemum hestia</i> . Schematic gill diagrams of the lateral aspect of the meso- and metathorax and first 8 abdominal segments	223
3.435-3.455	Larval and pupal features of <i>Pseudoleptonema quinquefasciatum</i>	233
3.456-3.474	Larval and pupal features of <i>Pseudoleptonema supalak</i>	242
3.475-3.497	Larval and pupal features of <i>Trichomacronema tamdao</i>	249
4.1	Ethidium bromide stained agarose gel of PCR products from <i>ND4</i>	264
4.2	Ethidium bromide stained agarose gel of PCR products from <i>COI</i>	264
4.3	The nucleotide sequence alignments of the <i>ND4</i> genes in <i>Hydromanicus klanklini</i> , <i>Diplectrona gombak</i> , and <i>Cheumatopsyche tramota</i>	265

## LIST OF FIGURES (Continued)

Figure		Page
4.4	The nucleotide sequence alignments of the <i>COI</i> genes in <i>Hydromanicus serubabel</i> , <i>Macrostemun dohrni</i> , <i>M. hestia</i> , <i>Pseudoleptonema quinquefasciatum</i> and <i>P. supalak</i>	266

## LIST OF ABBREVIATIONS AND SYMBOLS

APS	=	ammonium persulfate
bp	=	base pair(s)
°C	=	degree celcius
cm	=	centimeter
DNA	=	deoxyribonucleic acid
EDTA	=	ethylenediamine tetraacetic acis
e.g.	=	exempli gratia
<i>et al.</i>	=	and others
EtOH	=	ethyl alcohol
km	=	kilometer
km <sup>2</sup>	=	square kilometer
m	=	meter
mm	=	millimeter
mM	=	millimolar
mnt.	=	metamorphotype
no.	=	Number
ng	=	nanogram
NaOH	=	sodium hydroxide
Prov.	=	province
rpm	=	revolutions per minute
TEMED	=	N,N,N',N'-tetramethyl-ethylenediamine
Tris-HCl	=	Tris-(hydroxymethyl)-aminoethane hydrochloric acid

## LIST OF ABBREVIATIONS AND SYMBOLS (Continued)

$\mu\text{g}$	=	microgram
$\mu\text{l}$	=	microliter
$\mu\text{M}$	=	micromolar
V	=	volt
v/v	=	volume per volume
W.	=	watt
w/v	=	weight per volume
♂	=	male
♀	=	female