

References

- Apavatjrut, P., Ananthalabhochai, S., Sirirugsa, P. and Alisi, C. 1999. Molecular markers in the identification of some early flowering *Curcuma* L. (*Zingiberaceae*) species. *Annals of Botany* 84: 529-534.
- Backer, C.A. and Bakhuizen van der Brink Jr., R.C. 1968. Flora of Java vol. 3. Wolters-Noodhoft N.V., The Netherlands.
- Baker, J.G. 1892. *Zingiberaceae*. in Flora of British India. Edt. Hooker, J.D. Reeve & Co. Ltd., Kent. 209-216.
- Bridson, D. and Forman, L. 1992. The Herbarium Handbook. Great Britain, Royal Botanic Garden Kew.
- Burtt, B.L. and Smith, R.M. 1972a. Key species in the history of *Zingiberaceae*. Notes Roy. Bot. Gard. Edinb.
- Burtt, B.L. and Smith, R.M. 1972b. Proposal to conserve *Curcuma* Roxb. *Taxon* 21: 709-710.
- Burtt, B.L. 1981. Proposal to conserve *Curcuma* Roxb. (1810) against *Curcuma* L. (1753). *Taxon* 30: 358-361.
- Chen, Z.Y. 1989. Evolutionary patterns in cytology and pollen structure of Asian *Zingiberaceae*. In Holm-Nielsen, B., neilsen, I.C. & Balslev, H. (eds), Tropical Forest. Academic Press. pp. 185-191.
- Chokthaweepanich, H. and Paisooksantivatana, Y. 2003. Classification of the genus *Curcuma* L. (*Zingiberaceae*) based on morphological characters and isozyme pattern. Proceeding of the 3rd Symposium on the Family *Zingiberaceae*, Khon Kaen, Thailand. p. 81-87.
- Committee for Spermatophyta. 1974. Report of the Committee for Spermatophyta. *Taxon* 23: 283.
- Committee for Spermatophyte. 1984. Report of the Committee for Spermatophyta. *Taxon* 33: 706.
- Eksomtramege, L., Sirirugsa, P. and Mayakul, S. 1996. Chromosome numbers of some Thai *Zingiberaceae*. *Songklanakarin J. Sci. Technol.* 18(2): 153-159.

- Eksomtramage, L., Sirirugsa, P., Jivanit, P. and Maknoi, C. 2002. Chromosome counts of some *Zingiberaceous* species from Thailand. *Songklanakarin J. Sci. Technol.* 24(2): 311-319.
- Funakoshi, H., Kress, W.J., Skornickova, J., Liu, A.Z. and Inoue, K. 2005. Return from the lost: rediscover of the presumed extinct *Leptoselena* (*Zingiberaceae*) in the Philippines and its phylogeny placement in gingers. *Acta. Phytotax. Geobot.* 55
- Gagnepian, 1908. *Zingiberaceae*. in Flora generale de Indo-china VI. 57-70.
- de Guzman, C.C. and Siemonsma J.S. (eds) 1999. Plant Resources of Southeast Asia 13: Spices.
- Holttum, 1950. *Zingiberaceae* in Malay Peninsular. *The Gardens' Bulletin Singapore* 13(1): 65-72.
- Kitching I.J., Forey, P.L., Humphries, C.J. and Williams, D.M. 1998. Cladistics – Theory and practice of parsimony analysis. Oxford University Press. 228 pp.
- Kress, W. J., Prince, L. M. and Williams, K. J. 2002. The phylogeny and a new classification of the gingers (*Zingiberaceae*): evidence from molecular data. *American Journal of Botany* 89(11): 1682-1696.
- Kress, J., Liu, A.Z., Newman, M.F. and Li, Q.J. 2005. The molecular phylogeny of *Alpinia* (*Zingiberaceae*): a complex and polyphyletic genus of gingers. *American Journal of Botany* 92(1): 167-178.
- Larsen, K. 1996. A preliminary checklist of the family *Zingiberaceae* in Thailand. *Thai Forest Bulletin (Botany)* 24: 65-78.
- Larsen, K., Lock, J.M., Maas, H. and Maas, P.J.M. 1998. *Zingiberaceae*. in edt. Kubitzki, K. The Families and Genera of Vascular Plants vol. 4: Flowering plants – Monocotyledons (*Alismataceae* – *Commelinaceae* except *Gramineae*). Springer, German. p. 474-495.
- Larsen, K. 2005. Distribution patterns and diversity centres of *Zingiberaceae* in SE Asia. *Biol. Skr.* 55: 219-228.
- Leonel, M., Sarmento, S.B.S. and Cereda, M. 2003. New starches for food industry: *Curcuma longa* and *Curcuma zedoaria*. *Carbohydrate Polymers* 54: 385-388.

- Liao, J.P. and Wu, Q.G. 2000. A preliminary study of the seed anatomy of *Zingiberaceae*. *Botanical Journal of the Linnean Society* 134: 287-300.
- Lipscomb, D. 1998. Basic of Cladistic Analysis. George Washington University, Washington D.C., United State. p. 75.
- Mood, J. and Larsen, K. 2001. New *Curcumas* from South-east Asia. *The New Plants Man* 8(4): 207-217.
- Nayar, J. 1996. Pollen morphology of *Zingiberiflorae* with particular reference to the nature of the pollen wall. Proceeding of the 2nd Symposium on the family *Zingiberaceae*. South China Inst. Bot. Kunming, China. pp. 64-73.
- Ngamriabsakul, C., Newman, M. F. and Cronk, Q. C. B. 2004. The Phylogeny of Tribe *Zingibereae* (*Zingiberaceae*) based on ITS (nrDNA) and *trnL-F* (cpDNA) sequences. *Edinburgh Journal of Botany* 60(3): 483-507.
- Oyen L.P.A. and Nguyen X.D. (eds) 1999. Plant Resources of Southeast Asia 19: Essential oil plants.
- Paisooksantivatana, Y., Kako, S. and Seko, H. 2001. Isozyme polymorphism in *Curcuma alismatifolia* Gagnep. (*Zingiberaceae*) populations from Thailand. *Scientia Horticulturae* 88: 299-307.
- Perdersen, L. B. 2004. Phylogenetic analysis of the subfamily *Alpinioideae* (*Zingiberaceae*), particularly *Etlingera* Giseke, based on nuclear and plastid DNA. *Plant Systematics and Evolution* 245: 239-258.
- Phengklai, C. 1988. Vegetations in bog area. *Thai Forest Bulletin (Botany)* 17: 1-105.
- Rangsiruji, A., Newman, M.F. and Cronk, Q.C.B. 2000. A study of the infrageneric classification of *Alpinia* (*Zingiberaceae*) based on the ITS region of nuclear rDNA and the *trnL-F* spacer of chloroplast DNA. Proceeding of Monocot II: Systematics and Evolution. Melbourne. pp. 695-709.
- Rao, V.S., Karnik, H. and Gupte, K. 1954. The floral anatomy of some Scitamineae – Part I. *Journal of Indian Botanical Society* 53: 119-147.
- Ridley, H.N. 1924. Flora of the Malay Peninsula. Vol. IV. Monocotyledones. London. Reeve.
- Rosalind, J.S. and Heddersen, T.A. 2000. A preliminary phylogeny of the *Hedychieae* tribe (*Zingiberaceae*) based on ITS sequences of the nuclear rRNA cistron.

- Proceeding of Monocot II: Systematics and Evolution. Melbourne. pp. 710-718.
- Sabu, M. and Skornickova, J. 1996. *Curcuma aeruginosa* Roxb.: source of East Indian arrowroot. Proceeding of the 3rd Symposium on the Family *Zingiberaceae*, Khon Kaen, Thailand. pp. 196-200.
- Saensuk, S., Sumonthip, B. and Luangpirom, A. 1998. Chromosome numbers of some *Zingiberaceae* in Phu Phan National Park. 24th Congress on Science and Technology of Thailand. Bangkok.
- Saensuk, S. and Chantaranothai, P. 2003. The Family *Zingiberaceae* in Phu Phan National Park. Proceeding of the 3rd Symposium on the Family *Zingiberaceae*, Khon Kaen, Thailand. pp. 16-25.
- Schumann, K. 1902. *Zingiberaceae*. In Schmidt (ed) Flora of Koh Chang. Part V. Berlin.
- Schumann, K. 1904. *Zingiberaceae*. In Planzenreich Family vol. 29???
- Searle, R.J. and Heddersen, T.A. 2000. A preliminary phylogeny of the *Hedychieae* tribe (*Zingiberaceae*) based on ITS sequences of the nuclear rRNA cistron. In Wilson, K.L. and Morrison (eds), Monocot – systematics and evolution, 710-718. CSIRO Publishing, Collingwood, Australia.
- Sirirugsa .1996. The gens *Curcuma* L. in Thailand. Proceeding of the 2nd Symposium on the family *Zingiberaceae*. South China Inst. Bot. Kunming, China. pp. 39-46.
- Sirirugsa, P. 1996. A preliminary study of the genus *Curcuma* L. in Thailand. Prince of Songkla University. pp. 35.
- Sirirugsa, P. and Newman, M. F. 2000. A new species of *Curcuma* L. (Zingiberaceae) from S.E. Asia. *The New Plants Man* 7(4): 196-198.
- Sirisawad, T., Sirirugsa, P., Suwanthada, C. and Apavatjrut, P. 2003. Investigation of Chromosome numbers in 20 taxa of *Curcuma*. Proceeding of the 3rd Symposium on the Family Zingiberaceae, Khon Kaen, Thailand. p. 54-62.
- Skornickova, J., Sabu, M. and Prasanthkumar, M. G. 2003a. A new species of *Curcuma* L. from Mizoram, India. *Garden's Bulletin Singapore* 55: 89-95.
- _____, 2003b. A new species of *Curcuma* L. from Andaman Island, India. *Gardens' Bulletin Singapore* 55: 219-228.

- ._____., 2004. *Curcuma mutabilis* (Zingiberaceae) a new species of from South India. *Gardens' Bulletin Singapore* 56:43-54.
- Soltis, D.E., Soltis, P.S. and Doyle, J.J. 1992. Molecular Systematics of Plants. Chapman & Hall. New York, United State.
- Soltis, D.E., Soltis, P.S. and Doyle, J.J. 1998. Molecular Systematics of Plants II. Kluwer Academic Publisher. United State.
- Soltis, D.E., Soltis, P.S. and Zanis, M.J. 2002. Phylogeny of seed plants based on evidence on eight genes. *American Journal of Botany* 89(10): 1670-1681.
- Stussy, T.F. 1990. Plant Taxonomy. Columbia University Press. United State.
- Valeton, Th. 1918. New note on the Zingiberaceae of Java and Malaya. *Bull. Jard. Buitenzorg.* Serie 2. 27: 1-87
- Vanijajiva, O., Sirirugsa, P. and Suvachittanont, W. 2005. Confirmation of relationships among *Boesenbergia* (Zingiberaceae) and related genera by RAPD. *Biochemical Systematics and Ecology* 33: 159-170.
- Velayudhan, K.C., Amalraj, V.A. and Muralidharan, V.K. 1996. The conspectus of the genus *Curcuma* in India. *J. Econ. Taxo. Bot.* 20(2): 375-382.
- Wang, Y.Q., Zhang, D.X. and Chen, Z.Y. 2004. Pollen Histochemistry and pollen:ovule ratios in Zingiberaceae. *Annals of Botany* 94: 583-591.
- Weerapakdee, W. and Krasaechai, A. 1997. Collection and development studies of certain *Curcuma* species. *Journal of Agriculture* 13(2): 127-136.
- Williams, K., Kress, W.J. and Manos, P.S. 2004. The phylogeny, evolution, and classification of the genus *Globba* and tribe Globbeae (Zingiberaceae): appendages do matter. *American Journal of Botany* 91: 100-114.
- Wood, T., Whitten, W.M. and Williams, N.H. 2000. Phylogeny of *Hedychium* and related genera (Zingiberaceae) based on ITS sequence data. *Edinburgh Journal of Botany* 57: 261-270.
- Wu, T.L. and Larsen, K. 2000. Zingiberaceae. In Wu and Raven (eds) Flora of China. Vol. 24. Missouri Botanical Garden Publishing. St. Louis. pp. 360-363.