

Bibliography

- Allard, J.P., *et al.* 1998. Oxidative stress and plasma antioxidant micronutrients in human with HIV infection, *Am J Clin Nutr*, 67 : 143-7
- Bailey, R.T., *et al.* 1990. Influence of dissolution rate and pH of oral drug-induced esophageal injury, *DICP*, 24(6) : 571-574
- Baxter, J.G., *et al.* 1986. Pharmacokinetics of ketoconazole administered intravenously to dogs and orally as tablet and solution in human and dogs, *J Pharm Sci*, 75(5) : 443-447
- Belitsos, P.C., *et al.* 1992. Association of gastric hypoacidity with opportunistic enteric infections in patients with AIDS, *J Infect Dis*, 166 : 277-284
- Blum, R.A., *et al.* 1991. Increased gastric pH and the bioavailability of fluconazole and ketoconazole, *Ann Intern Med*, 114 : 755-757
- Budavari, S. ed., 1996. *The Merck index* 12th ed, Whitehouse station, Merck & Co. Inc.
- Carlson, J.A., Mann, H.J. and Canafax, D.M., 1983. Effect of pH on disintegration and dissolution of ketoconazole tablets, *Am J Hosp Pharm*, 40 : 1334-1336
- Cartledge, J.D., *et al.* 1997. Unresponsive HIV-related oro-esophageal candidiasis—an evaluation of two new in-vitro azole susceptibility tests. *J Antimicrob Chemother*, 40 : 517-523
- Carver, P.L., *et al.* 1994. In vivo interaction of ketoconazole and sucralfate in healthy volunteers, *Antimicrob Agents Chemother*, 38 : 326-329
- Chin, T.W.F., Loeb, M. and Fong, I.W. 1995. Effects of an acidic beverage (Coca-Cola) on absorption of ketoconazole, *Antimicrob. Agents Chemother*, 39 : 1671-1675
- Daneshmend, T.K. and Warnock, D.W., 1988. Clinical pharmacokinetic of ketoconazole, *Clinical Pharmacokinetic*, 14 : 13-34
- Daneshmend, T.K., *et al.*, 1986. Influence of formulation on ketoconazole pharmacokinetics in man: comparison of standard tablet versus capsule containing citric acid, *J Antimicrob Chemother*, 18(2) : 289-291
- Hardman, J.G. and Limbird, L.E. eds., 1996a. *Goodman & Gilman's The Pharmacological Basis of Therapeutics* 9th ed, pp. 1181-1182, New-York : McGraw-Hill

- Hardman, J.G. and Limbird, L.E. eds, 1996b. Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed, pp. 1568-1570, New-York : McGraw-Hill
- Hoeschele, J.D., *et al.*, 1994. In Vitro Analysis of the Interaction between Sucralfate and Ketoconazole, Antimicrob Agents Chemother, 38(2) : 319-325
- Hospenthal, D.R. and Bennett, J.E., 2000. Miscellaneous fungi and protozoa In : Principles of practice of infectious disease, (eds. G.L. Mandell, J.E. Bennett JE and R. Dolin), 5th ed, p 2774, Philadelphia : Churchill Livingstone
- Huang, Y., *et al.*, 1986. Pharmacokinetics and dose proportionality of ketoconazole in normal volunteers, Antimicrob Agents Chemother, 30(2) : 206-210
- Lacy CF, *et al.*, eds. 2001. Drug Information Handbook 2001-2002, 9th ed, p 1008, Cleveland : Lexi-Comp INC.
- Lake-Bakaar, G., *et al.*, 1988a. Gastropathy and ketoconazole malabsorption in the acquired immunodeficiency syndrome (AIDS), Ann Intern Med, 109(15) : 471-473
- Lake-Bakaar, G., *et al.*, 1988b. Gastric secretory failure in patients with the Acquired Immunodeficiency Syndrome (AIDS), Ann Intern Med, 109(15) : 502-504
- Lake-Bakaar, G., *et al.*, 1996. Changes in parietal cell structure and function in HIV disease, Dig Dis Sci, 41 : 1398-1408
- Lelawong, P., *et al.*, 1988. Effect of food and gastric acidity on absorption of orally administered ketoconazole, Clin Pharm., 7(3) : 228-235
- McEvoy, G.K., ed., 2001a. AHFS Drug Information 2001, pp 119-125, Bethesda : American Society of Health-System Pharmacists
- McEvoy, G.K., ed., 2001b. AHFS Drug Information 2001, pp 3512-3515, Bethesda : American Society of Health-System Pharmacists
- Mclellan, R.A., *et al.*, 1996. Fluoroquinolone antibiotics inhibit cytochrome P450-mediated microsomal drug metabolism in rat and human, Drug Met and Disp, 24 (10) : 1134-1138
- Micromedex (R) Healthcare Series, 2002
- Piscitelli, J.M., *et al.*, 1991. Effects of ranitidine and sucralfate on ketoconazole bioavailability, Antimicrob Agents Chemother, 35 : 1765-1771
- Shaffer, R.T., *et al.*, 1999. Gastric acid secretion in HIV-1 infection, Am J Gastroentero, 87(12) : 1777-1780

- Shargel, L., ed., 1999. Applied Biopharmaceutics & Pharmacokinetics, 4th ed., London : Prentice-Hall International. Inc.
- Sharpstone, D., *et al*, 1999. Small intestinal transit, absorption, and permeability in patients with AIDS with and without diarrhoea, *Gut*, 45(1) : 70-76
- Shelton, M.J., *et al*, 1988. Precious infection with *Helicobacter pylori* is the primary determinant of spontaneous gastric hypoacidity in Human Immunodeficiency Virus–infected outpatients, *CID*, 27 : 739-745.
- Tavitian, A., *et al*, 1986. Ketoconazole resistant *Candida albicans* esophagitis patients with acquired immunodeficiency syndrome, *Gastroenterogy*, 90 : 443-445
- van der Meer, J.W.M., *et al*, 1980. The influence of gastric acidity on the bioavailability of ketoconazole, *J Antimicrob Chemother*, 6 : 522-524 [abstract]
- Welage, L.S., *et al*, 1995. Alterations in gastric acidity in patients infected with Human Immunodeficiency Virus, *CID*. 1995; 21: 1431-1438
- Yamashita, S.K., *et al*, 1991. Lack of pharmacokinetic and pharmacodynamic interaction between ketoconazole and prednisolone, *Clin Pharmacol Ther*, 49(5) : 558-570
- Yuen, K.H. and Peh, K.K., 1998. Simple high-performance liquid chromatographic method for determination of ketoconazole in human plasma, *J Chromatogr B Biomed Sci Appl*, 715(2) : 436-440