CONTENTS

	page
บทคัดย่อ.	(3)
ABSTRACT	(5)
ACKNOWLEDGEMENT	(7)
CONTENTS	(8)
LIST OF TABLES	(9)
LIST OF FIGURES	(10)
LIST OF ABBREVIATIONS	(11)
1. INTRODUCTION	1
2. LITERATURE REVIEW	6
Mefloquine	6
Ketoconazole	24
Cytocrome P450	44
P-Glycoproteins	53
3. MATERIALS AND METHODS	67
4. RESULS	80
5. DISCUSSION AND CONCLUSION	97
REFERENCE	106
APPENDIX	

LIST OF TABLES

Table	page
1. The intra-day assay variance of mefloquine in plasma	74
2. The intra-day assay variance of mefloquine metabolite in plasma	75
3. The inter-day assay variance of mefloquine in plasma	76
4. The inter-day assay variance of mefloquine metabolie in plasma	77
5. Relative recovery of standard mefloquine in plasma	78
6. Relative recovery of standard mefloquine metabolite in plasma	79
7. Pharmacokinetic parameters (mean ± SD.) of mefloquine in eight	
subjects receiving a single oral of dose 500 mg mefloquine alone	
and during ketoconazole co-administration	91
8. Pharmacokinetic parameters (mean ± SD.) of mefloquine metabolite	
in eight subjects receiving a single oral of dose 500 mg mefloquine	
alone and during ketoconazole co-administration	92
9. Pharmacokinetics of mefloquine in subjects administered	
mefloquine alone	93
10. Pharmacokinetics of mefloquine in subjects administered mefloquine	
during ketoconazole co-administration	94
11. Pharmacokinetics of mefloquine metabolite in subjects	
administered mefloquine alone	95
12. Pharmacokinetics of mefloquine metabolite in subjects	
administered mefloquine during ketoconazole co-administration	96

LIST OF FIGURES

-igure		page
1.	Structural formula of mefloquine and quinine	6
2.	Structural formula of a carboxylic metabolite	13
3.	Structural formula of ketoconazole	24
4.	Mean calibration curve of standard mefloquine in plasma	84
5.	Mean calibration curve of standard mefloquine metabolite in plasma	85
6.	Representative chromatograms of 200 µl human plasma sample.	
	Key :(A) Blank human plasma; (B) spiked with standard mefloquine and	
	mefloquine metabolite, 250ng/ml	86
7.	Representative chromatograms of 200 µl human plasma sample.	
	Key: (A) Blank human plasma; (B) plasma obtained from a subject	
	without ketoconazole treatment at day 3	87
8.	Representative chromatograms of 200 µl human plasma sample.	
	Key: (A) blank human plasma; (B) plasma obtained from a subject	
	with ketoconazole treatment at day 3	88
9.	Mean plasma mefloquine concentrations after a single oral dose	
	of 500 mg mefloquine administration alone and after pretreatment	
	with 400 mg ketoconazole once daily for 10 days	89
10	. Mean plasma mefloquine metabolite concentrations after a single	
	oral dose of 500 mg mefloquine administration alone and	
	after pretreatment with 400 mg ketoconazole once daily for 10 days	90

LIST OF ABBREVIATIONS

AUC = area under the concentration-time curve

 $^{\circ}$ C = degree Celsius

Cl/f = apparent oral clearance

cm = centimeter

 C_{max} = maximal plasma concentration

CSF = cerebrospinal fluid

C.V. = coefficient of variation

D = day

e.g. = exampli gratia

etc. = et cetera

g = gram

 $\mu g = microgram$

Hb = hemoglobin

hr = hour

Ke = elimination rate constant

kg = kilogram

K = inhibition rate constant

L = litre

 μ I = microlitre

M = molar

MIC = minimum inhibitory concentration

min = minute

ml = milliliter

mM = millimolar

ng = nanogram

P = P value

r = correlation coefficient

LIST OF ABBREVIATIONS (Continued)

S.D. = standard deviation

SGOT = serum glutamic oxaloacetic transaminase

SGPT = serum glutamic pyruvic transaminase

 $t_{1/2}$ = elimination half life

 t_{max} = time to maximal plasma concentration

UV = ultraviolet

Vd/f = apparent volume of distribution

vs = versus

vol/vol/vol = volume by volume

WBC = white blood cell

yr = year

% = percent