

BIBLIOGRAPHY

- Aantaa R, Marjamaki A, Scheinin M. 1995. Molecular pharmacology of β_2 -adrenoceptor subtypes. *Ann. Med.* 27:439-449.
- Ahlquist RP. 1948. A study of the adrenotropic receptors. *Am. J. Physiol.* 153:586- 600.
- Akinkugbe OO. 1990. Epidemiology of cardiovascular disease in developing countries. *J. Hypertens.* 8:S233-S238.
- Aksoy MO, Murphy RA, Kamm KE. 1982. Role of Ca^{2+} and myosin light chain phosphorylation in regulation of smooth muscle. *Am. J. Physiol.* 242:C109-C116.
- Amagase H. 2003. Use of Aged Garlic Extract as a complementary medicine benefiting cardiovascular patients. The International Conference and Exhibition on Functional Foods & Nutraceuticals. Riviera Hotel Convention Center, Las Vegas, USA.
- Aukkanibutra A. 1985. Steroids from *Typha Elephantina* and Triterpenoids from *Randia siamensis*. Ph.D Thesis. Department of Pharmacognosy, Faculty of Pharmaceutical Sciences, Chulalongkorn University, Bangkok, Thailand.
- Axelrod J. 1961. Purification and properties of phenylethanolamine N-methyltransferase. *J. Biol. Chem.* 237:1657-1660.
- Axelrod J. 1970. Noradrenaline: fate and control of its biosynthesis. Nobel lecture, December 12.
- Axelrod J, Reisine TD. 1984. Stress hormones: Their interaction and regulation. *Science* 224:42-49.
- Balser JR. 2001. The cardiac sodium channel: gating function and molecular pharmacology. *J. Mol. Cell. Cardiol.* 33:599-613.
- Barros RA, Okoshi MP, Cicogna AC. 1999. Beta-adrenergic pathway in healthy and hypertrophied hearts. *Arq. Bras. Cardiol.* 72:649-656.
- Belardinelli L, Isenberg G. 1983. Isolated atrial myocytes: adenosine and acetylcholine increase potassium conductance. *Am. J. Physiol.* 244:H734-737.
- Berne RM, Levy MN. 1998. *Physiology*. 4th edition. Mosby, London.
- Bers DM. 2000. Calcium fluxes involved in control of cardiac myocyte contraction. *Circ. Res.* 87:275-281.

- Bers DM. 2002. Cardiac excitation-contraction coupling. *Nature*. 415:198-205.
- Black JW, Jenkinson DH, Kenakin TP. 1980. Antagonism of an indirectly acting agonist: block by propranolol and sotalol of the action of tyramine on rat heart. *Eur. J. Pharmacol.* 65:110.
- Bockman CS, Gonzalez-Cabrera I, Abel PW, 1996. Alpha-2 adrenoceptor subtype causing nitric oxide-mediated vascular relaxation in rats. *J. Pharmacol. Exp. Ther.* 278:1235-1243.
- Bonita R, Beaglehole R. 1994. Cardiovascular disease epidemiology in developing countries: ethics and etiquette. *Lancet*. 344:1586-1587.
- Borthne K, Haga P, Langslet A, Lindberg H, Skomedal T, Osnes JB. 1995. Endogenous noradrenaline stimulates both α_1 - and α_2 -adrenoceptors in myocardium from children with congenital heart defects. *J. Mol. Cell. Cardiol.* 27:693-699.
- Boulanger CM, Heymes C, Benessiano J, Geske RS.; Levy BI, Vanhoutte PM. 1998. Neuronal nitric oxide synthase is expressed in rat vascular smooth muscle cells: activation by angiotensin II in hypertension. *Circ. Res.* 28:1271-1278.
- Bredt DS, Hwang PM, Snyder SH. 1990. Localization of nitric oxide synthase indicating a neural role for nitric oxide. *Nature*. 347:768-770.
- Brilla C, Janicki JS, Weber KT. 1991. Impaired diastolic function and coronary reserve in genetic hypertension. Role of interstitial fibrosis and medial thickening of intramyocardial coronary arteries. *Circ. Res.* 69:107-115.
- Bristow MR, Minobe W, Rasmussen R, Hershberger RE, Hoffman BB. 1988. Alpha-1 adrenergic receptors in the nonfailing and failing human heart. *J. Pharmacol. Exp. Ther.* 247:1039-1045.
- Brittain RT, Levy GP. 1976. A review of the animal pharmacology of labetalol, a combined alpha- and beta-adrenoceptor-blocking drug. *Br. J. Clin. Pharmacol.* 394:681-684.
- Brodde OE. 1991. α_1 - and α_2 -adrenergic receptors in the human heart: properties, function, and alterations in chronic heart failure. *Pharmacol. Rev.* 43:203-242.
- Brodde OE, Michel MC. 1999. Adrenergic and muscarinic receptors in the human heart. *Pharmacol. Rev.* 51:651-689.

- Brodde OE, Michel MC, Zerkowski HR. 1995. Signal transduction mechanisms controlling cardiac contractility and their alterations in chronic heart failure. *Cardiovasc. Res.* 30:570-584.
- Brodde OE, Bruck H, Leineweber K, Seyfarth T. 2001. Presence, distribution and physiological function of adrenergic and muscarinic receptor subtypes in the human heart. *Basic. Res. Cardiol.* 96:528-538.
- Brodde OE, Leineweber K. 2004. Autonomic receptor systems in the failing and aging human heart: similarities and differences. *Eur. J. Pharmacol.* 500:167-176.
- Brody TM, Larner J, Minneman KP, Neu HC. 1994. *Human Pharmacology: Molecular to clinical*, p. 114-117. 2nd edition, Mosby-Year Book, Inc. USA.
- Calderone V, Martinotti E. 2000. Potassium channels: K_{ATP} and BK_{Ca} in vascular smooth muscle. *Pharm. Pharmacol. Commun.* 6:247-253.
- Carson RP, Roberson D. 2002. Genetic manipulation of noradrenergic neurons. *J. Pharmacol. Exp. Ther.* 301:410-417.
- Carrier GO, White RE. 1985. Enhancement of alpha-1 and alpha-2 adrenergic agonist-induced vasoconstriction by removal of endothelium in rat aorta. *J. Pharmacol. Exp. Ther.* 23:682-687.
- Caulfield MP. 1993. Muscarinic receptors: Characterization, coupling and function. *Pharmacol. Ther.* 58:319-379.
- Caulfield MP, Birdsall NJM. 1998. International Union of Pharmacology. XVII. Classification of muscarinic acetylcholine receptors. *Pharmacol. Rev.* 50:279-290.
- Chess-Williams RG, Grassby PF, Broadley KJ, Sheridan DJ. 1987. *Naunyn Schmiedebergs Arch. Pharmacol.* 336:646-651.
- Choi DJ, Koch WJ, Hunter JJ, Rockman HA. 1997. Mechanism of β -adrenergic receptor desensitization in cardiac hypertrophy is increased β -adrenergic receptor kinase. *J. Biol. Chem.* 272:17223-17229.
- Cohen RA, Vanhoutte PM. 1995. Endothelium-dependent hyperpolarization: beyond nitric oxide and cyclic GMP. *Circulation.* 92:3337-3349.

- Cory RC, Grande RW, Houston ME. 1994. Role of sarcoplasmic reticulum in load sensitive relaxation in pressure overload cardiac hypertrophy. *Am. J. Physiol.* 266:H68-78.
- Craib WG 1939. *Florae Siamensis Enumeratio*, Vol. II, p. 98-115. The Siam Society, Bangkok.
- Culter SJ, Cutler HG. 2005. *Natural Cardiovascular Agents*. U.S. Pharmacist, A Jobson publication, USA.
- Danish Myo Technology (DMT). 2003. User manual: Dual wire myograph system model 410A, Version 2.00. Aarhus, Denmark. p. 65-66.
- Dhein S, Van Koppen CJ, Brodde OE. 2001. Muscarinic receptors in the mammalian heart. *Pharmacol. Res.* 44:161-182.
- DiFrancesco D, Ducouret P, Robonson RB. 1989. Muscarinic modulation of cardiac rate at low acetylcholine concentrations. *Science.* 243:669-671.
- Docherty JR. 1998. Subtypes of functional α_1 - and α_2 -adrenoceptors. *Eur. J. Pharmacol.* 361:1-15.
- Dodu SR. 1984. Coronary heart disease in developing countries: the threat can be averted. *WHO Chron.* 38:3-7.
- Eglen RM, Hedge SS, Watson N. 1996. Muscarinic receptor subtypes and smooth muscle function. *Pharmacol. Rev.* 48:531-565.
- Endoh M, Hiramoto T, Ishihata A, Takanashi M, Inui J. 1991. Myocardial α_1 -adrenoceptors mediate positive inotropic effect and changes in phosphatidylinositol metabolism: Species differences in receptor distribution and the intracellular coupling process in mammalian ventricular myocardium. *Circ. Res.* 68:1179-1190.
- Esplugues JV. 2002. NO as a signaling molecule in the nervous system. *Br. J. Pharmacol.* 135:1079-1095.
- Felder CC. 1995. Muscarinic acetylcholine receptors: Signal transduction through multiple effectors. *FASEB J.* 9:619-625.
- Figuroa XF, Poblete MI, Boric MP, Mendizabal VE, Adler-Graschinsky E, Huidobro-Toro JP. 2001. Clonidine-induced nitric oxide dependent vasorelaxation mediated by endothelial α_2 -adrenoceptor activation. *Br. J. Pharmacol.* 134:957-968.

- Floras JS. 1992. Epinephrine and the genesis of hypertension. *Hypertension*. 19:118.
- Furchgott FR, Zawadzki JV. 1980. The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. *Nature*. 288:373-376.
- Giessler C, Dhein S, Penicke K, Brodde OE. 1999. Muscarinic receptors in the failing human heart. *Eur. J. Pharmacol.* 375:197-202.
- Gilani AH. 1998. Novel developments from natural products in cardiovascular research. *Phytother. Res.* 12:S66-S69.
- Giraldo E, Martos F, Gomez A, Garcia A, Vigano MA, Ladinsky H, Sanchez de la, Cuesta F. 1988. Characterization of muscarinic receptor subtypes in human tissues. *Life Sci.* 43:1507-1515.
- Gisbert R, Noguera MA, Ivorra MD, D'Ocon P. 2000. Functional evidence of a constitutively active population of α_{1D} -adrenoceptors in rat aorta. *J. Pharmacol. Exp. Ther.* 295:810-817.
- Gray DW, Marshall I. 1992. Novel signal transduction pathway mediating endothelium-dependent α -adrenoceptor vasorelaxation in rat thoracic aorta. *Br. J. Pharmacol.* 107:684-690.
- Graziano MN, Ferraro GE, Coussio JD. 1971. Alkaloids of Argentine medicinal plants. II. Isolation of tyramine, beta-phenethylamine and tryptamine from *Prosopis alba*. *Lloydia.* 34(4):453-454.
- Gross SS, Stuehr DJ, Aisaka K, Jaffe EA, Levi R, Griffith OW. 1990. Macrophage and endothelial cell nitric oxide synthesis: cell-type selective inhibition by N^G -aminoarginine, N^G -nitroarginine and N^G -methylarginine. *Biochem. Biol. Res. Commun.* 170:96-103.
- Hayes LS, Pollock GD, Fuller RW. 1984. In vivo cardiovascular responses to isoproterenol, dopamine and tyramine after prolonged infusion of isoproterenol. *J. Pharmacol. Exp. Ther.* 231:633-639.
- Hess SM, Connamacher RH, Ozaki M, Udenfriend SJ. 1961. *J. Pharmacol. Exp. Ther.* 134:129.
- Hieble JP, Bylund DB, Clarke DE, Eikenburg DC, Langer SZ, Lefkowitz RJ, Minneman KP, Ruffolo RR. 1995. International Union of Pharmacology. X. Recommendation

- for nomenclature of α_1 -adrenoceptors: consensus update. *Pharmacol. Rev.* 47:267-270.
- Hoffman BB, Lefkowitz RJ, Taylor P. 1996. Neurotransmission: The autonomic and somatic motor nervous systems. In Hardman JG, Limbird LE. (ed), Goodman & Gilmans: The pharmacological basis of therapeutics, 9th edition, McGraw-Hill, New York.
- Hoffman BB, Taylor P. 2001. Neurotransmission: the autonomic and somatic motor nervous system, p. 115-154. In Hardman JG, Limbird LE. (ed), Goodman & Gilmans: The pharmacological basis of therapeutics, 10th edition, McGraw-Hill, New York.
- Holman ME, Coleman HA, Tonta MA, Parkington HC. 1994. Synaptic transmission from splanchnic nerves to the adrenal medulla of guineapigs. *J. Physiol.* 478:115-124.
- Hove-Madsen L, Bers DM. 1993. Sarcoplasmic reticulum Ca^{2+} uptake and thapsigargin sensitivity in permeabilized rabbit and rat ventricular myocytes. *Circ. Res.* 73:820-828.
- Huang H, Martasek P, Roman LJ, Masters BS, Silverman RB. 1999. N^{\square} -nitroarginine-containing dipeptide amides. Potent and highly selective inhibitors of neuronal nitric oxide synthase. *J. Med. Chem.* 42:3147-3153.
- Hubbard JW, Nordstrom ST, Smith CP, Brooks KM, Laws-Ricker L, Zhou L, Vargas HM. 1997. \square -Adrenergic activity and cardiovascular effects of besipirdine HCl (HP 749) and metabolite P7480 in vitro and in the conscious rat and dog. *J. Pharmacol. Exp. Ther.* 281:337-346.
- Hulme EC, Birdsall NJM, Buckley NJ. 1990. Muscarinic receptor subtypes. *Annu. Rev. Pharmacol. Toxicol.* 30:633-673.
- Ida Y, Katsumata M, Satoh Y, Shoji J. 1994. Glucuronide saponins of oleanolic acid from *Achyranthes fauriei* roots. *Planta Medica.* 60(3):286-287.
- Inada A, Murata H, Kobayashi M, Nakanishi T. 1987. Pseudoginsenoside-RP₁ and zingibroside-R₁ from seeds of *Strongylodon macrobotrys* A. Gray. *Shoyaku Zasshi.* 41(2):153-156.

- Iranami H, Hatano Y, Tsukiyama Y, Maeda H, Mizumoto K. 1996. A beta- adrenoceptor agonist evokes a nitric oxide-cGMP relaxation mechanism modulated by adenylyl cyclase in rat aorta. *Anesthesiology*. 85:1129-1138.
- Irisawa H, Brown HF, Giles W. 1993. Cardiac pacemaking in the sinoatrial node. *Physiol. Rev.* 73:197-227.
- Ishii K, Chang JrB, Kerwin JF, Huang ZJ, Murad F. 1990. N[□]-nitro-L-arginine: a potent inhibitor of endothelium-derived relaxing factor formation. *Eur. J. Pharmacol.* 176:219-223.
- Jacob G, Costa F, Vincent S, Robertson D, Biaggion I. 2003. Neurovascular dissociation with paradoxical forearm vasodilatation during systemic tyramine administration. *Circulation*. 107:2475-2479.
- Jansakul C, Boura AL, King RG. 1989. Effects of endothelial cell removal on constrictor and dilator responses of aortae of pregnant rats. *J. Auto. Pharmacol.* 9:93-101.
- Jansakul C, Intarit K, Itharat A, Phadungcharoen T, Ruangrunsi N, Marica A, Lange, GL. 1999. Biological activity of crude extract and saponin pseudoginsenoside-RT₁ derived from the fruits of *Randia siamensis*. *Pharmaceu. Biol.* 37:42-45.
- Johnson GE, Osis M, Hannah KJ. 1998. *Pharmacology and the nursing practice*, p. 258-260. 4th edition, WB Saunders, Toronto.
- Kanagy NL. 1997. Increased vascular responsiveness to □₂-adrenergic stimulation during NOS inhibition-induced hypertension. *Am. J. Physiol.* 273:H2756-H2764.
- Kanagy NL. 2005. □₂-adrenergic receptor signalling in hypertension. *Clin. Sci.* 109:431-437.
- Katzung BG. 1998. *Basic and clinical pharmacology*, p. 153-166. 7th edition, Prentice Hall International (UK) Limited, London.
- Klabunde RE. 2004. *Cardiovascular physiology concepts: adrenergic and cholinergic receptors*. Lippincott Williams & Wilkins.
- Kim ND, Kang SY, Kim MJ, Park JH, Schini-Kerth VB. 1999. The ginsenoside Rg₃ evokes endothelium-independent relaxation in rat aortic rings: role of K⁺ channels. *Eur. J. Pharmacol.* 367:51-57.

- Kim ND, Kim EM, Kang KW, Cho MK, Choi SY, Kim SG. 2003. Ginsenoside Rg3 inhibits phenylephrine-induced vascular contraction through induction of nitric oxide synthase. *Br. J. Pharmacol.* 140:661-670.
- King HGC, White T. 1957. Tannins and polyphenols of *Schinopsis (quebracho)* species: their genesis and interrelation. *Journal of the Society of Leather Trades' Chemists.* 41:368-383.
- Kitamura K, Itoh T, Suzuki H, Ito Y, Kuriyama H. 1991. Properties of sympathetic neuromuscular transmission and smooth muscle cell membranes in vascular beds. *Comp. Biochem. Physiol. C.* 98:181-92.
- Kiuchi K, Shannon RP, Komamura K, Cohen DJ, Bianchi C, Homcy CJ, Vatner SF, Vatner DE. 1993. Myocardial α -adrenergic receptor function during the development of pacing-induced heart failure. *J. Clin. Invest.* 91:907-914.
- Lands AM, Arnold A, McAuliff JP. 1967. Differentiation of receptor systems activated by sympathomimetic amines. *Nature.* 214:597-598.
- Landzberg JS, Parker JD, Gauthier DF, Colucci WS. 1994. Effects of intracoronary acetylcholine and atropine on basal and dobutamine-stimulated left ventricular contractility. *Circulation.* 89:164-168.
- Langer SZ, Shepperson NB. 1982. Postjunctional α_1 -adrenoceptors: Preferential innervation of α_1 -adrenoceptors and the role of neuronal uptake. *J. Cardiovasc. Pharmacol.* 4:S8-S13.
- Langer SZ. 1997. 25 Years since the discovery of presynaptic receptors: present knowledge and future perspectives. *Trends. Pharmacol. Sci.* 18:95-99.
- Lapikanon P, Tovivich P, Woo WS, Choi JS. 1983. Phytochemical study on *Randia siamensis*. *Arch. Pharmacol. Res.* 6(1):29-33.
- Leech CJ, Faber JE. 1996. Different α -adrenoceptor subtypes mediate constriction of arterioles and venules. *Am. J. Physiol.* 270:H710-H722.
- Le Peuch CJ, Haiech J, Demaille JG. 1979. Concerted regulation of cardiac sarcoplasmic reticulum calcium transport by cyclic adenosine monophosphate dependent and calcium-calmodulin-dependent phosphorylation. *Biochemistry.* 18:150-7.

- Levick JR. 2000. An introduction to cardiovascular physiology, p. 8-11. 3rd edition, Oxford University Press Inc., USA.
- Levy MN, Martin PJ. 1989. Autonomic neural control of cardiac function, p. 361-379. In Sperelakinje N. (ed), Physiology and pathophysiology of the heart. Kluwer Academic Publishers, Boston, MA.
- Leung JM. 2004. Cardiac and vascular anesthesia: The requisites in anesthesiology, p. 1-18. Mosby, USA.
- LeWinter MM, Osol G. 2004. Normal physiology of the cardiovascular system, p. 87-112. In Fuster V, Alexander RW, O'Rourke RA. (ed), Hurst's The heart, 11th edition, McGraw-Hill, New York.
- Li L, Chu G, Kranias EG, Bers DM. 1998. Cardiac myocyte calcium transport in phospholamban knockout mouse: relaxation and endogenous CaMKII effects. *Am. J. Physiol.* 274:H1335-H1347.
- Li W, Zhang Y, Wang XL. 1997. Altered \square_1 -adrenoceptor subtypes mediated cardiac function after treatment of propranolol to rats. *Acta. Pharmacol. Sin.* 18:237-240.
- Lohmann SM, Vaandrager AB, Smolenski A, Walter U, De Jonge HR. 1997. Distinct and specific functions of cGMP-dependent protein kinases. *Trends Biochem. Sci.* 22:307-312.
- Macia RA, Matthews WD, Lafferty J, DeMarinis RM. 1984. Assessment of alpha-adrenergic receptor subtypes in isolated rat aortic treatments. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 325:306-309.
- Mahon WA, Mashford ML. 1962. The pressor effect of tyramine in man and its modification by reserpine pretreatment. *J. Clin. Invest.* 42:338-345.
- Majewski H, Rand MJ, Tung LH. 1981. Activation of prejunctional beta-adrenoceptors in rat atria by adrenaline applied exogenously or released as a co-transmitter. *Br. J. Pharmacol.* 73:669-679.
- Markham KP, Maby TJ. 1975. Ultraviolet-visible and proton magnetic resonance spectroscopy of flavonoids, p. 45. In Harborne JB, Mabry H. (ed), *The Flavonoids, Part 1*, Academic Press, New York.

- Martini FH, Ober WC, Garrison CW, Welch K, Hutchings RT. 2006. *Fundamentals of Anatomy & Physiology*, p. 709. 7th edition, Benjamin Cummings, New York.
- Mery PF, Abi-Gerges N, Vandecasteele G, Jurevicius J, Eschenhagen T, Fischmeister R. 1997. Muscarinic regulation of the L-type calcium current in isolated cardiac myocytes. *Life Sci.* 60:1113-1120.
- Morgan KG. 1987. Calcium and vascular smooth muscle tone. *Am. J. Med.* 82:9-15.
- Moncada S, Gryglewski R, Bunting S, Vane JR. 1976. An enzyme isolated from arteries transforms prostaglandin endoperoxides to an unstable substance that inhibits platelet aggregation. *Nature.* 263:663-665.
- Moore PK, al-Swayeh OA, Chong NWS, Evans RA, Gibson A. 1990. L-N^G-nitro arginine (L-NOARG), a novel, L-arginine-reversible inhibitor of endothelium-dependent vasodilatation in vitro. *Br. J. Pharmacol.* 99:408-412.
- Mulvany MJ, Halpern W. 1977. Contractile properties of small arterial resistance vessels in spontaneously hypertensive and normotensive rats. *Circ. Res.* 41:19-26.
- Mundorf ML, Hochstetler SE, Wightman RM. 1999. Amine weak bases disrupt vesicular storage and promote exocytosis in chromaffin cells. *J. Neurochem.* 73:397-2405.
- Nilsson H. 1984. Different nerve responses in consecutive section of the arterial system. *Acta. Physiol. Scand.* 121:353-361.
- Nilsson H. 1985. Adrenergic nervous control of resistance and capacitance vessels. Studies on isolated blood vessels from the rat. *Acta. Physiol. Scand. Suppl.* 541:1-34.
- Nilsson H, Goldstein M, Nilsson O. 1986. Adrenergic innervation and neurogenic response in large and small arteries and veins from the rat. *Acta. Physiol. Scand.* 126:353-361.
- Opie LH. 2004. *Heart Physiology: from cell to circulation*, 4th edition. Lippincott Williams & Wilkins, USA.
- Palmer RMJ, Moncada S. 1989. A novel citrulline-forming enzyme implicated in the formation of nitric oxide by vascular endothelial cells. *Biochem. Biophys. Res. Commun.* 158:348-352.

- Park JI, Shin CY, Lee YW, Huh IH, Sohn UD. 2000. Endothelium-dependent sensory non-adrenergic non-cholinergic vasodilatation in rat thoracic aorta: involvement of ATP and a role for NO. *J. Pharm. Pharmacol.* 52:409-416.
- Paterson IA, Juorio AV, Boulton AA. 1990. 2-Phenylethylamine: a modulator of catecholamine transmission in the mammalian central nervous system? *J. Neurochem.* 55:1827-1837.
- Perez DM, DeYoung MB, Graham RM. 1993. Coupling of expressed α_{1B} - and α_{1D} -adrenergic receptors to multiple signaling pathways is both G protein and cell type specific. *Mol. Pharmacol.* 44:784-795.
- Petersen S, Peto V, Rayner M, Leal J, Luengo-Fernandez R, Gray R. 2005. European cardiovascular disease statistics.
- Poller U, Schaffers RF, Schmuck S, Jakubetz J, Radke J, Daul AE, Ponicke K, Brodde OE. 1997. Influence of atropine on the cardiovascular effects of noradrenaline and tyramine in elder volunteers. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 356:100-106.
- Pongboonrod S. 1959. *Mai Thet Muang Thai*, p. 148. Kasembunnakich Press, Bangkok.
- Pornsiripongs S, Tanapum W, Subcharoen P, Paiboon J. 2003. Review strategic plan for Thailand health research: Thai traditional medicine and herbs. The research project under The National Research Council of Thailand, August 2002-July 2003.
- Rand MJ. 1992. Nitroergic neurotransmission: nitric oxide as a mediator of nonadrenergic, non-cholinergic neuro-effector transmission. *Clin. Exp. Pharmacol. Physiol.* 19:147-169.
- Randall WC, Ardell JL. 1988. Functional anatomy of the cardiac efferent innervation, p. 324. In Kulbertus HE, Franck G. (ed), *Neurocardiology*, NY: Futura Publishing, New York.
- Reanmongkol W, Matsumoto K, Itharat A, Watanabe H. 1994. Antinociceptive effects of *Randia siamensis* extract and its constituent, pseudoginsenoside-RP₁ in experimental animals. *Biol. Pharmaceu. Bull.* 17:1206-1209.
- Rendle AB. 1953. The classification of Flowering Plants, p. 168-170. Vol. II. 2nd edition, University Press, Cambridge.

- Rhoades R, Pflanzner R. 2003. Human Physiology. 4th edition. A division of Thomson Learning Inc., USA.
- Rodefeld MD, Beau SL, Schuessler RB, Boineau JP, Saffitz JE. 1996. Beta-adrenergic and muscarinic cholinergic receptor densities in the human sinoatrial node: identification of a high beta 2-adrenergic receptor density. *J. Cardiovasc. Electrophysiol.* 7:1039-1049.
- Rubino A, Ralevic V, Burnstock G. 1997. Sympathetic neurotransmission in isolated rat atria after sensory-motor denervation by neonatal treatment with capsaicin. *J. Pharmacol. Exp. Ther.* 282:671-675.
- Sakai S, Katsumata M, Satoh Y, Nagasao M, Miyakoshi M, Ida Y, Shoji J. 1994. Oleanolic acid saponins from root bark of *Aralia elata*. *Phytochemistry.* 35(5):1319-1324.
- Sakuma I, Togashi H, Yoshioka M, Saito H, Yanagida M, Tamura M, Kobayashi T, Tasuda H, Gross SS, Levi R. 1992. N^G-methyl-L-arginine, an inhibitor of L-arginine-derived nitric oxide synthesis, stimulates renal sympathetic nerve activity in vivo. A role for nitric oxide in the central regulation of sympathetic tone? *Circ. Res.* 70:607-611.
- Schafers RF, Poller U, Ponicke K. 1997. Influence of adrenoceptor and muscarinic receptor blockade on the cardiovascular effects of exogenous noradrenaline and of endogenous noradrenaline released by infused tyramine. *Naunyn Schmiedeberg's Arch. Pharmacol.* 355:239-249.
- Schonfeld CL, Trendelenburg U. 1989. The release of ³H-noradrenaline by p- and m-tyramines and -octopamines, and the effect of deuterium substitution in alpha-position. *Naunyn. Schmiedeberg's Arch. Pharmacol.* 339:433-440.
- Silver PJ. 1985. Regulation of contractile activity in vascular smooth muscle by protein kinases. *Rev. Clin. Basic. Pharm.* 5:341-395.
- Skomedal T, Schiander IG, Osnes JB. 1988. Both alpha and beta adrenoceptor-mediated components contribute to final inotropic response to norepinephrine in rat heart. *J. Pharmacol. Exp. Ther.* 247:1204-1210.
- Starke K. 2001. Presynaptic autoreceptors in the third decade: focus on α_2 -adrenoceptors. *J. Neurochem.* 78:685-693.

- Steinfath M, Chen YY, Lavicky J, Magnussen O, Nose M, Rosswag S, Schmitz W, Scholz H.
1992a. Cardiac α_1 -adrenoceptor densities in different mammalian species. *Br. J. Pharmacol.* 107:185-188.
- Steinfath M, Danielsen W, von der Leyen H, Mende U, Meyer W, Neumann J, Nose M, Reich T, Schmitz W, Scholz H, Starbatty J, Stein B, Doring V, Kalmar P, Haverich A.
1992b. Reduced α_1 - and α_2 -adrenoceptor-mediated positive inotropic effects in human end-stage heart failure. *Br. J. Pharmacol.* 105:463-469.
- Stratton JR, Pfeifer MA, Ritchie JL. 1985. Hemodynamic effects of epinephrine: concentration-effect study in humans. *J. Appl. Physiol.* 58:1199-1206.
- Taesotikul T, Panthong A, Kanjanapothi D, Verpoorte R, Scheffer JJC. 1998. Cardiovascular activity of the crude alkaloid fraction from *Tabernaemontana pandacaqui* in the rat. *J. Ethnopharmacol.* 59:131-137.
- Tallman JF, Saavedra JM, Axelrod J. 1976. Biosynthesis and metabolism of endogenous tyramine and its normal presence in sympathetic nerves. *J. Pharmacol. Exp. Ther.* 199:216-221.
- Tattelman E. 2005. Health Effects of Garlic. *Am. Fam. Physician.* 72:103-106.
- Temma K, Akera T, Brody TM, Manian AA. 1977. Hydroxylated chlorpromazine metabolites: Positive inotropic action and the release of catecholamines. *Mol. Pharmacol.* 13:1076-1085.
- Toda N, Okamura T. 1991. Role of nitric oxide in neurally induced cerebroarterial relaxation. *J. Pharmacol. Exp. Ther.* 258:1027-1032.
- Togashi H, Sakuma I, Yoshioka M, Kobayashi T, Yasuda H, Kitabatake A, Saito H, Gross SS, Levi R. 1992. A central nervous system action of nitric oxide in blood pressure regulation. *J. Pharmacol. Exp. Ther.* 262:343-347.
- Vander AJ, Sherman JH, Luciano DS. 1994. *Human Physiology: The mechanisms of body function*, p. 413, 421-422. 6th edition, McGraw-Hill Inc., USA.
- Vane JR. 1969. The release and fate of vasoactive hormones in the circulation. *Br. J. Pharmacol.* 35:209-242.
- Vanhoutte PM, Miller VM. 1989. α_2 -adrenoceptors and endothelium-derived relaxing factor. *Am. J. Med.* 87:1S-5S.

- Vanhoutte PM. 2001. Endothelial adrenoceptors. *J. Cardiovasc. Pharmacol.* 38:796-808.
- Varma DR, Chemtob S. 1993. Endothelium- and beta-2 adrenergic-independent relaxation of rat aorta by tyramine and certain other phenylethylamines. *J. Pharmacol. Exp. Ther.* 265:1096-1104.
- Weiner N. 1985. Norepinephrine, epinephrine, and the sympathomimetic amines, p. 208. In Goodman and Gilman's, *The Pharmacological Basis of Therapeutics*, 7th edition, Macmillan Publishing Company, New York.
- Wiesinger H. 2001. Arginine metabolism and the synthesis of nitric oxide in the nervous system. *Prog. Neurobiol. (Oxford)* 64:365-391.
- Wilkinson JA. 1998. The potential of herbal products for nutraceutical and pharmaceutical development. The International Business Communications (IBC) Fifth Annual Conference. "Functional Food 1998", Copthorne Tara Hotel, London.
- Witztum J. 1996. Drugs used in the treatment of hyperlipoproteinemias, p. 875-97. In Hardman JG, Limbird LE. (ed), *Goodman & Gilman's: The pharmacological basis of therapeutics*, 9th edition, McGraw-Hill, New York.
- Wong DL. 2006. Epinephrine biosynthesis: hormonal and neural control during stress. *Cell. Mol. Neurobiol.* Apr 28:[Epub ahead of print].
- Wu D, Katz A, Lee CH, Simon MI. 1992. Activation of phospholipase C by α_1 -adrenergic receptors is mediated by the subunits of G_q family. *J. Biol. Chem.* 267:25798.
- Yamada M, Inanobe A, Kurachi Y. 1998. G protein regulation of potassium ion channels. *Pharmacol. Rev.* 50:723-760.
- Zaugg M, Schaub MC. 2004. Cellular mechanisms in sympatho-modulation of the heart. *Br. J. Anaesth.* 93:34-52.
- Zhao F, Wang Z, Yang J, Sun J, Wang Q, Xu J. 2006. Low-dosage adrenaline induced transient marked decreased of blood pressure during functional endoscopic sinus surgery. *Am. J. Rhinol.* 20:182-185.
- Zhong H, Minemann KP. 1999. α_1 -Adrenoceptor subtypes. *Eur. J. Pharmacol.* 375:61-276.

Zipes DP, Inoue H. 1988. Autonomic neural control of cardiac excitable properties, p. 787-796. In Kulbertus HE, Franck G. (ed), Neurocardiology, NY: Futura Publishing, New York.