

## REFERENCES

- Arthur, D., & Nursing Research Group. (2002). The validity and reliability of the measurement of the concept "expressed emotion" in the family members and nurses of Hong Kong patients with schizophrenia. *International Journal of Mental Health Nursing, 11*, 192-198.
- Ayuso-Gutierrez, L. J., & del Rio Vega, M. J. (1997). Factors influencing relapse in the long-term course of schizophrenia. *Schizophrenia Research, 28*, 1999-1206.
- Bachmann, S., Bottmer, C., Jacob, S., Kronmuller, T. K., Backenstrass, M., Mundt, C., et al. (2002). Expressed emotion in relatives of first-episode and chronic patients with schizophrenia and major depressive disorder: A comparison. *Psychiatry Research, 112*, 239-250.
- Barrowclough, C., Tarrier, N., & Johnston, M. (1996). Distress, expressed emotion, and attributions in relatives of schizophrenia patients. *Schizophrenia Bulletin, 22*, 691-701.
- Barrowclough, C., & Hooley, M. J. (2003). Attributions and expressed emotion: A review. *Clinical Psychology Review, 23*, 849-880.
- Barrowclough, C., Lobban, F., Hatton, C., & Quinn, J. (2001). An investigation of models of illness in carers of schizophrenia patients using the Illness Perception Questionnaire. *British Journal of Psychiatry, 40*, 371-385.
- Bebbington, P., & Kuipers, L. (1993). Social causation of schizophrenia. In D. Bhugra & P. J. Leff (Eds.), *Principles of social psychiatry* (pp 82-98). London: Blackwell Scientific Publications.

Beshara, A. M., Eisler, I., & Dare, C. (2001). The Self-and Other-Blame Scale (SOBS).

The background and presentation of a new instrument for measuring blame in families. *Journal of Family Therapy*, 23, 208-223.

Bhrombutr, N. (2003). *Mental health of caregivers of person with schizophrenia*. Paper presented at the The 2 nd International Conference on Mental Health and Substance Dependence (19-21 August), Bangkok, Thailand.

Bhugra, D., Hilwig, M., Mallett, R., Corridan, B., Leff, J., Neehall, J., et al. (2000). Factors in the onset of schizophrenia: A comparison between London and Trinidad samples. *Acta Psychiatrica Scandinavica*, 101, 135-141.

Bhugra, D., & McKenzie, K. (2003). Expressed emotion across cultures. *Advances in Psychiatric Treatment*, 9, 342-348.

Boyatzis, E. R. (1998). *Transforming qualitative information: Thematic analysis and code development*. California: Sage Publications Inc.

Boye, B., Bentsen, H., Ulstein, I., Notland, H. T., Lersbryggen, B. A., Lingjaerde, O., et al. (2001). Relatives' distress and patients' symptoms and behaviours: A prospective study of patients with schizophrenia and their relatives. *Acta Psychiatrica Scandinavica*, 104, 42-50.

Brown, W. G., Birley, T. L. J., & Wing, K. J. (1972). Influence of family life on the course of schizophrenic disorders: A replication. *British Journal of Psychiatry*, 121, 241-258.

Brown, G. W., & Rutter, M. (1966). The measurement of family activities and relationships: a methodological study. *Human Relations*, 19, 241-263.

- Butzlaff, L. R., & Hooley, M. J. (1998). Expressed emotion and psychiatric relapse: A meta-analysis. *Archives of General Psychiatry, 55*, 547-552.
- Canive, M. J., Sanz-Fuentenebro, J., Vazquez, C., Qualls, C., Fuentenebro, F., & Tuason. (1995). Family environment predictors of outcome in schizophrenic patients in Spain: A nine-month follow-up study. *Acta Psychiatrica Scandinavica, 92*, 371-377.
- Chaisin, P. (2002). *Expressed emotion of the relatives toward schizophrenic patients: A study in a psychiatric hospital in Isaan*. Graduate School, Khon Kaen, University.
- Chanpattana, W. (1998). Maintenance ECT in schizophrenia: A pilot study. *Journal of the Medical Association of Thailand, 81*(17-24).
- Chuwong, S. (2002). The factor affecting communication behavior of schizophrenia patient and their family member in out patients department of Suansaranrom Hospital. Surathanee: A Bureau of Mental Health, Ministry of Public Health.
- Comrey, A. L., & Lee, H. B. (1992). *First course in factor analysis*. Hillsdale, NJ:: Lawrence-Erlbaum.
- Dillion, W. R., & Goldstein, M. (1984). *Multivariate analysis: Methods and applications*. New York: John Wiley & Sons.
- Donat, D. C. (1996). Level of Expressed Emotion Scale Scores and Psychiatric rehospitalization. *Psychiatric Rehabilitation Journal, 19*(4), 57-60.
- Ferketich, S., Phillips, L., & Verran, J. (1993). Focus on psychometrics development and administration of a survey instrument for cross-cultural research. *Research in Nursing and Health, 16*, 227-230.

- Fox, P. (1992). Implication for expressed emotion therapy within a family therapeutic context. *Health & Social Work, 17*(3), 207-212.
- Fujita, H., Shimodera, S., Izumoto, Y., Takano, Y., Kii, M., Mino, Y., et al. (2002). Family attitude scale: measurement of criticism in the relatives of patients with schizophrenia in Japan. *Psychiatry Research, 110*, 273-280.
- Gerlsma, C., van der Lubbe, M. P., & van Nieuwenhuizen, C. (1992). Factor analysis of the level of expressed emotion scale, questionnaire intended to measure 'perceived expressed emotion'. *Journal of Psychiatry, 160*, 385-389.
- Gillis, A., & Jackson, W. (2002). *Research for nurses: Methods and interpretation*. Philadelphia: F.A. Davis Company.
- Giron, M., & Gomez-Beneyto, M. (1998). Relationship between empathic family attitude and relapse in schizophrenia: a 2 year followup prospective study. *Schizophrenia Bulletin, 24*(4), 619-627.
- Gottschalk, A. L., & Keatinge, C. (1993). Influence of patient caregivers on course of patient illness: "expressed emotion" and alternative measures. *Journal of Clinical Psychology, 49*(6), 898-910.
- Guttman, L. (1954). Some necessary conditions for common factor analysis. *Psychometrika, 19*(2), 149-161.
- Hafner, J. R., & Miller, M. R. (1991). Predicting schizophrenia outcome with self-report measures of family interaction. *Journal of Clinical Psychology, 47*(1), 34-41.

- Hamtanon, P. (2003). *Caregiving demands of schizophrenic patients, caring behaviors of family caregivers at home and the outcomes*. Bangkok, Faculty of Nursing, Mahidol University.
- Heru, A. M. (2000). Family functioning, burden, and reward in the caregiving for chronic mental illness. *Families, Systems & Health: The Journal of Collaborative Family Health Care*, 18(1), 91-104.
- Hooley, M. J., & Campbell, C. (2002). Control and controllability: beliefs and behavior in high and low expressed emotion relatives. *Psychological Medicine*, 32, 1091-1099.
- Humbbeck, V., Audenhove, V. C., Hert, D. M., Pieters, G., & Storms, G. (2002). Expressed emotion a review of assessment instruments. *Clinical Psychology Review*, 22, 321-341.
- Hume, C., & Pullen, I. (1994). *The rehabilitation for mental health problems: An inductive handbook*. Edinburgh: Churchill Livingstone.
- Isaramalai, S.-A. (2002). *Developing a cross-cultural measure of the self-as-carer inventory questionnaire for Thai population*. University of Missouri-Columbia, Columbia.
- Jackson, H. J., Smith, N., & McGorry, P. (1990). Relationship between expressed emotion and family burden in psychotic disorders: an exploratory study. *Acta Psychiatrica Scandinavica*, 82, 243-249.
- Jenkins, H. J., & Karno, M. (1992). The meaning of expressed emotion: theoretical issues raised by cross-cultural research. *American Journal Psychiatry*, 149(1), 9-21.

- Karakeson, D. (2002). *Knowledge, practice, and needs of support of Thai Muslim caregivers in caring at home for schizophrenic patients*. Master of Science Thesis in health system research and development Prince of Songkla University.
- Karanci, N. A., & Inandilar, H. (2002). Predictors of components of expressed emotion in major caregivers of Turkish patients with schizophrenia. *Soc Psychiatry Psychiatr Epidemiol*, 37, 80-88.
- Kavanagh, J. D. (1992). Recent developments in expressed emotion and schizophrenia. *British Journal of Psychiatry*, 160, 601-620.
- Kavanagh, J. D., O' Halloran, P., Manicavasagar, V., Clark, D., Piatkowska, O., Tennant, C., et al. (1997). The family scale: reliability and validity of a new scale measuring the emotional climate of families. *Psychiatry Research*, 70, 185-195.
- Kayama, M., Zerwekh, J., Thornton, A. K., & Murashima, S. (2001). Japanese expert public health nurses empower clients with schizophrenia living in the community. *Journal of Psychosocial Nursing & Mental Health Services*, 39(2): 40-45.
- Kazarian, S., Malla, A., Cole, D. J., & Baker, B. (1990). Comparisons of two expressed emotion scales with the Camberwell Family Interview. *Journal of Clinical Psychology*, 46(3), 306-309.
- Kerdjan, S., Vitayatawornwong, L., & Laichatkul.S. (1999). The relationship of relative's factors and relapse of psychiatric patients at Somdej Chaopraya Hospital. *Journal of Mental Health and Psychiatry*, 2(2), 42-48.

- King, S., & Dixon, J. M. (1995). Expressed emotion, family dynamics and symptom severity in a predictive model of social adjustment for schizophrenic young adults. *Schizophrenia Research, 14*, 121-132.
- Knapp, M., Almond, S., & Percudani, M. (1999). Cost of schizophrenia. In M. Maj & N. Sartorius (Eds.), *Schizophrenia*. Chichester: John Wiley&Sons.
- Knapp, R. T. (1991). Focus on psychometrics coefficient alpha: Conceptualizations and anomalies. *Research in Nursing and Health, 14*, 457-460.
- Knapp, R. T., Kimble, P. L., & Dunba, B. S. (1998). Distinguishing between the stability of a construct and the stability of an instrument in trait/striate measurement. *Nursing Research, 47*(1).
- Kneisl, R. C., Wilson, S. H., & Trigoboff, E. (Eds.). (2004). *Contemporary psychiatric-mental health nursing*. New Jersey: Pearson Education Inc.,.
- Kopelowicz, A., Zarate, R., Gonzalez, V., Lopez, R. S., Ortega, P., Obregon, N., et al. (2002). Evaluation of expressed emotion in schizophrenia: a comparison of Caucasians and Mexican-Americans. *Schizophrenia Research, 55*, 179-186.
- Kulvechakit, A., Rod-ong, D., Supataraniyapong, J., & Mahaton, S. (1997). Mental health of psychiatric patients' families in Srinagarind hospital. *Srinagarind Med Journal, 12*(1).
- Laichartkul, S., Kirdjun, S., & Wittayathawornwong, L. (1999). A study of knowledge, belief about psychiatric disorder and attitude forward psychiatric patients of the relatives in Somdet Chaopraya Hospital. *Journal of Mental Health and Psychiatry, 1*, 16-22.

- Laidlaw, M. T., Coverdale, H. J., Fallon, R. H. I., & Kydd, R. R. (2002). Caregivers' Stresses When Living Together or Apart from Patients with Chronic Schizophrenia. *Community Mental Health Journal*, 38(4), 303-310.
- Lauber, C., Eichenberger, A., Luginbuhl, P., Keller, C., & Rossler, W. (2003). Determinants of burden in caregivers of patients with exacerbating schizophrenia. *European Psychiatry*, 18, 285-289.
- Leff, P. J. (1993). Principles of social psychiatry. In D. Bhugra & P. J. Leff (Eds.), *Principles of Social psychiatry*. Oxford: Blackwell Scientific Publications.
- Leff, P. J., & Vaughn, C. (1985). *Expressed emotion in families*. New York: The Guilford Press.
- Lenior, E. M., Dingemans, M. A. J. P., Schene, H. A., Hart, A. M. A., & Linszen, H. D. (2002). The course of parental expressed emotion and psychotic episodes after family intervention in recent-onset schizophrenia. A longitudinal study. *Schizophrenia Research*, 57, 183-190.
- Lenior, E. M., Dingemans, P., & Linszen, H. D. (1997). A quantitative measure for expressed emotion. *Psychiatry Research*, 69, 53-65.
- Linden, M., Godemann, F., Gaebel, W., Kopke, W., Muller, P., Spahn, M. F., et al. (2001). A prospective study of factors influencing adherence to a continuous neuroleptic treatment program in schizophrenia patients during 2 years. *Schizophrenia Bulletin*, 27(4), 585-596.



- LoBiendo-Wood, G., & Haber, J. (1998). Reliability and validity. In G. LoBiendo-Wood & J. Haber (Eds.), *Nursing Research*. Philadelphia: Mosby.
- Magana, M. S., Greenberg, S. J., & Seltzer, M. M. (2004). The health and well-being of back mother who care for their adult children with schizophrenia. *Psychiatric Services, 55*(6), 711-713.
- Maneesriwonggul, W. (2002). Instrument translation in cross-cultural research. *Thai Journal Nursing Research, 6*(1), 104-112.
- Margareth, I., Helgeland, W., & Torgersen, S. (1997). Maternal representations of patients with schizophrenia as measured by the Parental Bonding Instrument. *Scandinavian Journal of Psychology, 38*, 39-43.
- Marom S, Munitz, H., Jones, P., Weizman, A., & Hermesh, H. (2002). Familial expressed emotion: outcome and course of Israeli patients with schizophrenia. *Schizophrenia Bulletin, 28*(4), 731-743.
- McSherry, W., Draper, P., & Kendrick, D. (2002). The construct validity of a rating scale designed to assess spirituality and spiritual care. *International Journal of Nursing Studies, 39*, 723-734.
- Mental Health Department, M.O. P. H. (2003-2004). *Rate of Psychiatric patients: Annual Report*. Nonthaburi.
- Montero, I., Gomez-Beneyto, M., Ruiz, I., Puche, E., & Adam, A. (1992). The influence of family expressed emotion on the course of schizophrenia in a sample of Spanish patients: A two year follow up study. *British Journal of Psychiatry, 161*, 217-222.

- Mubarak, R. A., & Barber, G. J. (2003). Emotional expressiveness and the quality of life of patients with schizophrenia. *Social Psychiatry Psychiatric Epidemiology*, 38, 380-384.
- Mulder, N. (2000). *Inside Thai Society*. Bangkok: O.S.Printing House.
- Munro, H. B. (2001). *Statistical methods for health care research* (4th ed.). Philadelphia: Lippincott.
- Nugter, A. M., Dingemans, P., van der Does, W., Linszen, D., & Gersons, B. (1997). Family treatment, expressed emotion and relapse in recent onset schizophrenia. *Psychiatry Research*, 72, 23-31.
- Nunnally, J. C. (1978). *Psychometric theory*. New York: McGraw-Hill.
- Pandok, W. (2002). *Home care activities among caregivers of persons with schizophrenia*. Unpublished Independent Study, Chiang Mai University, Chiang Mai.
- Patton, C. G., Coffey, C., Posterino, M., Carlin, B. J., & Wolfe, R. (2001). Parental 'affectionless control' in adolescent depressive disorder. *Soc Psychiatry Psychiatric Epidemiology*, 36, 475-480.
- Pinals, A. D., & Breier, A. (1997). Schizophrenia. In *Psychiatry*. Philadelphia: WB.Suanders Company.
- Pipatananond, P. (2001). *Caregiver burden predictive model: An empirical test among caregivers for the schizophrenic*. Faculty of Graduate Studies, Mahidol University.
- Pipatananond, P., & Hanucharunkul, S. (2003). Development of the psychiatric patients' caregiver burden scale (The PPCBS). *Thai Journal Nursing Research*, 7(1), 37-48.

- Pitschel-Walz, G., Leucht, S., Bauml, J., Kissling, W., & Engel, R. R. (2001). The effect of family interventions on relapse and rehospitalization in schizophrenia: A meta analysis. *Schizophrenia Bulletin*, 27(1), 73-92.
- Polit, D. F., & Hungler, P. B. (1999). *Nursing research: Principles and methods* (6 th ed.). Philadelphia: PA:J.B. Lippincott.
- Quinn, J., Barrowclough, C., & Tarrier, N. (2003). The family questionnaire (FQ): a scale for measuring symptom appraisal in relatives of schizophrenic patients. *Acta Psychiatrica Scandinavica*, 108, 290-296.
- Ran, M.-S., Leff, P. J., Hou, Z.-J., Xiang, M.-Z., & Chan, L.-W. C. (2003). The characteristic of expressed emotion among relatives of patients with schizophrenia in Chegdu, China. *Culture, Medicine and Psychiatry*, 27, 95-106.
- Rousson, V., Gasser, T., & Seifert, B. (2002). Assessing intrarater interrater and test-retest reliability of continuous measurements. *Statistic in Medicine*, 21, 3431-3446.
- Sadock, J. B., & Sadock, A. V. (Eds.). (2003). *Kaplan & Sadock's synopsis of psychiatry: behavioral sciences, clinical psychiatry*. Philadelphia: Lippincott Williams &Wilkins.
- Sapavajit, P. (2002). *Attitude of caregivers toward schizophrenic patients in Suanprung Hospital, Chiang Mai*. Unpublished, Chiang Mai University, Chiang Mai
- Saunders, C. J. (2003). Families living with severe mental illness: a literature review. *Issues in Mental Health Nursing*, 24, 175-198.
- Scazufca, M., & Kuipers, E. (1996). Links between expressed emotion and burden of care in relatives of patients with schizophrenia. *British Journal of Psychiatry*, 168, 580-587.

- Shimodera, S., Inoue, S., Mono, Y., Tanaka, S., Kii, M., & Motoki, Y. (2000). Expressed emotion and psychoeducational intervention for relatives of patients with schizophrenia: a randomized controlled study in Japan. *Psychiatry Services*, *96*, 141-148.
- Sitthimongkol, Y., Napapongsuiya, T., & Kiatwuttinon, W. (1999). Understanding of mental illness and management behavior of families having a member with acute schizophrenia. *Mahidol Journal*, *6*(2), 109-113.
- Siriwanarangsarn, P., Liknapichitkul, D., & Khandelwal, K. S. (2004). Thailand mental health country profile. *International Review of Psychiatry*, *16*((1-2)), 150-158.
- Smith, J., Birchwood, M., Cochrane, R., & al, e. (1993). The needs of high and low expressed emotion families: a normative approach. *Social Psychiatry and Psychiatric Epidemiology*, *28*, 11-16.
- Tabachnick, B. G., & Fidell, L. S. (2001). *Using multivariate statistics 4 th edition*. Needham Heights: MA: Allyn & Bacon.
- Thongrin, S. (2002). *Needs among caregivers of persons with schizophrenia attending Prasrimahabhodi Psychiatric Hospital*. Independent Study, Chiang Mai University, Chiang Mai.
- Tungpunkom, P.(2000). *Staying in balance: Skill and role development in psychiatric caregiving*. Unpublished Dissertation of Doctor of Philosophy in Nursing, University of California San Francisco, San Francisco.
- Uehara, T., Yokoyama, o., Goto, M., Nakano, Y., Kawashima, Y., & Someya, T. (1999). Reliability of the 5-min speech sample for assessing expressed emotion in Japanese patients. *Psychiatry and Clinical Neurosciences*, *53*, 511-514.

- Utoompruckporn, D. (1990). *Relationships between personal and family backgrounds of the readmission of adult schizophrenic patients in Somdetchaopraya Hospital.*, Bangkok, Graduate School, Chulalongkorn University.
- Vascarolis, M. E. (1998). *Foundations of psychiatric mental health nursing*. New York: WB. Saunders.
- Vaughn, E. C., & Leff, P. J. (1976). The influence of family and social factors on the course of psychiatric illness: A comparison of schizophrenic and depressed neurotic patients. *British Journal of Psychiatry*, 129, 125-137.
- Waltz, F., C, Strickland, L. O., & Lenz, R. E. (1991). *Measurement in nursing research*. Philadelphia: F.A. Davis.
- Warner, R., & Girolamo, d. G. (1995). *Schizophrenia*. Geneva: World Health Organization.
- Wearden, J. A., TARRIER, N., Barrowclough, C., Zastowny, R. T., & Rahill, A. A. (2000). A review of expressed emotion research in health care. *Clinical Psychology Review*, 20(5), 633-666.
- WHO. (2001). *Schizophrenia: Youth's greatest disabler*. Regional office for south-east Asia: World Health Organization.
- Wiedemann, G., Rayki, O., Feinstein, E., & Hahlweg, K. (2002). The family questionnaire: Development and validation of a new self-report scale for assessing expression emotion. *Psychiatry Research*, 109, 265-279.
- Willinger, U., Heiden, M. A., Meszaros, K., Formann, K. A., & Aschauer, N. H. (2002). Maternal bonding behaviour in schizophrenia and schizoaffective disorder,

considering premorbid personality traits. *Australian and New Zealand Journal of Psychiatry*, 36, 663-668.

William, H. B. (1993). Coping- skills training versus a problem-solving approach with schizophrenic patients. *Hospital and Community Psychiatry*, 44(11), 1102-1140.

Wuerker, K. A., Fu, K. V., Hass, L. G., & Bellack, S. A. (2002). Age, expressed emotion, and interpersonal control patterning in families of persons with schizophrenia. *Psychiatry Research*, 109, 161-170.

Wuerker, K. A., Hass, L. G., & Bellack, S. A. (2001). Interpersonal control and expressed emotion in families of persons with schizophrenia: Change over time. *Schizophrenia Bulletin*, 27(4), 671-685.

Wuerker, K. A., Long, D. J., Hass, L. G., & Bellack, S. A. (2002). Interpersonal control, expressed emotion, and change in symptoms in families of persons with schizophrenia. *Schizophrenia Research*, 58, 281-292.