

REFERENCES

- Abouleish, E. (2005). Contributions of Islam to Medicine. Retrieved 20 September, 2005, from <http://islam.usa.com/im3.html>
- Agurs-Collins, T. D., Kumanyika, S. K., Ten Have, T. R., & Adams-Campbell, L. L. (1997). A randomized controlled trial of weight reduction and exercise for diabetes management in older African-American subjects. *Diabetes Care*, 20, 1503-1511.
- Alberti, K. G. M. M., & Zimmet, P. Z. (1998). Definition, diagnosis and classification of diabetes mellitus and its complications. Part1: diagnosis and classification of diabetes mellitus. Provisional report of a WHO consultation. *Diabetes Medicine*, 15, 539-553.
- Ali, O., Tan, T. T., Sakinah, O., Khalid, B. A., Wu, L. L., & Ng, M. L. (1993). Prevalence of NIDDM and impaired glucose tolerance in aborigines and their relationship to sociodemographic, heart, and nutritional factors. *Diabetes Care*, 16, 68-75.
- American Diabetes Association. (2000). Diabetic mellitus and exercise. *Diabetes Care*, 23 (Suppl. 1), 50-54.
- American Diabetes Association. (2000). Diabetic nephropathy. *Diabetes Care*, 23 (Suppl. 1), 69-72.
- American Diabetes Association. (2000). Diabetic retinopathy. *Diabetes Care*, 23 (Suppl. 1), 72-76.
- American Diabetes Association. (2000). Implication the United Kingdom prospective diabetes study. *Diabetes Care*, 23 (Supp. 1), 27-31.
- American Diabetes Association. (2000). Nutrition recommendations and principles for people with diabetes mellitus. *Diabetes Care*, 23 (Suppl. 1), 43-49.
- American Diabetes Association. (2000). Preventive foot care in people with diabetes. *Diabetes Care*, 23 (Suppl. 1), 55-56.
- American Diabetes Association. (2000). Standards of medical care for patients with diabetes mellitus. *Diabetes Care*, 23, 32-41.
- American Diabetes Association. (2000). Standard of medical care for patient with diabetes mellitus. *Diabetes Care*, 23 (Suppl. 1), 32-34.

- American Diabetes Association. (2002). Type 2 diabetes in children and adolescents (Consensus Statement). *Diabetes Care*, 23, 381-389.
- American Diabetes Association (2002). Diabetic mellitus and exercises. *Diabetes Care*, 25 (Suppl. 1), 64-68.
- American Diabetes Association. (2003). Physical activity/exercise and diabetes mellitus. (Position statement). *Diabetes Care*, 26 (Suppl.1), 73-77.
- American Diabetes Association. (2003). Preventive foot care in people with diabetes. (Position statement). *Diabetes Care*, 26 (Suppl.1), 78-79.
- Anuar, Z. B. M. (1998). Practice guidelines for diabetes mellitus Type 2 (NIDDM) Ministry of Health, Malaysia and Malaysian Diabetes Association, Kuala Lumpur.
- Bachmann, M. O., Eachus, J., Hopper, C. D., Smith, G. D., Proppert, C., & Pearson, N. (2003). Education and diabetes. *Diabetic Medicine*, 20, 921-929.
- Barness, C. S., Ziemer, D. C., Miller, C. D., et al. (2004). There is little time for diabetes management in the primary care setting. *Diabetes Educator*, 30, 126-135.
- Beeb, C., & O'Donnell, M. (2001). Educating patients with Type 2 diabetes. *Nursing Clinic North Carolina*, 2, 3-5.
- Black, J. M., & Matassarin-Jacobs, E. (1993). *Medical-Surgical Nursing. A psychophysiological approach*. Philadelphia: W. B. Saunders Company.
- Bloomgaden, Z. T. (1996). Conference report: Approaches to the treatment of Type II diabetes and development in glucose monitoring and insulin administration. *Diabetes Care*, 19, 906-909.
- Bo, S., Cavallo-Perin, P., Gentile, L., Repetti, E., & Pagano, G. (2000). Influence of a familial history of diabetes on the clinical characteristics of patients with Type 2 diabetes mellitus. *Diabetes Care*, 17, 538-542.
- Boonchauy, W. (2001). The effectiveness of an educative supportive program on perceived self-care efficacy and diabetic control in elderly women with uncontrolled Type 2 diabetes: a case study at the general hospital in the central region of Thailand. Master thesis, University of Mahidol, Thailand.
- Brown, S. (1990). A studies of educational interventions and outcomes in diabetic adult: A meta analysis revisited. *Patient Education and Counseling*, 16, 189-215.

- Brown, S. (1992). Meta analysis of diabetes patient education research: Variations in interventions in intervention effects across studies. *Research in Nursing and Health, 15*, 409-419.
- Brown, S. (1998). A effect of educational intervention in diabetes care: A meta analysis of findings. *Nursing Research, 37*, 223-240.
- Bruce, D. G., Davis, W. A., Cull, C. A., & Davis, T. M. E. (2002). Diabetes education and knowledge in patients with Type 2 diabetes from the community: The Fremantle diabetes study. *Journal of Diabetes and Its Complications, 17*, 82– 89.
- Burn, N., & Grove, S. K. (2001). *The practice of nursing research* (4th ed.). Philadelphia: W. B. Saunder. Company.
- Callaghan, D. M. (2003). Health-promoting self-care behaviors, self-care self-efficacy, and self-care agency. *Nursing Science Quarterly, 16*, 247-254.
- Campbell, L.V., Barth, R., Gosper, J. K., Jupp, J.J., Simon, L. A., & Chisholm, D. J. (1990). Impact of intensive education approach to dietary change in NIDDM. *Diabetes Care, 13*, 841-846.
- Chan, Y. M. (1999). The relationship between diabetes knowledge and compliance among Chinese with non-insulin dependent diabetes mellitus in Hong Kong. *Journal of Advanced Nursing, 30*, 431-438.
- Choi, B. C. K., & Shi, F. (2001). Risk factors for diabetes mellitus by age and sex: Results of the national population health survey. *Diabetologia, 44*, 1221-1231.
- Carter, I. R., Nash, C., & Ridway, A. (2002). On any Saturday: A practical model for diabetes education. *Journal of the National Medical Association, 94*, 2.-5.
- Clark, C. M. (1999). The national diabetes education program: Changing the way diabetes is treated. *Annals of Internal Medicine, 130*, 4-5.
- Clement, S. (1995). Diabetes self-management education: A technical review. *Diabetes Care, 18*, 1204 - 1214.
- Cohen, J. (1998). *Statistical power analysis for the behavioral sciences* (2nd ed.). New Jersey: Lawrence Erlbaum Associates Publishers.
- Cook, T. D. & Campbell, D. T. (1979). *Quasi-Experimentation. Design & analysis issue for field settings*. Boston: Houghton Mifflin Company.

- Creviston, T., & Quinn, L. (2001). Exercise and physical activity in the treatment of Type 2 diabetes. *Nursing Clinics of North America*, 352, 243-272.
- DeFronzo, R. A. (1998). *Current therapy of diabetes mellitus*. St. Louis: Mosby-Year Book.
- Department of Statistics, Malaysia (2000). Preliminary count report population & housing census: from <http://www.statistic.gov.my>. Retrieved July 12, 2003, from <http://www.mal.gov.webref.html>
- Denyes, M. J., Orem, D. E., & Sozwiss, G. B. (2001). Self-care behaviors, self-care -efficacy, and self-care agency. *Nursing Science Quarterly*, 16, 247-254.
- De Souza, M. S., & Nairy, K. S. (2003). Nursing intervention for the quality of life of diabetes adults. *Clinical Effectiveness in Nursing*, 7, 63-72.
- De Sonnaville, J. J., Bouma, M., Colly, L. P., Deville, W., Wijkel, D., & Heine, R. J. (1997). Sustained good glycaemic control in NIDDM patients by implementation of structured care in general/ practice. *Diabetologia*, 40, 1334-1340.
- De Vellis, R. R. (1991). *Scale development. Theory and Applications*: Saga publication.
- Domenech, M. I., Assad, D., Mazzei, M. E., Kronsbein, P., & Gagliardino, J. J. (1995). Evaluating of the effectiveness of an ambulatory teaching, treatment programme for non-insulin dependent Type 2 diabetic patients. *Acta Diabetology*, 32, 142-147.
- Donaldson, N. E., Rustledge, D. N., & Pravikoff, D. S. (2000). Principle of effective adult-focused patient education in nursing. *Journal of Advanced Nursing*, 26, 1234-1236.
- Doungchan, S. (2004). Nurses' capability in promoting health of diabetes patients at primary care unit. Unpublished Master Thesis, Univesity Prince of Songkla, Thailand.
- Erikson, B. S. (2000). Coping with Type 2 diabetes: The role of sense of coherence compared with active management. *Journal of Advanced Nursing*, 31, 1393-1397.
- Fagot-Campagna, A., & Narayan, K. M. V. (2001). Type 2 diabetes in children: Exemplifies the growing problem of chronic diseases. *British Medicine Journal*, 322, 377-378.
- Fatanah, I. (2002). The national diabetes prevention and control programme, diabetes and blindness unit, disease control division. Ministry of Health, Malaysia.
- Fawcett, J. (2001). The Nurse Theorist: 21st Century Updates-Dorothea Orem. *Nursing Science Quarterly*, 14, 34-38.

- Folden, S. L. (1993). Effect of a supportive-educative nursing intervention on older adults perceptions of self-care after a stroke. *Rehabilitation Nursing, 18*, 165-173.
- Franz, M. J., Bantle, J. P., Beebe, C. A., Brunzell, J. D., Chiason, J. L., Garg, A., et al. (2002). Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complication of diabetes and related complications. *Diabetes Care, 25*, 148-198.
- Funnel, M. M., & Hass, L. B. (1995). National standards for diabetes self-management education programs. *Diabetes Care, 18*, 100-120.
- Gavard, J., Lustman, P., & Clousa, R. (1993). Prevalence of depression in adults with diabetes. An epidemiological evaluation. *Diabetes Care, 16*, 67-78.
- Geiss, L. M., Herman, W. M., & Smith, P. J. (1995). Mortality in non-insulin dependent diabetes. Diabetes in America 2nd ed. national diabetes data group, national institutes of health, national institute of diabetes and digestive and kidney diseases. Retrieved September 21, 2004, from <http://proquest.com>
- Genev, N. M., Flack, J. R., & Hoskins, P. I. (1992). Diabetes education: Whose priorities are met? *Diabetic Medicine, 9*, 475-479.
- Geerlings, (2000). Asymptomatic bacteruria may be considered a complication in women with diabetes. *Diabetes Care, 23*, 744-749.
- Glasgow, R. E., Hampson, S. E., Stryker, L. A., & Ruggiero, L. (1997). Personal-model beliefs and social-environmental barriers related to diabetes self-management. *Diabetes Care, 20*, 556-561.
- Griffin, S., & Wareham, N. J. (2001). Should we screen for Type 2 diabetes? Evaluation against national screening committee criteria. *British Medicine Journal, 322*, 986-988.
- Grundy, S. M., Benjamin, I. J., Burke, G. L., Chait, A., Eckel, R. H., Howard, B. V., Mitch, W., Smith, S. C., & Sowers, J. R. (1999). Diabetes and cardiovascular disease: A statement for healthcare professionals from the American heart association. *Circulation, 100*, 1134-1146.
- Hanucharumkul, S. (2003). Self-Care: Theory and research. Unpublished teaching materials, Ramathibodi School of Nursing, University of Mahidol, Thailand.

- Harris, M. I. (1991). Hypercholesterolemia in diabetes and glucose intolerance in the U. S. population. *Diabetes Care, 14*, 366-374.
- Harris, M. I., Flegal, K. M., Cowie, C. C., Eberhardt, M.S., Goldstein, D. E., Little, R. R., Wiedmeyer, H. M., & Byrd-Holt, D. D. (1998). Prevalence of diabetes, impaired fasting glucose, and impaired glucose tolerance in U. S. adults. *Diabetes Care, 21*, 518-524.
- Health Canada (2003). Supporting self-care: The contribution of nurses and physicians. Retrieved Mac, 2004, from <http://www.google.com>
- Hjelm, K. (2003). Preparing nurses to face pandemic of diabetes mellitus: A literature review. *Nursing research, 4*, 34-36.
- Hospital Universiti Sains Malaysia (1998). Latarbelakang Hospital Universiti Sains Malaysia. Retrieved July, 2003, from <http://www.kck.usm.my>
- Hornsten, A., Sandstrom, H. & Lundman, B. (2004). Personal understanding of illness among people with Type 2 diabetes. *Journal of Advanced Nursing, 47*, 174-182.
- Hutch, M.H. (2002). Dilemmas of Long Term Care. *Nursing Science Quarterly, 15*, 251-256.
- Hutman, S., Jaffe, J., Segal, R., & Dumke, L. F. (2005). People often do not realize stress attributable to diabetes. Retrieved October, 2005, from <http://www.cpa.ca/factsheets/diabetes.htm>
- Ismail, A. A., & Gill, G. V. (1999). The epidemiology of type 2 diabetes and its current measurement. *Bailliers Clinical Endocrine and Metabolism, 13*, 197-220.
- Ismail, K., Winkley, K., & Hesketh, S. R. (2004). Systematic review and meta-analysis of randomized controlled trials of psychological interventions to improve glycaemic control in patients with type 2 diabetes. *Lancet, 1589-1957*.
- Jaarsma, T., Halfens, R., Senten, M., Abu Suad, H. H., & Dracup, K. (1998). Developing a supportive-educative program for patients with advanced heart failure within Orem's general theory of nursing. *Nursing Science Quarterly, 11*, 79-85.
- Jaarsma, T., Halfens, R., Abu-Saad, H. H., Dracup, K., Gorgelst, T., Ree, J. V., & Stappers, J. (1999). Effects of education and support on self-care and resource utilization in patients with heart failure. *European Heart Journal, 20*, 673-682.
- Jaarsma, T., Abu-Saad, H. H., Dracup, K., & Haifan, R. (2000). Self-care behavior of patients with heart failure. *Scandinavia Journal Caring Science, 14*, 112-119.

- Keers, J. C., Blaauwvriel, E. E., Hania, M., Bouma, J., Jaegers, S., Sanderma, R et al. (2002). Diabetes rehabilitations: development and first results of a multidisciplinary intensive education program for patients with prolonged self-management difficulties. *Patient education and counseling*, 52, 151-157.
- Kementerian Kesihatan Malaysia (1997). Tinjauan kesihatan dan morbidity kebangsaan kedua (Draft Report).
- Kennedy, L. (2001). Self-monitoring of blood glucose in Type 2 diabetes time for evidence of efficacy. *Diabetes Care*, 24, 977-978.
- Keeratiyutawong, P. (1994). Self-care promotion program for diabetes at the level of a provincial hospital. Master thesis, University of Mahidol, Thailand.
- Kim, Y. S., Sunwoo, S., Sung, E. J., & Kim, S. W. (2002). A retrospective cohort study of the risk factors for non-insulin dependent diabetes mellitus in Korea. *Diabetes Care*, 25, 1414-1421.
- King, H., Aubert, R. E., & Herman, W. (1998). Global Burden of Diabetes: 1995-2025. *Diabetes Care*, 21, 1414-1431.
- Klein, B. E. K., Klein, R., Moss, S. E., & Cruickshanks, K. J. (1996). Parental history of diabetes in a population-based study. *Diabetes Care*, 19, 827-830.
- Knight, K., Badamgarav, E., Henning, J. M., Hasselblad, V., Dugano, A., Ofman, B., & Weingarten, S. R. (2005). A systematic review of diabetes disease management programs. *American Journal Managed Care*, 11, 242-250.
- Kongumnerd, R. (1993). Patterns of social support in self-care of diabetes patients. Master thesis, University of Mahidol, Thailand.
- Knowles, M. S. (1987). *The modern practice of adult education*. New York: Association Press.
- Lalla, E., Park, D. N., Papapanou, P. N. & Lamster, I. B. (2004). Oral disease burden in Northern Manhattan patients with diabetes mellitus. *American Journal of Public Health*, 94, 755-758.
- LeRoith, D., Taylor, S. I., & Olefsky, J. M. (2000). *Diabetes mellitus a fundamental and clinical text* (2nd ed.). Philadelphia: Lippincott.
- Lieb, S. (1991). Principles of adult learning. Retrieved July, 2005, from <http://wwwHonolulu.Hawaii.edu/intranetCommittees/facdevcom>

- Likitratcharoen, S. (2000). Meta-analysis of educative supportive intervention research for diabetic patients in Thailand. Master thesis, University of Mahidol, Thailand.
- Lo, R. (1999). Correlates of expected success at adherence to health regimen of people with IDDM. *Journal of Advanced Nursing, 30*, 418-424.
- Lustman, P. J., Anderson, R. J., Freeland, K. E., Groot, M. de., Camey, R. M., & Clouse, R. E. (2000). Depression and poor glycemic control: a meta-analytic review of literature. *Diabetes Care, 23*, 934-942.
- Mafauzy, M., Mokhtar, N., Wan Muhamad, W. B., & Musalmah, M. (1999). Diabetes mellitus and associated cardiovascular risk factors in north-east Malaysia. *Asian-Pacific J Public Health, 11*, 16-19.
- Malaysian Endocrine and Metabolic Society, Ministry of Health, Malaysia and Malaysian Diabetes Association (1998). National action plans and strategies for improvement of diabetes care in Malaysia. Held in Kuala Lumpur, Malaysia.
- Mariam, A. M., Faridah, I., Haslina, H., Sheela, B., & Norbaiyah, M. N. (2002). The profile of type 2 diabetics in a government health clinic. Proceeding of 12th Asia Pacific Regional Conference, Kuala Lumpur.
- Marimoto, K., & Tatsuya, T. (2000). Relation between lifestyles and lifestyle-related diseases. *Asian Medicine Journal, 43*, 460-469.
- Masawang, S. (2001). The effectiveness of a health promotion and education program in improving behavior and glycemic control of menopausal type II diabetes patients attending Jaturapakpiman Hospital, Roi-ed province. Master Thesis, University of Mahidol, Thailand.
- Medical Record of University Hospital Science Malaysia (2004, August). *Annual data report, Kelantan*: Author.
- Mensing, C., Boucher, J., Cypress, M., & Welger, K. (2000). National standards for diabetes self-management education. *Diabetes Care, 23*, 5-10.
- Mercola, J. (2002). Stress management can help control glucose in Type 2 diabetes .Retrieved November 2005, from <http://www.Mercola.com/2002>
- Merriam, S. B. (2001). Andragogy and self-directed learning. Pillars of adult learning theory. *New direction for adult and continuing, 89*, 3-13.

- Ministry of Health Malaysia (1997). Practice guidelines for: Diabetes Mellitus Type 2 (NIDDM). Disease Control Division and Malaysia Diabetes Association, Kuala Lumpur.
- Ministry of Health, Malaysia (1998). Report of the second national health and morbidity survey conference public health institute, Kuala Lumpur.
- Mitchell, G. J. (2001). Differentiating Nursing Practice in Primary Care. *Nursing Science Quarterly*, 14, 29-33.
- Mohammad, W. B. (2002). Diabetes di Malaysia: Komplikasi dan rawatan. General lecture, University Sains Malaysia, Kubang Kerian, Kelantan.
- Muangkee, W. (2002). The effectiveness of on educative supportive program on improving self-care efficacy and diabetic control in uncontrolled type 2 diabetic patients: a case study of a rural hospital in the north. Master Thesis, University of Mahidol, Thailand.
- Munro, B. H. (2001). *Statistical methods for health care research* (4th ed.). Philadelphia: Lippincott.
- Mustaffa, B. E. (1990). Diabetes in Malaysia: Problems and challenges. *Medical Journal Malaysia*, 1, 1-7.
- Nattrass, M. (1996). *Malin's clinical diabetes* (2nd ed.). London: Chapman & Hall Medical.
- Noris, C. M. (1999). Self-care. *American Journal of Nursing*, 79, 486-489.
- Norris, S. L., Engelgau, M.M., & Narayan, K .M. V. (2001). Effectiveness of self-management training in type 2 diabetes: A systematic review of randomized controlled trials. *Diabetes Care*, 24, 561- 587.
- Norris, S.L., Lau, J., Smith, S.J., Schmid, C.H., & Engelga, M.M. (2002). Self-Management education for adults with type 2 diabetes. *Diabetes Care*, 25, 7-10.
- Norris, S. L., Nichols, P. J., Caspersen, C. J., Glasgow, R. E., Engelgau, M. M., Jack Jr, L., et al. (2002). Increasing Diabetes Self-Management Education in Community Settings: A systematic review. *American Journal Preview Medicine*, 22, 39-65.
- Nunthaphiboon, S. (2001). Effect of the development of self agency on self-care behaviors and fasting blood sugar in type II diabetes. Master Thesis, University of Khon Kaen, Thailand.
- Orem, D. E. (1995). *Nursing Concepts of Practice* (5th ed.). New York: Mc Graw Hill Book Company.

- Orem, D.E. (2001). *Nursing Concepts of practice* (6th ed.). St. Louis, Missouri: Mosby.
- Orem Study Group (2004). Working papers: The Orem Study Group of the 8 th World congress S-CDNT, Sept. 29 – Oct. 3, 2004, Institute for nursing diagnostic and practice research, Clopenburg, Germany.
- Pan, X. R. et al. (1997). Effect of diet and exercise in preventing NIDDM in people with impaired glucose tolerance. *Diabetes Care*, 20, 537-543.
- Phonploy, W. (1996). Self-care promotion for blood sugar controlling of non-insulin dependent diabetes mellitus. Master Thesis, University Prince of Songkla, Thailand.
- Plodnaimuang, A. (1991). The effectiveness of educative-supportive program to improve perceived self-care efficacy and diabetic control in uncontrolled type 2 diabetic patients. Master Thesis, University of Mahidol, Thailand.
- Polit, D. F. (1996). *Data analysis & statistics for nursing research*. Connecticut: Appleton & Lange.
- Polit, D. F., & Hungler, B. P. (1999). Statistical Power in Nursing Research. *Nursing Research*, 39, 365 - 369.
- Prado, R. (1998). Is type 2 diabetes difference disease in obese and non obese patients. *Diabetes Care*, 20, 1680-1685.
- Parrado, P. A. (1998). Type 2 diabetes and obesity, an all-too-common combination. Better nutrition, 60. Retrieved August, 2004, from <http://www.diabetes.rwjf.org/library.html>
- Puangkwan, S. (2002). The effects of supportive-participative education on diabetic knowledge, diabetic control behaviors, fasting blood sugar, and HbA1c in diabetic patients. Master thesis, Mahidol University, Thailand.
- Quinn, F.M. (1995). *The principle and practice of Nursing Education* (3rd ed.). London: Chapman & Hall.
- Render, C.M. (2003). Quality of Care for patients with Type 2 diabetes mellitus with long-term comparison of two quality improvement programmes in the Netherlands. *Diabetes Care*, 19, 2-6.
- Rickheim, P.L., Weaver, T.W., Flader, J.L., & Kendall, D.M. (2002). Assessment of group versus individual diabetes education. *Diabetes Care*, 25, 2-5.

- Rodger, J. (2000). Phamacological intervention in type 2 diabetes: the role of nurse. *British Journal of Nursing, 9*, 866-870.
- Rosenbloom, A. L., Joe, J. R., Young, R. S., & Winter, W. E. (1999). Emerging epidemic of type 2 diabetes in youth. *Diabetes Care, 22*, 345-351.
- Rubin, R.R., & Peyrot, M. (1999). Quality of life and Diabetes. *Diabetes Care, 20*, 130-132.
- Sanaun, U. (1999). The effects of the supportive-educative nursing system of self-care on non-insulin dependent diabetes mellitus patients. Master thesis, University of Mahidol, Thailand.
- Sandberg, G. E., Sundberg, H. E., Fjellstrom, C. A., & Wikblad, K. F. (2000). Type 2 diabetes and oral health. A comparison between diabetic and non diabetic subjects. *Diabetes research and clinical practice, 5*, 27-34.
- Scott, L. D., Kline, K. S. & Britton, A. S. (2004). The effects of nursing interventions to enhance mental health and quality of life among individuals with heart failure. *Applied Nursing Research, 17*, 248-256.
- Sidani, S., & Braden, C. J. (1998). *Evaluating nursing interventions. A theory driven approach.* London; Sage Publication.
- Smeltzer, S. C., & Bare, B. G. (2004). *Textbook of Medical – Surgical Nursing* (10th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Spanheimer, R. G. (2001). Reducing cardiovascular risk in diabetes. Which factors to modify first. *Postgraduate Medicine, 109*, 26-36.
- Sullivan, E. D., & Joseph, D. H. (1998). Struggling with behavior changes: A special case for clients with diabetes. *Diabetes Educator, 24*, 72-77.
- Supee, V. (1993). The effects of supportive-educative nursing system on self-care capabilities in patients with chronic obstructive pulmonary disease at Nakomping Hospital Chiang Mai. Master thesis, University of Mahidol, Thailand.
- Surwit, R. S., Schneider, M. S., & Feinglos, M. N. (1992). Stress and diabetes mellitus. *Diabetes Care, 15*, 1640-1657.
- Surwit, R. S., Tilburg, M. A. L., Zucker, N., McCaskill, C. C., Parekh, P., Feinglos, M. N., Edwards, C. L., William, P., & Lane, J. D. (2002). Stress management improves long-term glycaemic control in Type 2 diabetes. *Diabetes Care, 25*, 30-34.

- Taylor, S.G., Geden, E., Isaramalai, S., & Wongratunyu, S. (2000). Orem's Self-Care Deficit nursing theory. Its philosophic foundation and the state of the science. *Nursing Science Quarterly, 13*, 103-110.
- Taylor, S.G., Renpenning, K.E., Geden, E.A., Neuman, B.M, & Hart, M.A. (2001). A theory of dependent-care: A corollary theory to Orem's Theory of Self-Care. *Nursing Science Quarterly, 23*, 110-112.
- The Diabetes Control and Complication Trial Group (1993). The effect of intensive treatment of diabetes on development and progression of long-term complication in insulin-dependent diabetes. *The New England Journal of Medicine, 329*, 977-986.
- The Eight Malaysia Plan. Poverty eradication and restructuring of. Retrieved September, 2005, from <http://funpan1.un.org/intradoc/groups/public/document/APCITY/UNPANNO17504.p.d.f>.
- The expert committee on the diagnosis and classification of diabetes mellitus (2000). Report of the expert committee on the diagnosis and classification of diabetes mellitus. *Diabetes Care, 23* (Suppl. 1), 4-15.
- Thorsteinson, L. (2001). The quality of nursing care as perceived by individuals with chronic illnesses: the magical touch of nursing. *Journal of Clinical Nursing, 11*, 32-40
- Tomer, S. L., & Lester, A. (2000). Dental and other health care visits among U. S. adults with diabetes. *Diabetes Care, 23*, 1505-1510.
- Tomey, A.M., & Alligood, M.R. (2002). *Nursing Theories and Their Work* (5th ed.). St.Louis: Mosby.
- Tuomilehto, D., Lindstrom, J., Erikson, J.G., & Valle, T.T. (2001). Prevention of type 2 diabetes mellitus by changes in life style among subjects with impaired glucose tolerance. *The New England Journal of Medicine, 344*, 134-148.
- Yodprasit, P. (1998). Health behaviors modification program for self-caring of non-insulin dependent diabetes mellitus patients. Master thesis, University of Chiang Mai, Thailand.
- Waltz, C. F., Strickland, O. L., & Lenz, E. R. (1991). *Measurement in nursing research*. Philadelphia: F. A. Davis Company.
- Wee, H.L., Ho, H.K., & Li, S.C. (2002). Public awareness of Diabetes Mellitus in Singapore. *Singapore Medical Journal, 43*, 128-134.

- Wendel, I., Dues, S.C., Zamble, B., Loman, K., & Remsburg, R.E. (2003). Group diabetes patient education: A model for use in a continuing care retirement community. *Journal of Gerontological Nursing, 29*, 37-40.
- Wesley, R. L. (1995). *Nursing Theories and Models* (2nd ed.). Pennsylvania: Springhouse Corporation.
- Whittemore, R., Chase, S. K., Mandle, C. L. & Roy, S. C. (2002). Lifestyle change in Type 2 Diabetes. Retrieve 5 November, from <http://www.nursingcenter.com>. Nursing Research.
- William, P., & lane, J. (2002). Stress management improves long-term glycemic control in type 2 diabetes. Retrieved 2 October, 2005, from http://www.findarticles.com/p/articles/mi-MOCUH/is_1_25/ai_1_25/ai_
- Wing, R. R., Goldstein, M. G., Acton, K. J., Birch, L. L., Jakicic, J.M., Sallis, J., Wesst, D. S., Jeffery, R. W., & Surwit, R. S. (2001). Behavioral science research in diabetes: Lifestyle changes related to obesity, eating behavior, and physical activity. *Diabetes Care, 24*, 117 –123.
- Wongwaiwit, S. (1996). Self-care participation preference and actually received among diabetes. Master Thesis, Mahidol University, Thailand.
- World Health Organization. (1998). Retrieved 10 January, 2004, from <http://www.who.int/diabetes mellitus>.
- World Health Organization. (1999). Retrieved 12 Mac, 2004, from <http://www.who.int>. Global burden of diabetes.
- World Health Organization. (2002). Retrieved 18 November, 2004, from http://www.who.int/wph/docs/gs_diabetes.pdf.
- World Health Organization (2004). Retrieved 20 September, 2004, from http://www.who.int/wph/docs/gs_diabetes.pdf.