

## REFERENCES

- Ahlsio, B., Britton, M., Murray, V., & Theorell, T. (1984). Disablement and quality of life after stroke. *Stroke*, *15*, 886-90.
- Akhtar, S., G. (2002). Nursing with dignity. Part 8: Islam, *Nursing Times*, *98*: 16, 40 - 42.
- Alexander M. P, D'Eposito, M., Philadelphia, P A., Ween, J. E. (1994). Multiple factors affect the outcome of stroke rehabilitation. *Neurology* *44*, A185.
- Andrew, K., Brockelhurst, J., Richards, B., & Laycock, P. (1982). The recovery of the severely disabled stroke patient. *Rheumatology and Rehabilitation*, *21*, 225-230.
- Andrews, M .M. & Boyle, J. S., (1995). *Transcultural Concepts in Nursing Care* (2<sup>nd</sup> Ed.). Philadelphia: J. B. Lippincott Company
- Astrom, M., Adolfson, R. & Asplund, K. (1993). Major depression in stroke patients, a 3-years longitudinal study. *Stroke*, *24*, 976-982.
- Barnett, H. J. (2002). Stroke prevention in the elderly. *Clinical Experience Hypertension*, *24*, 563-567.
- Basmajian, J. V., Gowland, C. A., & Finlayson, A. J. (1987). Stroke treatment: comparison of integrated behavioral – physical therapy vs. traditional therapy programs. *Archives of Physical Medicine and Rehabilitation*, *68*, 267-272.
- Bays, C. L. (2001). Older adults descriptions of hope after a stroke. *Rehabilitation-Nursing*, *26*, 23-237

- Benner, P., & Wrubel, J. (1989). *The primacy of caring: Stress and coping in health and illness*. Menlo Park, California: Addison Wesley
- Berg, A., Lehtihalmes, M., & Lonnqvist, J. (2002). Post stroke depression: an 18-months follow-up. *Stroke*, 34, 138.
- Bergum, V. (1997). *A child on her mind: The experience of becoming a mother*. Westport: Bergin & Garvey.
- Besdine, R. W. (1993). Stroke prevention in the elderly. *Community Medicine*, 57, 287-292.
- Bronstein, K. S. (1991). Psychological component in stroke implications for adaptation. *Nursing Clinics of North America*, 26, 1007-1017.
- Burton, C. R. (2000). Living with stroke: a phenomenological study. *Journal of Advanced Nursing*, 32, 301-309.
- Burton, C., R. (2000). A description of the nursing role in stroke rehabilitation. *Journal of Advanced Nursing*, 32, 174-181.
- Buscherhof, J. R. (1998). From abled to disabled: a life transition. *Topic in Stroke Rehabilitation*, 5, 19-29.
- Calabria, M., Macrae, J. (1994) *Suggestion for thought by Florence nightingale: Selections and commentaries*, Philadelphia. University of Pennsylvania Press.
- Carod, J., Egido, J., Gonzales, J.L., and Varela De Seijas, E. (1999). Post stroke sexual dysfunction and quality of life. *Stroke*, 30, 2238-2239.
- Chantawatchai, A. (1999). *Functional abilities in activity of daily living and related factors among stroke patients 3 months after onset*. Unpublished master's thesis, University of Mahidol, Thailand.

- Clarke, P. J. (1999). Handicap in stroke survivors. *Disable Rehabilitation*, 21, 116 - 123.
- Coe, R. M. (1997). The magic of science and the science of magic: an essay on the process of healing. *Journal Health Social Behavior*, 38, 1.
- Craven, R. F. & Hirnle, C. J. (2000). *Fundamentals of nursing: Human health and function (3<sup>rd</sup> ed.)*. Philadelphia, Lippincott.
- Dempsey, P. A. & Dempsey, A. D. (2000). *Using nursing research: process, critical evaluation, and utilization*. (5<sup>th</sup> ed.). Philadelphia: Lippincott.
- Department of Health of West Java province in (2000). Profil kesehatan provinsi Jawa Barat 2000 (data tahun 1999)[Health profile of West Java province]. *Dinas Kesehatan Jawa Barat*, Bandung.
- Desmond, D. W., Remein, R. H., Moroney, J. T., Stern, Y., Sano, M., & Williams, J.B. (2003). Ischemic stroke and depression. *Journal Internal Neuropsychological Social*, 9, 429-439.
- Dobkin, B. H. (1999). Disabling stroke: managing common symptoms. *Family Practice Recertification*, 21, 31-34
- Doolittle, N. (1991). Clinical ethnography of lacunar stroke: implication for acute care. *Journal of Neuroscience Nursing* 23, 235-240.
- Doolittle, N. (1992). The experience of recovery following lacunar stroke. *Rehabilitation Nursing*, 17, 122-125
- Dowswell, G., Lawler, J., Dowswell, T., Young, J., Forster, A., and Hearn, J. (2000). Investigating recovery from stroke: a qualitative study. *Journal of Clinical Nursing*, 9, 507-515.

- Dreyfus, H., & Dreyfus, S. (1987). *From Socrates to experts system: the limits of calculative rationality*. In *interpretive social science: a second look* (Rabinow, P. & Sullivan, W). University of California Press, Berkeley.
- Ellison, C. G., & Levin, J.S. (1998). The religion-health connection: Evidence, theory, and future directions. *Health Education & Behavior, 25*, 700-720.
- Evans, R.L. & Nortwood, L. K. (1983). Social support needs in adjustment to stroke. *Achieve Physical Medicine Rehabilitation, 64*, 61.
- Family Health Survey (1995). *Survey Kesehatan Rumah Tangga Indonesia: Departmen Kesehatan Republik Indonesia*.
- Folden, S.L. (1994). Managing the effects of a stroke: the first months. *Rehabilitation Nursing Research, 3*, 79-85
- Fryback, P., B. (1993). Health for people with a terminal diagnosis. *Nursing Sciences Q, 6* (3), 147.
- Fuh, J. I., Liu, H. C., Wang, S. J., Liu, C. Y., & Wang, P. N. (1997). Post stroke depression among Chinese elderly in a rural community. *Stroke, 28*, 1126-1129.
- Gadamer, H. G. (1997). *Truth and method*. (2<sup>nd</sup> rev. ed.) (J. Weinsheimer and D. G. Marshall, Trans. rev.) New York: Continuum. (Original work published 1960).
- Garaway, M. W., Akhtar, A. J., Hockey, L. & Prescott, R. J. (1980). Management of acute stroke in the elderly: follow-up of a controlled trial. *British Medical Journal, 281*, 827-829.

- Geddes, J. M. L., Fear, J., Tennant, A., Pickering, A., Hillman, M., Chamberlain, M. (1996). Prevalence of self reported stroke in a population in northern England. *Journal. Epidemiological Community Health, 50*, 140-143.
- Gibbon (1994) Stroke and rehabilitation (Continuing education series paper and assessment). *Nursing Standard, 8*, 49-56.
- Glader, E. L., Stegmayr, B., Asplund, K. (2002). Poststroke fatigue: a 2-year follow-up study of stroke patients in Sweden. *Stroke, 33*, 1327-1333.
- Gorman, M., Raines, M. L., and Sultan, D. F. (2002). *Psychosocial Nursing for General Patient Care (2<sup>nd</sup> ed)*. F.A. Davis Company.
- Gresham, G. E., Fitzpatrick, T. E., Wolf, P. A., McNamara, P. M., Kannel, W. B., & Dawber, T. R. (1975). Residual disability in survivors of stroke-the Framingham study. *New England Journal of Medicine 293*, 954-956.
- Guwandi, J. (2001) *Pembuktian Terbalik*. Retrieved [April 9, 2001] from Kompas Cyber Media.
- Hadisth number in Sahih Muslim [Arabic]: 4085, cited in al-Islam.com
- Hafsteinsdottir, T. B. & Grypdonck, M. (1997). Being a stroke patient: a review of literature. *Journal of Advanced Nursing, 26*, 580-588
- Haggstrom, T., Axelsson, K., & Norberg, A. (1994). The experience of living with stroke sequelae illuminated by means of stories and metaphors. *Qualitative Health Research, 4*, 321-337.
- Hamrin, E., & Wholin, A. (1982). Evaluation of the functional capacity of stroke patients through an activity index. *Scandinavian Journal of Rehabilitation Medicine, 14*, 93-100

- Hasan Sadikin Hospital Profile (2000). Profil rumah sakit Hasan Sadikin Bandung Jawa Barat. 2000
- Hayee, M. A., Akhtar, N., Haque, A., & Rabbani, M. G. (2001). Depression after stroke-analysis of 297 stroke patients. *Bangladesh Med Res Couns Bull*, 27, 96-102.
- Heidegger, M. (1962). *Being and Time* (Translated Macquarie, J., & Ribinson, E.,) Basil Blackwell, Oxford.
- Hickey. (1997). Cited in LeMone, P., & Burke, K. M. (2000). *Medical-Surgical Nursing: Critical Thinking in Client Care* (2<sup>nd</sup> ed.). New Jersey: Prentice Hall Health.
- Hilton, E. L. (2002). The meaning of stroke in elderly women: a phenomenological investigation. *Journal of Gerontological Nursing*, 28, 19-26.
- Hirunchunha, S. (1998). Development of a care model for the caregivers of stroke patients at home (Doctoral dissertation, Mahidol University, 1998). *Dissertation Abstract*. Thailand.
- Hoad, T. F. (Ed.)(1986/1996). *The concise Oxford dictionary of English etymology*. New York: Oxford University Press.
- Holy Koran. Cited in <http://www.al-Islam.com>
- House, A. (1987) Mood disorders after stroke: a review of the evidence. *International Journal of Geriatric Psychiatry*, 2, 211-221.
- Howard, 1982 cited in Wilcke, (2002). *Hermeneutic phenomenology as a research method in social work. Currents: New Scholarship in the Human Services*, 1 (1). Retrieved [July 19, 2004] from <http://fsw.ucalgary.ca/currents/wilke/wilke.htm>

<http://www.frankfordhospitals.org/e3front.dll?durki=4380&site=620&return=9665>

<http://www.geocities.com/bandungcity/bdg.htm>

<Http://www.Irishhearh.ie/patientqueries/stroke3.htm>

<Http://www.strokecenter.com/poststroke.html>.

Jonkman, E. J., de Weerd, A. W., and Vrijens, N. L. H. (1998). Quality of life after a first ischemic stroke: Long-term developments and correlations with changes in neurological deficit, mood and cognitive impairment. *Acta Neurologica Scandinavica*, 98, 169-175.

Jullamate, P. (1997). *Effect of informational and emotional support on burden of stroke patient caregivers*. Unpublished master's thesis, University of Chiang Mai, Thailand.

Kasriwong, S. (2001). *Adaptation in stroke patients*. Unpublished master's thesis, University of Khon Kaen, Thailand.

Kenchaiwong, F. (1995). *Relationships among patient dependency, social support and burden of stroke patient caregivers*. Unpublished master's thesis, University of Chiang Mai, Thailand.

Kimura, M., Murata, Y., Shimoda, K., & Roninson, R. G. (2001). Sexual dysfunction following stroke. *Comprehensive Psychiatry*, 42, 217-222.

King, R. B., Carlson, C. E., Shade, Z. Y., Bares, K. K., Roth, E. J., & Heinemann, A. W. (2001). Transition to home care after stroke: depression, physical health, and adaptive processes in support persons. *Research in Nursing and Health*, 24, 307-323.

Kirkervold, M. (2002). The unfolding illness trajectory of stroke. *Disabil Rehabil*, 20, 887-889.

- Kivela, S. L. (1994) Depression and physical and social function in old age, Department of public health science and general practice, university of Oulu, Finland. *Acta Psychiatry Scandinavia Supplement*, 377, 73-76.
- Koch, T. (1995). Interpretive approaches in nursing research: the influence of Husserl and Heidegger. *Journal of Advanced Nursing*, 21, 827-836.
- Koenig, H. et al. (2001). *The handbook of religion and health*. Oxford University Press, Oxford p. 591.
- Korpelainen, J. T., Nieminen, P., and Myllilla, V. V. (1999). Sexual functioning among stroke patients and their spouses. *Stroke*, 30, 715-719.
- Kyllo, D. O., (1996). Spiritual topics in stroke rehabilitation. *Topics in Stroke Rehabilitation*. 2, 38 –43
- Labi, M. L. C., Phillips, T. F., Gresham, G. E. D. (1980). Psychosocial disability in physical restored long-term stroke survivors. *Arch Phys Med Rehabil*, 61,561
- Langhorne, P. (2001). Family support benefits caregivers but has no impact on stroke sufferers. *Evidence Based Healthcare*, 5, 41
- Leahy, N. M., (1991). Complications in the acute stages of stroke. *Nursing Clinics of North America*, 26, 971-983
- LeMone, P., & Burke, K. M. (2000). *Medical-Surgical Nursing: Critical Thinking in Client Care* (2<sup>nd</sup> ed.). New Jersey: Prentice Hall Health.
- Lev, E. L. (1992). Patients' strategy for adapting to cancer treatment. *Western Journal of Nursing Research*, 14, 595-617.
- Lewis, N.A. (1986). Functional gains in CVA patients: a nursing approach. *Rehabilitation Nursing*, 11, 25-27.



- Lincoln, Y. S. & Guba, E. G. (1985), *Naturalistic inquiry*. Newbury Park: Sage Publications.
- Ljungberg, C., Hanson, E., and Lovgren, M. (2001). A home rehabilitation program for stroke patients: a pilot study. *Scandinavian Journal of Caring Sciences*, 15, 44-53
- Logigian, M. K., Samuels, M. A., Falconer, J., & Zagar R. (1983): Clinical exercise trial for stroke patients. *Archives of Physical Medicine and Rehabilitation*, 64, 88-91.
- Lui, M. H. L. & Mackenzie, A. E. (1999). Chinese elderly patients' perceptions of their rehabilitation needs following a stroke. *Journal of Advanced Nursing*, 30, 391-400.
- Mahoney, F. I., & Barthel, D. (1965). Functional evaluation: The Barthel Index. *Maryland State Medical Journal*, 14, 56-61 cited in rehabilitation notes (Carroll, D., Ed.). <http://www.strokecenter.org/trials/scales/barthel.html>.
- Merleau-Ponty, M.. (1996). *Phenomenology of perception*. C. Smith (Trans.). New York: Routledge. (First published 1962).
- Meuntip, Y. (1994). *The relationship between hope and rehabilitation outcome in stroke patients*. Unpublished master's thesis, University of Khon Kaen, Thailand.
- Misbach, J. & Ali, W. (2002) Stroke in Indonesia: A first large prospective hospital-based study of acute stroke in 28 hospitals in Indonesia. *Journal Clinical Neuroscience*, 8, 245-249.
- Mitchell. E., & Moore. K. (2004). Stroke: Holistic care and management. *Nursing Standard*, 18, 43-52.

- Monahan, D .F. & Neighbors, M. (1998). *Medical surgical nursing: Foundations for clinical practice* (2<sup>nd</sup> ed.). Philadelphia: Saunders.
- Moody, L. (1990). *Advancing nursing science trough research*. Newbury Park: Sage.
- Moon SK, Whang Y. K, Park S. U, Ko C. N, Kim Y. S, Bae H. S, Cho K. H (2003). Antispastic effect of electroacupuncture and moxibustion in stroke patients. *American Journal Chinese Medicines*, 31, 467-474
- Morris, P. L. P., Raphael, B & Robinson, R. G. (1992). Clinical depression is associated with the impaired recovery from stroke. *Medical Journal of Australia*, 157, 239-242.
- Mulder, T., Hulstijn, W. & Meer, J. V. D. (1986). EMG feedback and the restoration of motor control: a controlled group study of 12 hemiparetic patients. *American Journal of Physical Medicine*, 65, 173-188.
- Mumma, C. M. (1986). Perceived losses following stroke. *Rehabilitation Nursing*. 11, 19-24.
- Munhall, P. (1994) *Revisioning phenomenology: nursing and health science research*. New York: National League for Nursing Press.
- Nazarko, L. (2002). *Nursing in care homes* (2<sup>nd</sup> ed.). Blackwell Science.
- Nilson. (1997) Cited in Gorman, M., Raines, M. L., and Sultan, D. F. (2002). *Psychosocial Nursing for General Patient Care* (2<sup>nd</sup> ed). F.A. Davis Company.
- O'Brien, M. E. (1999). *Spirituality in nursing: standing on holy ground*. Jones and Bartlett Publishers

- O'Connell, B., Barbara, H., Wendy, P., Julian, P., Martin, O., & Phil, W. (2001). Recovery after stroke: a qualitative perspective. *Journal of Quality in Clinical Practice*, 21, 120-125.
- Odman, P. J. (1988). Hermeneutics. In J. P. Keeves, (Ed.) *Educational research methodology and measurement: An international handbook* (pp. 63-70). New York: Pergamon Press.
- Osborne, J. W. (1994). Some similarities and differences among phenomenological and other methods of psychological qualitative research. *Canadian Psychology*, 35, 167-189.
- Parikh, R. M., Lipsey, J. R., Robinson R. G., & Price, T. R., (1987). Two-year longitudinal study of post stroke mood disorders: dynamic changes in correlates of depression at one and two years. *Stroke*, 18, 579-584.
- Patton, M. Q. (1990). *Qualitative evaluation and research method (2<sup>nd</sup> ed.)*. Newbury park, CA: Sage.
- Polit, D. F., & Hungler, B. P. (1999) *Nursing research: Principles and methods*. Philadelphia: Lippincott.
- Polit, D. F., Beck, C.T, & Hungler, B. P. (2001) *Essentials of Nursing research: Methods, appraisal, and utilization (5<sup>th</sup> ed.)*. Philadelphia: Lippincott.
- Porth. (1998) cited in LeMone, P., & Burke, K. M. (2000). *Medical-Surgical Nursing: Critical Thinking in Client Care (2<sup>nd</sup> ed.)*. New Jersey: Prentice Hall Health.
- Potter & Ferry, (2001). *Basic nursing: essentials for practice (5<sup>th</sup> ed.)*. St. Louis, Mosby.

- Reeves, Roux, & Lochart (1999) *Medical surgical nursing*, New York: Mc Graw-Hill.
- Robinson & Smith, G. (2002). Prayer after stroke: its relationship to quality of life. *Journal of Holistic Nursing*, 20, 352 –366.
- Robinson-Smith, G., Johnston, M. V., & Allen, J. (2000). Self-care self efficacy, quality of life and depression after stroke. *Archives of Physical Medicine and Rehabilitation*, 81, 460-464.
- Rochette, A., & Desroiseirs, J. (2002). Coping with the consequences of a stroke. *Int J Rehabil Res*, 25, 17-24
- Sacco, R., & Lipset, C. (1995). *Stroke risk factors: identification and modification*. In *stroke therapy Fisher, M. (ed.)*. Butterworth-Heinman, Oxford.
- Salter, J., Camp, Y., Pierce, L. L., & Mion, L. C. (1991). Rehabilitation nursing approaches to cerebrovascular accident: a comparison of two approaches. *Rehabilitation Nursing* 16, 62-66.
- Sandelowski, 1986 Cited in LoBiondo, G., Wood, & Haber, J. (1994) *Nursing research: Methods, critical appraisal, and utilization* (3<sup>rd</sup> ed.). Mosby-years Book, Inc
- Sandin, K. J., Cifu, D. X., & Noll, S. F. (1994). Stroke rehabilitation. 4. Psychologic and social implications. *Archives of Physical Medicine and Rehabilitation*, 75, 52-55.
- Sauvaget, C., Nagano, J., Allen, N., Grant, E. J., Beral, V. (2003). Intake of animal products and stroke mortality in the Hiroshima/Nagasaki Life Span Study. *Int J Epidemiol*. 32, 543-545.

Seamic health statistic. (1999). SEAMIC publication: Tokyo

Seisson, R. A. (1998). Life after stroke: coping with change, *Rehabilitation Nursing*, 23, 198 - 203.

Shaper, A. G., Philips, A. N., Pockock, S. J., Walker, M., and Macfarlane, P. W. (1991). Risk factors for stroke in middle aged men. *British Medical Journal*, 309, 1111-1115.

Spiegelberg 1975 cited in Streubert, H. J., & Carpenter, D. R. (1999). *Qualitative research in nursing: Advancing the humanistic imperative* (2<sup>nd</sup> ed.). Philadelphia: Lippincott

Spiegelberg, 1965 cited in Streubert, H. J., & Carpenter, D. R. (1999). *Qualitative research in nursing: Advancing the humanistic imperative* (2<sup>nd</sup> ed.). Philadelphia: Lippincott

Spiegelberg, H. (1982). *The phenomenological movement: A historical introduction*. (3<sup>rd</sup> revised & enlarged edition) The Hague: Martinus Nijhoff Publishers.

Statistic Indonesia (1998). Badan Pusat Statistik republik Indonesia. Jakarta.

Statistic Indonesia (2000). Badan Pusat Statistik republik Indonesia. Jakarta.

Stewart, D., & Mickunas, A. (1990). *Exploring phenomenology: A guide to the field and its literature* (2<sup>nd</sup> ed.). Athens: Ohio University Press.

Strategic planning of west Java (2001). Government of West Java Province. Bandung.

Streubert, H. J., & Carpenter, D. R. (1999). *Qualitative research in nursing: Advancing the humanistic imperative* (2<sup>nd</sup> ed.). Philadelphia: Lippincott.

- Suthayakorn, N. (1988). *Relationship between family coping behavior and confidence in dependent care in stroke patient*. Unpublished master's thesis, University of Mahidol, Thailand.
- Swartzman, L. C., Gibson, M. C., Armstrong, T. L. (1998). Psychosocial consideration in adjustment to stroke. *Physical Medicine and Rehabilitation: State of the Art Reviews*, 12, 519-541.
- Tanne, Goldbourn, Zion, Reicher-Reis, Kaplinsky and Behar, (1993). Frequency and prognosis of stroke / TIA among 4808 survivors of acute myocardial infarction: the sprint study group. *Stroke*, 24, 1490-1495.
- Teixeira, Salmela, L. F., Olney, S. J., Nadeau, S. Brouwer, B. (1999). Muscle strengthening and physical conditioning to reduce impairment and disability in chronic stroke survivors. *Arch Phys Med Rehabil*, 80, 1211-1218.
- Thompson, J. L. (1990). Hermeneutic Inquiry. In L. E. Moody (Ed.). *Advancing nursing science through research (vol. 2)* (pp. 223-280). Newbury Park: Sage Publications.
- Thomson, S. C., Sobolew, S. A., Graham, M. A., and Janigian, A. S. (1989). Psychosocial adjustment following a stroke. *Social Science Medicine*, 28, 239-247.
- Trigg, R., Wood, V. A., and Hower, R. L. (1999). Social reintegration after stroke: the first stages in the development of the subjective index of physical and social outcome (SIPSO). *Clinical Rehabilitation*, 13, 341-353.
- Undermann, B. E. (2000). The effect of spirituality on health and healing: a critical review for athletic trainers. *Journal of Athletic Training*, 32, 194 -197

- Van Manen, M. (1990). *Researching lived experience: Human science for an action sensitive pedagogy*. New York: State University New York Press.
- Venkatasubramanian, N. (1998). The epidemiology of stroke in ASEAN countries-A review. *Neurol J Southeast Asia*, 3, 9-14.
- Wagenaar, R. C., Meijer, O. G., & van Wieringen, P. C. W. (1990). The functional recovery of stroke: comparison between neuro developmental treatment and the Brunnstrom method. *Scandinavian Journal of Rehabilitation Medicine*, 22, 1-8.
- Weinsheimer, J. (ed) (1985). *Introduction: Hermeneutics and the natural sciences*. In *Gadamer's Hermeneutics: a reading of truth and method*. New Haven: Yale University press.
- Wolfe, C. D., (2000). The impact of stroke. *Br. Medical Bulletin*, 56, 275-86.
- World Health Organization [WHO] (1997). *World Health Report 1997*. Retrieved February, 2003, from [http:// www. who. int/ whr2001/2001/archives/1997/ exsum97e.htm](http://www.who.int/whr2001/2001/archives/1997/exsum97e.htm)
- World Health Organization [WHO] (2001) *World Health Report 2001*. Retrieved February, 2003, from [http:// www. who. int/ whr2001/2001/archives/2001/ exsum97e.htm](http://www.who.int/whr2001/2001/archives/2001/exsum97e.htm)
- Youman, P., Wilson, K., Harraf, F., & Lalit, K. (2003). The economic burden of stroke in the United Kingdom. *Pharmacoeconomics*, 21, 43-50.