

## REFERENCES

- Akid, M. (2002). After the fall, the fallout. *Nursing Times*, 98 (6), 14.
- Arfken, C.L., Lach, H.W., Birge, S.J., & Miller, J.P. (1994). The prevalence and correlates of fear of falling in elderly persons living in the community. *American Journal of Public Health*, 84 (4), 565-570.
- Assantachai, P., Praditsuwan, R., Chatthanawaree, W., Pisalsarakij, D., & Thamlikitkul, V. (2002). Strategy to prevent falls in the Thai elderly: A controlled study integrated health research program for the Thai elderly. *Journal of Medicine Association Thailand*, 85 (2), 215-222.
- Blake, A.J., Morgan, K., & Bendell, M.J. (1988). Falls by elderly people at home: prevalence and associated factor. *Age and Aging*, 17, 365.
- Boonrayong, W., Apikomolkron, H., & Rattakron, P. (2002). Environmental risk factors of accidents in the elderly and strategic management. *The Journal of Occupational Therapist Association of Thailand*, 7 (1), 31-40. (Thai manuscript).
- Boonyanupong, K., Boonyanupong, S., & Chunta, S. (1983). *Annual reported of "The elderly in Chiangmai"*. Social research institute, Chiangmai University. (Thai manuscript)
- Braun, B.L. (1998). Knowledge and perception of fall-related risk factors and fall-reduction techniques among community-dwelling elderly individuals. *Physical therapy*, 78(12), 1262-1276.

- Campbell, A.J., Borrie, M.J., & Spears, G.F. (1989). Risk factors for falls in a community-based prospective study of people 70 years and older. *Journal of Gerontology*, 44 (4), M112-M117.
- Campbell, A.J., Spears, G.F. & Borrie, M. J. (1990). Examination by logistic regression modeling of the variables which increase the relative risk of elderly women falling compared to elderly men. *Journal of Clinical Epidemiology*, 43(12), 1415-1420.
- Cannard, G. (1996). Falling trend. *Nursing Time*, 92 (2), 36-37.
- Chan, K.M., Pang, W.S., Ee, C.H., Ding, Y.Y., & Choo, P. (1997). Epidemiology of falls among the elderly community-dwellers in Singapore. *Singapore Medical Journal*, 38 (10), 427-431.
- Churinta, A. (1997). *Self-care behavior and quality of life among the Thai elderly in upper northern*. Master's Thesis in Nursing Science (Adult Nursing), Faculty of Graduate Studies, Mahidol University, Bangkok. (Thai Manuscript)
- Craven, R., & Bruno, P. (1986). Teach the elderly to prevent falls. *Journal of Gerontological Nursing*, 12 (8), 27-33.
- Department of local administration.(2002). Population of Yala province [Online]. Available: [http://www.dala.go.th/stat/pop44\\_1.html](http://www.dala.go.th/stat/pop44_1.html) [2002, April 30].
- Dolinis, J., Harrison, J.E. & Andrews, G.R. (1997). Factors associated with falling in older Adelaide residents. *Aunt-N-Z-J-Public-Health*. [CD-ROM], 21(5), 462-468. Abstract from: Medline: Accession number 98003852 [2002, April 30].
- Downtown, J.H. (1993). *Falls in the elderly*. London: Edward Arnold.

- Dresner-Pollak, R., Ginsberg, G., Cohen, A., & Stessman, J. (1996). Characteristics of falls in 70 year olds in Jerusalem. *Israel Journal of Medical Science*, 32 (8), 625-628.
- Dunn, J.E., Rudberg, M.A., Furner, S.E., & Cassel, C.K. (1992). Mortality, disability, and falls in older persons: The role of underlying disease and disability. *American Journal of Public Health*, 82 (3), 395-400.
- Eliopoulos, C. (2001). Chapter 4 Safety: Falls. *Gerontological Nursing* (5 th ed. pp.143-147). Philadelphia: Lippincott.
- Feder, G., Ceyer, C., Donovan, S., & Carter, Y. (2000). Guidelines for the prevention of falls in people over 65. *British Medical Journal*, 321, 1007-1011.
- Fortin, J.D., Yeaw, E.M.J., Campbell, S., & Jameson, S. (1998). An analysis of risk assessment tools for falls in the elderly. *Home Healthcare Nurse*, 16 (9), 624-629.
- Fuller, G.F. (2000). Falls in the elderly. *American Family Physician*, 61 (7), 2159-2168.
- Graafmans, W.C., Ooms, M.E., H., Hofstee, H.M.A., Bezemer, P.D., Bouter, L.M. & Lips, P. (1996). Falls in the elderly: a prospective study of risk factors and risk profiles. *American Journal of Epidemiology*, 143 (11), 1129-1136.
- Gregg, E.W., Pereira, M.A., & Caspersen, C.J. (2000). Physical activity, falls, and fractures among older adults: A review of the epidemiologic evidence. *Journal of American Geriatric Society*, 48 (8), 883-893.
- Hanjangsit , K. (1994). *Incidence rate and factors related to home accident of elderly living in Yasothon*. Master's Thesis in Science (Epidemiology), Faculty of Graduate Studies, Mahidol University, Bangkok.

- Heady, S.A., & Hooper, J.I. (2002). Chapter 10: Behavior change, health behavior, and health belief model. In C.L. Edelman & C.L. Mandel, *Health promotion: Throughout the lifespan*. (5 th ed., pp.253-254). St. Louis: Mosby.
- Hendrich, A., Nyhuis, A., Kippenbrock, T., & Soja, M.E. (1995). Hospital falls: Development of a predictive model for clinical practice. *Applied Nursing Research*, 8 (3), 129-139.
- Ignatavicius, D. (2000). Do you help staff rise to the fall prevention challenge?. *Nursing Management*, 31 (1), 27-30.
- Iiamsakul, S. (2000). *Theories and techniques in behavior modification* (4 th ed.). Bangkok: Chulalongkron University. (Thai manuscript)
- Ingalls, A.J., & Sallerno, M.C. (1983). *Maternal and child health nursing*. St. Louis: Mosby.
- Jaisai, N. (1993). *Sample survey* (pp.34-37). Songkhla: n.p.
- Janz, N.K., & Becker, M.H. (1984). The health belief model: A decade later. *Health Education Quarterly*, 11 (1), 1-47.
- Jensen, J., Lundin-Olsson, L., Nyberg, L., & Gustafson, Y. (2002). Fall and injury prevention in older people living in residential cares facilities. *Annals of Internal Medicine*, 136 (10), 733-741.
- Jitapunkul, S. (2002). Chapter 8 Falls in the elderly. In S. Jitapunkul, *Principles of Geriatric Medicine* (pp. 134-143). Bangkok: Chulalongkron university.
- Jitapunkul, S & Bunnag, S. (1997). *Aging in Thailand*. Bangkok: Thai Society of Gerontological and Geriatric medicine.

- Jitapunkul, S., Kunanusoan, C., Poochareon, W. & Suriyawongpaisal, P. (1999). *Health of Thai elderly*. Bangkok, Holistic publishing, 13-17.
- Jitapunkul, S., Na Songkhla, M., Chayovan, N., Chirawatkul, A. Choprapawon, C., Kachondham, Y., & Buasai, S. (1998). Falls and their associated factors: A national survey of the Thai elderly. *Journal of Medicine Association Thailand*, 81 (4), 233-242.
- Kannus, P., Parkkari, J., Koskinen, S., Niemi, S., Palvanen, M., Jarvinen, M. & Vuori, I. (1999). Fall-induced injuries and deaths among older adults. *The Journal of the American Medical Association*, 281 (20), 1895-1899.
- Katepitchayawattana, J. (2001). Risk factors of fall among the elderly in community. *Journal of Gerontology and Geriatric Medicine*, 2 (2), 4-5. (Thai manuscript).
- Kempton, A., van Beurden, E., Sladden, T., Garner, E., & Beard, J. (2000). Older people can stay on their feet: Final results of a community-based falls prevention programme. *Health Promotion International*, 15 (1), 27-33 [Online]. Available: <http://www.heapro.oupjournals.org/misc/terms.shtml>
- King, M.B., & Tinetti, M.E. (1995). Falls in community-dwelling older persons. *Journal of American Geriatrics Society*, 43 (10), 1146-1154.
- Kong, K.S, Lee, F., Mackenzie, A.E., & Lee, D.T.F. (2002). Psychosocial consequences of falling: The perspective of older Hong Kong Chinese who had experienced recent falls. *Journal of Advanced Nursing*, 37 (3), 234-242.
- Koski, K., Lukinen, H., Laippala, P., & Kivela, S.L. (1998). Risk factors for major injurious falls among the home-dwelling elderly by functional abilities.

- Gerontology. [CD-ROM], 44(4), 232-238. Abstract from: Medline: Accession number 98321304 [2002, April 30].
- Kreesaeng, A. (1977). *Education Psychology*. Bangkok: Pikanate. (Thai manuscript)
- Lach, H.W., Reed, T., Arfken, C.L., Miller, P., Paige, G.D., Birge, S.J., & Peck, W.A. (1991). Falls in the elderly: Reliability of a classification system. *Journal of the American Geriatrics Society*, 39(2), 197-202.
- Lange, M. (1996). The challenge of fall prevention in home care: A review of the literature. *Home Healthcare Nurse*, 14 (3), 198-206.
- Lausawatchaikul, P., Sirapo-ngam, Y., & Putwatana, P. (2000). Related factors and outcome of falls in the elderly. *Journal of Gerontology and Geriatric Medicine*, 1 (2), 16-23. (Thai manuscript).
- Lee, H., Kim, M.J., Bae, C.Y., Lee, Y.J., Kang, Y.G. & Lee, S.K. (2000). The factors influencing on fall in the elderly living in the community. *Journal of American Geriatric Society*, 48 (8), S17.
- Letvak, S., & College, E. (2000). Falls in the elderly: A multifactorial problem. *Journal of Emergency Nursing*, 26 (5), 448-451.
- Lord, S.R., Clark, R.D., & Webster, I.W. (1991). Physiological factors associated with falls in an elderly population. *Journal of American Geriatrics Society*, 39 (12), 1194-1200.
- Lucanin, J.D., Lucanin, D., & Havelka, M. (1997). Role of psychological factors in the aging process-stress and self-perceived health as predictors of aging [Online]. Available: <http://www.cmj.hr/index.php?p=2030> [2003, March 15].

- Luukinen, H., Koski, K., Honkanen, R., & Kivela, S.L. (1995). Incidence of injury-causing falls among older adults by place of residence: A population-based study. *Journal of the American Geriatrics Society*, 43 (8), 871-876.
- MacAvoy, S., Skinner, T., & Hines, M. (1996). Fall risk assessment tool. *Applied Nursing Research*, 9 (4), 213-218.
- Maki, B.E., Holliday, P.J., & Topper, A.K. (1994). A prospective study of postural balance and risk of falling in an ambulatory and independent elderly population. *Journal of Gerontology*, 49 M72-M84.
- Martin, J.C., & Panicucci, C.L. (1996). Health related practices and priorities: The health behaviors and beliefs of community living black older women. *Journal of Gerontological Nursing*, 22 (4), 441-448.
- McMurdo, M.E.T. (2001). Falls prevention. *Age and ageing*, 30 (SI), 4-6.
- National statistics office. (1991). Accidents statistics [Online]. Available: <http://www.noph.go.th/ops/bhpp/pr.html> [2002, April 30].
- National statistics office (1995). Family income of Thai population [Online] Available: <http://www.dlpw.go.th> [2002, April 30].
- National statistics office.(1999). Accidents statistics [Online]. Available: <http://www.noph.go.th/ops/bhpp/pr.html> [2002, April 30].
- Nitirungjarus, K. (2001). *Fall risk in patients with eye diseases*. Master's Thesis in Nursing Science (Adult Nursing), Faculty of Graduate Studies, Mahidol University, Bangkok.
- Nevitt, M.C., Cumming, S.R., & Hudes, E.S. (1991). Risk factors for injurious falls: A prospective study. *Journal of Gerontology*, 46 (5), M164-M170.

- Nevitt, M.C., Cummings, S.R., Kidd, S., & Black, D. (1989). Risk factors for recurrent nonsyncopal falls: A prospective study. *The Journal of the American Medical Association*, 261 (18), 2663-2668.
- Nickens, H. (1985). Intrinsic factors in falling among the elderly. *Archives of Internal Medicine*, 145, 1089-1093.
- Northridge, M.E., Nevitt, M.C., Kelsey, J.L., & Link, B. (1995). Home hazards and falls in the elderly: The role of health and functional status. *American Journal of Public Health*, 85 (4), 509-515.
- Oliver, D., Britton, M., Seed, P., Martin, F.C., & Hopper, A.H. (1997). Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: Case-control and cohort studies. *British Medical Journal*, 315, 1049-1053.
- O'Loughlin, J.L., Robitaille, Y., Boivin, J., & Suissa, S. (1993). Incidence of and risk factors for falls and injurious falls among the community-dwelling elderly. *American Journal of Epidemiology*, 137 (3), 342-354.
- Overstall, P.W. (1980). Prevention of falls in the elderly. *Journal of American Geriatric Society*, 18(11), 481-484.
- Parry, S.W., Steen, N., Galloway, S.R., Kenny, R.A., & Bond, J. (2001). Falls and confidence related quality of life outcome measures in an older British cohort. *Postgraduate Medicine Journal*, 77, 103-108.
- Pasunan, N., Jitramontree, N., & Ronnarithivichai, J. (1998). The study of housing environmental risk to fallaccident in the elderly. *Journal of Nursing Science (Mahidol University)*, 16 (3), 34-45.



Pender, N.J. (1996). *Health Promotion in Nursing Practice* (3 rd ed.). Stamford, CT:

Appleton and Lange.

Pender, N.J., Murdaugh, C.L., & Parson, M.A. (2002). *Health promotion in nursing practice* (4th ). Upper Saddle River, New Jersey: Prentice Hall.

Pierfitte, C., Macouillard, G., Thicoipe, M., Chaslerie, A., Pehourcq, P., Aissou, M., Martinez, B., Lagnaoui, R., Fourrier, A., Begaud, B., Dangoumau, J., & Moore, N. (2001). Benzodiazepines and hip fractures in elderly people: Case-control study. *British Medical Journal*, 322, 704-708.

Polit, D.F., & Hungler, B.P. (1999). *Nursing research principles and methods*.

Philadelphia: J.B. Lippincott.

Pornputasa, S. (1999). *Knowledge, attitude and behavior of prevention falls in the elderly*. Master's Thesis in Nursing Science (Gerontological Nursing), Faculty of Graduate Studies, Chiangmai University, Chiang Mai. (Thai manuscript)

Pornputasa, S., Pothiban, L., & Singhanetr, S. (2000). Knowledge, attitude, and behaviors regarding falls prevention of the elderly. *Nursing Newsletter*, 27 (2), 42-52.

Pothiban, L. (1993). Risk factor prevalence, risk status, and perceived risk for coronary heart disease among Thai elderly. *Nursing Newsletter*, 27 (2), 16-28.

Pothiban, L., et al. (2000). Prevalence, Risk factors, Perceived of risk and preventive behaviors among Thai elderly with CHD. *Nursing Newsletter*, 27 (2)

Punyothee, D. (1996). *Relationships among importance of health, perceived benefits of exercise, and exercise behavior of the elderly in Chiangmai province*. Master's

Thesis in Nursing Science (Gerontological Nursing), Faculty of Graduate Studies, Chiangmai University, Chiang Mai.

Resford, J.B. (1991). Preventing falls in the elderly. *Hospital Medicine*, 57-71.

Resnick, B. (1999). Falls in a community of older adults: Putting research into practice. *Clinical Nursing Research*, 8 (3), 251-266.

Rigler, S.K. (1999). Preventing falls in older adults. *Hospital practice*, 15 (August), 117-120.

Rivara, F.P., Grossman, D.C., & Cumming, P. (1997). Injury prevention. *The New England Journal of Medicine*, 337, 543-547.

Roach, S. (2001). *Introductory gerontological nursing*. (pp. 84-85,163-165). Philadelphia: Lippincott.

Robbins, L.M., & Courts, N.F. (1997). Care of the traumatized older adult: Nurses need knowledge and skill to care for older adult patients with trauma. *Geriatric Nursing*, 18 (5), 209-215.

Ross, J.E., Watson, C.A., Gyldenvand, T.A., & Reinboth, J. (1991). Potential for trauma: Falls. In M. Mass, K.C. Buckwalter, & M. Hardy (Eds.), *Nursing diagnosis and interventions for the elderly* (pp.19-31). Redwood City, CA: Addison-Wesley.

Rubenstein, L.Z., Power, C.M., & MacLean, C.H. (2001). Quality indicators for the management and prevention of falls and mobility problems in vulnerable elders. *Annals of Internal Medicine*, 135 (8), 686-693.

Rundull, T.G., & Wheeler, J.R. (1979). Factors associated with utilization of the swine flu vaccination program among senior citizens. *Medical care*, 17, 191-200.

- Ryan, J.W., Dinkel, J.L., & Petrucci, K. (1993). Near falls incidence: A study of elders in the community. *Journal of Gerontological Nursing*, 19 (12), 23-28.
- Sattin, R.W., Lambert Huber, D.A., DeVito, C.A., Rodriguez, J.G., Ros, A., Bacchelli, S., Stevens, J.A., & Waxweiler, R.J. (1990). The incidence of fall injury events among the elderly in a defined population. *American Journal of Epidemiology*, 131 (6), 1028-1037.
- Shantinath, S.D. (2003). How do women view their risks of major diseases? [Online]. Available:<http://www.healthandage.org/Home?gid2=1131&fa=1&path=null&x=51&y=8> [2004, June 18].
- Speechley, M., & Tinetti, M. (1991). Falls and injuries in frail and vigorous community elderly persons. *Journal of American Geriatrics Society*, 39 (1), 46-52.
- Spellbring, A.M. (1992). Assessing elderly patients at high risk for falls: A reliability study. *Journal of Nursing Care Quality*, 6 (3), (30-35).
- Steinberg, M., Cartwright, C., Peel, N., & Williams, G. (2000). A sustainable programme to prevent falls and near falls in community dwelling older people: results of a randomised trial. *Journal of Epidemiology community Health*, 54 (3), 227-232.
- Stone, J.T. & Chenitz, W.C. (1991). The problem of falls. In W.C. Chenitz, J.T. Stone, & S.A. Salisbury (Eds.), *Clinical gerontological nursing* (pp. 291-308). Philadelphia: W.B.Saunders.
- Stone, J.T., & Wyman, J.F. (1999). Falls In J.T. Stone, J.E. Wyman, & S.A. Salisbury (Eds.), *Clinical Gerontological Nursing: A guide to advanced practice* (2nd ed., pp. 341-368). Philadelphia: W.B.Saunders.

- Strawbridge, W.J., Camacho, T.C., Cohen, R.D., & Kaplan, G.A. (1993). Gender differences in factors associated with change in physical functioning in old age: A 6 year longitudinal study. *Gerontologist*, 33, 603-609.
- Studenski, S., Duncan, P.W., Chandler, J., Samsa, G., Prescott, B., Hogue, C., & Bearon, L.B. (1994). Predicting falls: The role of mobility and nonphysical factors. *Journal of the American Geriatrics Society*, 42 (3), 297-302.
- Suzuki, T., Sugiura, M., Furuna, T., Nishizawa, S., Yoshida, H., Ishizaki, T., Kim, H., Yukawa, H. & Shibata, H. (1999). Association of physical performance and falls among the community elderly in Japan in a five year follow-up study. *Nippon-Ronen-Igakkai-Zasshi*. [CD-Rom], 36(7), 472-478. Abstract from: Medline: Accession number 99264597 [2002, April 30].
- Tangjareonsatain, W., Nittayarumpong, S., Bennett, S., Tuntikate, N., Vimolkit, D., Kongsawat, S., & Srineun, R. (1994). *Medical treatment*. Bangkok: War veteran organization. (Thai manuscript).
- Teerunda, D. & Sanjai, M. (2002). The role and need of caregivers and need of health care of the elderly in region 7 [Online]. Available: <http://www.anamai.moph.go.th/advisor/253/25309.html> [2004, June 2].
- Thaimwong, L., Maneesriwongkul, W., & Jitapunkul, S. (2001). Risk factors of fall among the elderly in community-dwelling elderly. *Journal of Gerontology and Geriatric Medicine*, 2 (2), 46-54. (Thai manuscript).
- Thosingha, A., Danaidutsadeekul, S. & Chanruengvanich, V. (1992). Epidemiology of accidental injuries in elderly patients. *Journal of Nursing*, 10 (4), 203-211. (Thai manuscript).

- Tibbitts, G.M. (1996). Patients who fall: How to predict and prevent injuries?  
*Geriatrics, 51* (9), 24-31.
- Tideiksaar, R., & Kay, A.D. (1986). What causes falls? A logical diagnostic procedure.  
*Geriatrics, 41* (12), 32-47.
- Tinetti, M.E. (1997). Falls. In C.K. Cassel, H.J. Cohen, E.B. Larson., M.D. Meier, N.M. Resnick, L.Z. Rubensitein, & L.B. Sorensen (Eds.), *Geriatric Medicine* (3 rd ed., pp.787-799). New York: Springer.
- Tinetti, M.E., Liu, W-L., & Claus, E.B. (1993). Predictors and prognosis of inability to get up after falls among elderly persons. *The Journal of the American Medical Association, 269* (1), 65-70.
- Tinetti, M.E., Speechley, M., & Ginter, S.F. (1988). Risk factors for falls among elderly persons living in the community. *The New England Journal of Medicine, 319* (26), 1701-1707.
- Tinetti, M.E., & Williams, C.S. (1998). The effect of falls and fall injuries on functioning in community-dwelling older person. *Journal Gerontology of American Biology Science and Medical Science, 53*, M112-M119.
- Tonmukayakul, A. (1983). Accidents in Geriatrics. *Siriraj Hospital Gazette, 35*, 153-159. (Thai manuscript).
- Trakulwong, B. (1987). *Concept and model of health education to developed quality of life* (pp.70-71). Bangkok: health educational.(Thai manuscript)
- Treyawuthiwat, S. (1990). *Factors influencing home accidents among the elderly in subcommunity: Nakhonpathom municipal area*. Master's Thesis in Science

(Public Health), Public Health Nursing, Faculty of Graduate Studies, Mahidol University, Bangkok.

Tunsakul, C. (2000). *Public health behavioral science* (3 rd ed.). Bangkok:

Sahaprachapanitch. (Thai Manuscript)

Ubonwan, K. (1998). *Self-care behavior and quality of life among the Thai elderly in central area*. Master's Thesis in Nursing Science (Adult Nursing), Faculty of Graduate Studies, Mahidol University, Bangkok. (Thai Manuscript)

Uden, G., Ehnfors, M., & Sjostrom, K. (1999). Use of initial risk assessment and recording as the main nursing intervention in identifying risk of falls. *Journal of Advanced Nursing*, 29 (1), 145-152.

van Haastregt, J.C.M., van Rossum, E., Diederiks, J.P.M., Voorhoeve, P.M., de Witte, L.P., & Crebolder, H.F.J.M. (2000). Preventing falls and mobility problems in community-dwelling elders: The process of creating a new intervention. *Geriatric Nursing*, 21 (6), 309-314.

Vatesatakakit, K. (2000). Falls in home: How to prevent? *Journal of Gerontology and Geriatric Medicine*, 1 (2), 2-3. (Thai manuscript).

Wild, D., Nayak, U.S.L., & Isaacs, B. (1981). How dangerous are falls in old people at home? *British Medical Journal*, 282, 266-268.

Wilson, H.S., & Kneist. (1996). *Psychiatric Nursing* (5th ed.). California: Addison-Wesley.

Yala Education Service Area Office 1. (2005). Available: <http://www.yala 1.go.th>  
[2005, May 2].

Yala Provincial Public Health Office. (2005). Available: <http://www.ylo.moph.go.th>

[2005, May 2]

Yasumura, S., Haga, H., Nagai, H., Suzuki, T., Amano, H., & Shibata, H. (1994). Rate of falls and the correlates among elderly people living in an urban community in Japan. *Age and Ageing*, 23, 323-327.