CONTENTS

| | | Page |
|-------------|--|------|
| CONTENTS | | vi |
| LIST OF TAI | BLES | ix |
| LIST OF FIG | URES | xi |
| CHAPTER | | |
| 1 INTROD | UCTION | 1 |
| 1.1 | Overview | 1 |
| 1.2 | Literature review | 3 |
| 1.3 | Physical and chemical properties of mercury | 4 |
| 1.4 | Uses of mercury | 6 |
| 1.5 | Amalgam filling and chemical reactions | 7 |
| 1.6 | Bioavailability, mercury absorption metabolism and health effect | t 8 |
| 1.7 | Occupational exposure | 9 |
| 1.8 | Human hair | 11 |
| | 1.8.1 Hair structure and binding with mercury | 11 |
| | 1.8.2 Advantage of analysis of mercury in human hair | 11 |
| 1.9 | Analytical method | 12 |
| 1.10 | Research Objectives | 14 |
| 1.11 | Anticipated Outcome | 14 |
| 2 METHOI | DOLOGY | 15 |
| 2.1 | Chemical and material | 15 |
| 2.2 | Instrument; Mercury Analysis System FIMH 400 (Perkin Elmer) |) 15 |
| 2.3 | Sample Collection | 15 |
| | 2.3.1 Hair samples | 15 |
| | 2.3.2 Questionnaires | 16 |
| 2.4 | Optimization of Analytical Procedures | 17 |
| | 2.4.1 Reagent for pre-cleaned process | 17 |
| | 2.4.2 Drying temperature | 17 |

CONTENTS (Continued)

| | | | | Page |
|----|-------|----------|--|------|
| | | 2.4.3 | Acid for digestion | 17 |
| | | 2.4.4 | Digestion times | 18 |
| | | 2.4.5 | Digestion procedure | 18 |
| | 2.5 | Optim | ization the mercury analysis system | 18 |
| | | 2.5.1 | Effect of NaBH ₄ concentration | 19 |
| | | 2.5.2 | Effect of HCl concentration | 19 |
| | 2.6 | Quanti | ification of the analyses | 19 |
| | 2.7 | Analyt | tical performance characteristics | 19 |
| | | 2.7.1 | Detection limit | 20 |
| | | 2.7.2 | The linear dynamic range (Linearity) | 20 |
| | | 2.7.3 | Accuracy | 20 |
| | | 2.7.4 | Precision | 21 |
| | | 2.7.5 | Recovery test | 21 |
| | 2.8 | Statisti | ical analyses | 22 |
| 3. | RESUL | TS ANI | D DISCUSSION | 23 |
| | 3.1 | Optim | ization the analytical reagents for mercury analysis | 23 |
| | | by FIM | ⁄ЛН-400 | |
| | | 3.1.1 | Effect of NaBH ₄ concentration | 23 |
| | | 3.1.2 | Effect of HCl concentration | 24 |
| | 3.2 | Optim | ization of the analytical procedure | 24 |
| | | 3.2.1 | Reagents for pre-cleaned process | 24 |
| | | 3.2.2 | Drying temperature | 25 |
| | | 3.2.3 | Acid for digestion | 26 |
| | | 3.2.4 | Digestion times | 27 |
| | 3.3 | Analyt | tical Performance characteristics | 28 |
| | | 3.3.1 | Detection limit | 28 |
| | | 3.3.2 | Linearity | 29 |

CONTENTS (Continued)

| | | | | Page |
|-----|--------|---------|--|------|
| | | 3.3.3 | The recovery test Accuracy | 29 |
| | | 3.3.4 | Accuracy | 30 |
| | | 3.3.5 | Precision | 30 |
| | 3.4 | Quant | tification of the analyses: standara addition method | 30 |
| | 3.5 | Mercu | ary concentration in hair of dental personnel | 31 |
| | | and H | at-Yai residents | |
| | 3.6 | Statist | tical analyses | 33 |
| | | 3.6.1 | Life style | 34 |
| | | 3.6.2 | Work habits | 35 |
| | | 3.6.3 | Dental filling | 36 |
| | | 3.6.4 | Precautionary measures | 37 |
| 4 | CON | CLUSIC | ON | 38 |
| BIB | LIOGRA | APHY | | 39 |
| APF | PENDIC | ES | | 46 |
| | A | | | 47 |
| | В | | | 50 |
| | C | | | 55 |
| | D | | | 58 |
| VIT | ΑE | | | 62 |

LIST OF TABLES

| Table | | Page |
|-------|---|------|
| 1-1 | Selected physical and chemical properties of elemental mercury | 5 |
| 1-2 | Consumption of refined mercury in the USA between 1985 and 2001 | 6 |
| | (metal values are in metric tons) | |
| 1-3 | Mercury concentration in human hair from various countries | 12 |
| 2-1 | Summary of the categories included in the questionnaire | 16 |
| 3-1 | Measurements of Hg in certified reference material | 28 |
| 3-2 | The recovery tested | 29 |
| 3-3 | Measurements of Hg concentration in | 30 |
| | Cetified reference material (BCR-397) | |
| 3-4 | The mercury concentration (µg g ⁻¹) in hair of dental personnel | 33 |
| | and Hat-Yai residents | |
| 3-5 | Life styles | 35 |
| 3-6 | Work habits | 36 |
| 3-7 | Dental filling | 37 |
| 3-8 | Precautionary measures | 37 |
| A-1 | Chemicals analytical grade using in this study | 47 |
| A-2 | FI-MH-AAS recommended analytical parameters for mercury | 48 |
| A-3 | Programming for the FIAS-400 | 49 |
| D-1 | Absorbance of mercury produced from different | 58 |
| | NaBH ₄ concentration analysis by FIMH 400 | |
| | Cold Vapor Atomic Absorption Spectroscopy | |
| D-2 | Effect of HCl concentration on mercury analysis by FIMH 400 | 58 |
| | Cold Vapor Atomic Absorption Spectroscopy | |
| D-3 | Effect of reagent for precleaned process on mercury analysis by | 58 |
| | FIMH 400 Cold Vapor Atomic Absorption Spectroscopy | |
| D-4 | Effect of drying temperature on mercury analysis by | 59 |
| | FIMH 400 Cold Vapor Atomic Absorption Spectroscopy | |
| D-5 | Effect of acids using in digestion process on the analytical results | 59 |
| | analysis by Perkin Elmer FIMH 400 cold vapor Atomic Absorption | |

LIST OF TABLES (Continued)

| Table | | Page |
|-------|--|------|
| D-6 | Effect prolonged half power of digestion times, after 90 seconds | 59 |
| | full power, on analytical results by Perkin Elmer FIMH 400 | |
| | Cold Atomic Absorption Spectrometry | |
| D-7 | Calibration curve | 59 |
| D-8 | Linear dynamic range for FI-MH-AAS | 60 |
| D-9 | The % RSD calculation from hair sample | 60 |
| D-10 | Mercury concentration in samples (μg g ⁻¹) | 61 |

LIST OF FIGURES

| Figure | | Page |
|--------|---|------|
| 1-1 | Amalgam Filling | 7 |
| 1-2 | Mercury pathway in dentistry | 10 |
| 3-1 | Effect of NaBH ₄ concentration on mercury analysis by Perkin Elmer | 23 |
| | FIMH 400 Cold Vapor Atomic Absorption Spectrometry | |
| 3-2 | Effect of HCl concentration on mercury analysis by Perkin Elmer | 24 |
| | 400 Cold Vapor Atomic Absorption Spectrometry | |
| 3-3 | Effect of pre-washed reagents to the analytical results by FIMH 400 | 25 |
| | Cold Vapor Atomic Absorption Spectrometry | |
| 3-4 | Effect of drying temperatures on the analytical results by | 26 |
| | Perkin Elmer FIMH 400 Cold Vapor Atomic Absorption Spectrometry | |
| 3-5 | Effect of acids using in digestion process on the analytical results | 27 |
| | analysis by Perkin Elmer FIMH 400 Cold Vapor Atomic Absorption | |
| | Spectrometry | |
| 3-6 | Effect prolonged half power of digestion times, after 90 seconds | 28 |
| | full power, on analytical results by Perkin Elmer FIMH 400 | |
| | Cold Vapor Atomic Absorption Spectrometry | |
| 3-7 | Calibration curve | 29 |
| 3-8 | Comparison standard calibration curve and standard addition curve | 31 |
| | for hair sample | |
| 3-9 | Box and outliner plot presents Q1, Q2 and Q3 of Hg level | 32 |
| | in different groups of dental personnel and Hat-Yak resident's hair | |
| A-1 | Cold Vapor Atomic Absorption Spectrometry | 48 |
| | (CVAAS FIMH-400 Perkin Elmer) | |
| C-1 | Teflon bomb | 55 |
| C-2 | The bomb containing the mixtures in a microwave pressure cooker | 56 |
| C-3 | The microwave pressure cooker in an unmodified domestic microwave | 56 |