Contents

| | Page |
|-----------------------------------|------|
| Contents | viii |
| List of Tables | ix |
| List of Figures | Х |
| List of Abbreviations and Symbols | xii |
| Chapter | |
| 1. Introduction | 1 |
| Review of Literatures | 4 |
| Objectives | 33 |
| 2. Materials and Methods | 34 |
| Materials | 34 |
| Methods | 39 |
| 3. Results | 54 |
| 4. Discussion | 108 |
| 5. Conclusions | 119 |
| Reference | 121 |
| Appendix | 136 |
| Vitae | 143 |

List of Tables

| Table | Page |
|---|------|
| 1 Summary of lectin categories | 7 |
| 2 Functions of lectins | 10 |
| 3 A simplified version of immune system | 23 |
| 4 Lectins characterised in different species of penaeids | 29 |
| 5 Some lectins characterised among crustaceans | 32 |
| 6 Biotin labeled Lectins used in the affinity blotting | 49 |
| 7 Summarising the purification of the lectin from P. merguiensis hemolymph | 55 |
| 8 Amino acid composition of purified lectin | 63 |
| 9 Neutral and amino sugar analysis of purified lectin | 67 |
| 10 Sialic acids composition of purified lectin | 70 |
| 11 Inhibition of hemagglutinating activity of purified lectin by sugars and glycoproteins | 77 |
| 12 Agglutinating activity of purified lectin against various strains of pathogenic and | |
| non-pathogenic bacteria | 94 |
| 13 Concentrations of protein and lectin in the hemolymph of female shrimps at | |
| different stages of ovarian development determined by ELISA | 103 |
| 14 HA and protein concentrations in the hemolymph of female shrimps at different | |
| stages of ovarain development | 107 |
| 15 Characteristics of lectin from hemolymph of shrimps and crabs | 109 |
| 16 Amino acid composition of purified lectin from P. merguiensis and some shrimps | 110 |

List of Figures

| Figure | Page |
|--|------|
| 1 Cell surface lectin-carbohydrate interactions | 9 |
| 2 Molecular structures and biological activities of the collectins (MBP and conglutinin) | 12 |
| 3 Binding of lectins to foreign cells | 16 |
| 4 Lateral view of the external morphology of the penaeid shrimp | 17 |
| 5 Schematic of a typical penaeid shrimp life cycle | 18 |
| 6 The view observed by hatchery operators when female broodstocks are graded for | |
| ovarian development by torchlight | 19 |
| 7 Penaeus merguiensis or banana shrimp | 21 |
| 8 Simplified overview of the most important defense factors of decapod crustaceans | 25 |
| 9 Purification of lectin from the hemolymph by affinity chromatography on Fetuin- | |
| agarose column | 56 |
| 10 Purification of high HA fractions from the Fetuin-agarose column on FPLC | |
| Superose 12 HR column | 57 |
| 11 Nondenaturing gradient PAGE of lectin at each purification step | 58 |
| 12 SDS-PAGE of purified lectin on a 6-18% gradient gel | 60 |
| 13 Characterization of purified lectin staining for carbohydrate moiety | 61 |
| 14 Two-dimensional electrophoretic analysis of purified lectin | 62 |
| 15 HPAEC-PAD elution profile of monosaccharide standards | 65 |
| 16 HPAEC-PAD profile of purified lectin | 66 |
| 17 RP-HPLC elution profile of salic acid standards (A) and purified lectin (B) | 69 |
| 18 Deglycosylation of purified lectin by PNGaseF | 71 |
| 19 Chemical deglycosylation of purified lectin by TFMS | 72 |
| 20 Affinity blot analysis of purified lectin | 74 |
| 21 Western blot analysis of partially purified lectin | 75 |
| 22 Dot blot analysis of purified lectin | 78 |
| 23 Western blot analysis of purified lectin in native form | 79 |

Х

List of Figures (Continued)

| Figure | Page |
|--|------|
| 24 Western blot analysis of purified lectin in denatured form | 80 |
| 25 Dot blot analysis of hemolmph proteins from some crustaceans | 81 |
| 26 Effect of anti-lectin antibody concentration on ELISA | 83 |
| 27 Effect of 2°Ab concentration on ELISA | 84 |
| 28 Effect of OPD concentration on ELISA | 85 |
| 29 Effect of H_2O_2 concentration on ELISA | 86 |
| 30 Effect of reaction time of peroxidase on ELISA | 87 |
| 31 ELISA standard curve of purified lectin | 89 |
| 32 Sensitivity of ELISA for quantifying purified lectin | 90 |
| 33 Dose-response titration of lectin in the hemolymph using ELISA | 91 |
| 34 Agglutination of purified lectin against three species of Vibrio | 93 |
| 35 ELISA quantification of lectin levels in the hemolymph of shrimps injected by | |
| saline | 96 |
| 36 ELISA quantification of lectin levels in the hemolymph of shrimps injected by | |
| V. harveyei | 97 |
| 37 Hemagglutination test of lectin levels in the hemolymph of shrimps injected by saline | 99 |
| 38 Hemagglutination test of lectin levels in the hemolymph of shrimps injected by | |
| V. harveyei | 100 |
| 39 ELISA quantification of lectin levels in the hemolymph of shrimps at different | |
| stages of ovarian development | 102 |
| 40 Dose-response titration of the hemolymph by ELISA | 104 |
| 41 Hemagglutination assay of lectin in the hemolymph of shrimps at different stages of | |
| ovarian development | 106 |
| 42 PNGaseF cleavage site | 112 |
| 43 Standard curve for protein concentration by Brandford method | 141 |
| 44 Calibration curve for protein concentration by Bicinchoninic acid (BCA) method | 142 |

List of Abbreviations and Symbols

,

•

Sec. Sec.

| Ab | = | antibody |
|-----------|---|--|
| BSA | = | bovine serum albumin |
| BAU | = | bacterial agglutination unit |
| °C | = | degree of Celsius |
| cfu | = | colony forming unit |
| cm | н | centimeter |
| DAB | = | 3, 3'-diaminobenzidine |
| DMB | = | 1,2-diamino-4,5-methylenedioxybenzene |
| DEAE | = | diethylaminoethyl |
| ELISA | | enzyme linked immunosorbent assay |
| FPLC | = | fast protein liquid chromatography |
| g | = | gram |
| ×g | = | gravitation acceleration |
| Gal | = | galactose |
| GalN | = | galactosamine |
| Glc | = | glucose |
| GlcN | = | glucosamine |
| GlcNAc | = | N-acetyl glucosamine |
| h | = | hour |
| HA | = | hemagglutinating activity |
| HOAc | = | acetic acid |
| HPLC | = | high performance liquid chromatography |
| HPAEC-PAD | = | High Performance Anion-Exchange Chromatography with Pulsed |
| | | Amperometric Detection |
| HRP | = | horseradish peroxidase |
| lef | = | isoelectric focusing |
| 5. 4 | | |

List of Abbreviations and Symbols (Continued)

| Ig | = | immunoglobulin |
|----------------|-----|---|
| kg | = | kilogram |
| kDa | | kilodalton |
| М | = | molar |
| mA | = | milliampere |
| Man | = | mannose |
| min | = | minute |
| ml | = | milliliter |
| mM | = | millimolar |
| M _r | = | molecular mass or relative molecular weight |
| MW | = | molecular weight |
| ng | === | nanogram |
| nm | = | nanometer |
| nmol | | nanomole |
| O.D. | = | optical density |
| OPD | = | o-phenylenediamine |
| PAGE | - | polyacrylamide gel electrophoresis |
| рН | = | -log hydrogen ion concentration |
| pI | - | Isoelectric point |
| pmol | = | picomole |
| RP-HPLC | = | reverse phase- high performance liquid chromatography |
| SDS | = | sodium dodecyl sulfate |
| ТВ | = | tris buffer |
| TBS | - | tris buffer saline |
| TEMED | = | N,N,N',N'-Tetramethylethylenediamine |
| ТМВ | = | 3,3',5,5'-tetramethylbenzidine |
| Tris | = | Tris (hydroxymethyl) aminomethane |
| | | |

List of Abbreviations and Symbols (Continued)

| U | = | unit |
|----|---|------------|
| μg | = | microgram |
| μι | | microliter |
| V | - | voltage |
| % | - | percentage |

in the second