

References

- Akahane, T. and Shimizu, Y. 1990. Effect of setting incubation on the water-holding capacity of salt-ground fish meat and its heated gel. *Nippon Suisan Gakkaishi*. 56: 139-143.
- Akahane, T., Shihara, S., Yoshida, Y., Tsuchiya, T., Noguchi, S., Ookami, H. and Matsumoto, J.J. 1984. Roles of constituent proteins in gel properties of cooked meat gels. *Bull. Jap. Soc. Sci. Fish.* 50: 1029-1032.
- An, H., Peters, M.Y. and Seymour, T.A. 1996. Roles of endogenous enzymes in surimi gelation (Review). *Trends. Food Sci. Technol.* 7: 321-327.
- An, H., Seymour, T.A., Wu, J. and Morrissey, M.T. 1994a. Assay systems and characterization of Pacific whiting (*Merluccius productus*) protease. *J. Food Sci.* 59: 277-281.
- An, H., Weerasinghe, V., Segman, T.A. and Morrissey, M.T. 1994b. Cathepsin degradation of Pacific whiting surimi protein. *J. Food Sci.* 59: 1013-1017.
- Aoki, T., Nakano, T. and Uneo, R. 1997. Purification and some properties of a latent form cathepsin L from mackerel white muscle. *Fish. Sci.* 63: 824-829.
- Aoki, T., Yamashita, T. and Uneo, R. 1995. Purification and characterization of a cathepsin B-like enzyme from mackerel white muscle. *Fish. Sci.* 61: 121-126.
- Arbona, J.R. and Koohmaraie, M. 1993. Quantification multicatalytic proteinase complex (Proteasome) activity by ion-exchange chromatography. *J. Anim. Sci.* 71: 3301-3306.
- Araki, H. and Seki, N. 1993. Comparison of reactivity of transglutaminase to various fish actomyosins. *Nippon Suisan Gakkaishi*. 59: 711-716.

- Aranishi, F., Ogata, H., Hara, K., Osatomi, K. and Ishihara, T. 1997. Purification and characterization of cathepsin L from hepatopancreas of carp *Cyprinus carpio*. *Comp. Biochem. Physiol.* 118: 531-537.
- Asghar, A. and Henrickson, R.L. 1982. Postmortem stimulation of carcasses: effects on biochemistry, biophysics, microbiology and quality of meat. *Crit. Rev. Food Sci. Nutri.* 18: 1-58.
- Asghar, A. and Bhatti, A.R. 1987. Endogenous proteolytic enzymes in skeletal muscle: their significance in muscle physiology and during postmortem aging events in carcasses. *Adv. Food Res.* 31: 343-451.
- Ashie, I.N.A. and Simpson, B.K. 1997. Proteolysis in food myosystems: a review. *J. Food Biochem.* 21: 91-123.
- Autio, K., Kiesvaara, M. and Polvinen, K. 1989. Heat-induced gelation of minced rainbow trout (*Salmo gairdner*): effect of pH, sodium chloride and setting. *J. Food Sci.* 54: 805-809.
- Barrett, A.J. and Kirschke, H. 1981. Cathepsin B, cathepsin H, and cathepsin L. *Methods Enzymol.* 80: 535-561.
- Birk, Y. 1976. Trypsin and chymotrypsin inhibitors from soybean. *Methods Enzymol.* 45: 707.
- Benjakul, S., Seymour, T.A., Morrissey, M.T. and An, H. 1996. Proteinase in Pacific whiting surimi wash water: identification and characterization. *J. Food Sci.* 61: 1165-1170.
- Benjakul, S., Seymour, T.A., Morrissey, M.T. and An, H. 1997. Physicochemical changes in Pacific whiting muscle proteins during iced storage. *J. Food Sci.* 62: 729-733.
- Benjakul, S., Visessanguan, W. and Srivilai, C. 2001a. Porcine plasma protein as proteinase inhibitor in bigeye snapper (*Priacanthus tayenus*) muscle and surimi. *J. Sci. Food. Agric.* 81: 1039-1046.

- Benjakul, S., Visessanguan, W., Ishizaki, S. and Tanaka, M. 2001b. Differences in gelation characteristics of natural actomyosin from two species of bigeye snapper, *Priacanthus tayenus* and *Priacanthus macracanthus*. *J. Food Sci.* 66: 1311-1318.
- Boye, S. and Lanier, T.C. 1988. Effects of heat-stable alkaline protease activity of Atlantic menhaden (*Brevoortia tyrannus*) on surimi gels. *J. Food Sci.* 53: 1340-1346.
- Bracho, G.E. and Haard, N.F. 1990. Characterization of alkaline metalloproteinases with collagenase activity from the muscle of Pacific rockfish (*Sebastes* sp.). *In* Proceeding of Joint Meeting of Atlantic Fisheries Technologists and Tropical/Subtropical Fisheries Technologists. (Otwell, S., ed.). p. 105-125. Gainesville. Florida Sea Grant.
- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72: 248-254.
- Busconi, L., Folco, E.J., Martione, C.B. and Sanchez, J.J. 1984. Identification of two alkaline proteases and a trypsin inhibitor from muscle of white croaker (*Micropogon apercularis*). *FEBS Letter.* 176: 211-214.
- Busconi, L., Folco, E.J., Martione, C.B. and Sanchez, J.J. 1989a. Postmortem changes in cytoskeletal elements of fish muscle. *J. Food Biochem.* 13: 443-451.
- Busconi, L., Folco, E.J., Martione, C.B., Trucco, R.E. and Sanchez, J.J. 1989b. Fish muscle cytoskeletal network: Its spacial organization and its degradation by an endogenous serine protease. *FEBS Letter.* 176: 211-214.
- Cao, M.J., Hara, K., Osatomi, K., Tachibana, K., Izumi, T. and Ishihara, T. 1999. Myofibril-bound serine proteinase (MBP) and its degradation of myofibrillar proteins. *J. Food Sci.* 64: 644-647.

- Cao, M.J., Osatomi, K., Hara, K. and Ishihara, T. 2000a. Identification of a myofibril-bound serine proteinase (MBSP) in the skeletal muscle of lizardfish *Saurida wanieso* which specifically cleaves the arginine site. *Comp. Biochem. Physiol.* 125: 255-264.
- Cao, M.J., Osatomi, K., Suzuki, M., Hara, K., Tachibana, K. and Ishihara, T. 2000b. Purification and characterization of two anionic trypsins from the hepatopancreas of carp. *Fish. Sci.* 66: 1172-1179.
- Capasso, C., Lees, W.E., Capasso, A., Scudiero, R., Carginale, V., Kille, P., Kay, J. and Parisi, E. 1999. Cathepsin D from the liver of the Antarctic icefish *Chionodraco hamatus* exhibits unusual activity and stability at high temperatures. *Biochim. Biophys. Acta.* 1431: 64-73.
- Choi, Y.J., Cho, Y.J. and Lanier, T.C. 1999a. Purification and characterization of proteinase from Atlantic menhaden muscle. *J. Food Sci.* 64: 772-775.
- Choi, Y.J., Lanier, T.C., Lee, H.G. and Cho, Y.J. 1999b. Purification and characterization of alkaline proteinase from Atlantic menhaden muscle. *J. Food Sci.* 64: 768-771.
- Dahlmann, B. and Reinauer, H. 1978. Purification and some properties of an alkaline proteinase from rat skeletal muscle. *Biochem. J.* 171: 803-810.
- Dahlmann, B., Kuehn, L., Rutschmann, M. and Reinbauer, H. 1985. Activation of the multicatalytic proteinase from rat skeletal muscle by fatty acids or sodium dodecylsulfate. *Biochem. J.* 228: 171-177.
- Davey, L.C. and Gilbert, K.V. 1969. Changes in the fine structure of meat during aging. *J. Food Sci.* 34: 69-74.
- Dick, L.R., Cruikshank, A.A., Grenier, L., Melandri, F.D., Nunes, S.L. and Stein, R.L. 1996. Mechanistic studies on the inactivation of the proteasome by lactacystin. *J. Biol. Chem.* 271: 7273-7282.

- Dufour, E., Divc, V. and Toma, A. 1988. *Biochim. Biophys. Acta.* 955: 58-64.
Cited by Lee, J.J., Chen, H.C. and Jiang, S.T. 1993. Purification and characterization of proteinases identified as cathepsin L and L-like (58 kDa) proteinase from mackerel (*Scomber australasicus*). *Biosci. Biotechnol. Biochem.* 57: 1470-1476.
- Erickson, M.C. Gordon, D.T. and Anglemier, A.F. 1983. Proteolytic activities in the sarcoplasmic fluids of parasitized Pacific whiting (*Merluccius productus*) and unparasitized true cod (*Gadus macrocephalus*). *J. Food Sci.* 48: 1315-1319.
- Folco, E.J., Busconi, L., Martone, C.B. and Sanchez, J.J. 1988. Multicatalytic proteinase in fish muscle. *Arch. Biochem. Biophys.* 267: 599-605.
- Folco, E.J., Busconi, L., Martone, C.B. and Sanchez, J.J. 1989. Fish skeletal muscle contains a novel serine proteinase with an unusual subunit composition. *Biochem. J.* 263: 471-500.
- Francesco, R.D., Urbani, A., Nardi, M.C., Tomci, L., Steinkuhler, C. and Tramontano, A. 1996. A zinc binding site in viral serine proteinases. *Biochem.* 35: 13282-13287.
- Fraser, D.I., Punjampiom, S. and Dyer, W. J. 1961. Temperature and the biochemical process occurring during rigor mortis in cod muscle. *J. Fish. Res. Board. Can.* 18: 641.
- Gildberg, A. 1988. Aspartic proteinases in fished and aquatic invertebrates. *Comp. Biochem. Physiol.* 91: 425-435.
- Goll, D.E., Kleese, W.C. and Szpacenko, A. 1989. Skeletal muscle proteases and protein turnover. *In Animal Growth Regulation.* (Campion, D.R., Hausman, G.J. and Martin, R.J., eds.). p. 141. Plenum Press. New York.
- Greasser, M.L. 1986. Conversion of muscle to meat. *In Muscle As Food.* (Bechtel, P.J., ed.). p. 37-102. Academic Press. London.

- Haard, N.F. 1990. Enzymes from food myosystems. *J. Muscle Foods*. 1: 293-338.
- Haard, N.F. 1992a. Extending prime quality of seafood. *J. Aquat. Food Prod. Technol.* 1(3/4): 9-28.
- Haard, N.F. 1992b. Control of chemical composition and food quality attributes of cultured fish. *Food Res. Inter.* 25: 289-307.
- Haard, N.F. 1994. Protein hydrolysis in seafoods. *In Seafood: Chemistry Processing Technology and Quality.* (Shahidi, F. and Botta, J.R., eds.) p. 11-13. Chapman & Hall. New York.
- Haard, N.F., Simpson, B.K. and Sikorski, Z.E. 1994. Biotechnological applications of seafood proteins and other nitrogenous compounds. *In Seafood Proteins.* (Sikorski, Z.E., Pan, B.S. and Shahidi, F., eds.). p. 194-216. Chapman & Hall. New York.
- Hameed, K.S. and Haard, N.F. 1985. Isolation and characterization of cathepsin C from Atlantic short finned squid, *Illex illecebrosus*. *Comp. Biochem. Physiol.* 82: 241-246.
- Hanada, K., Tamai, M., Yamagishi, M., Ohmura, S., Sawada, J. and Tanaka, I. 1978. Isolation and characterization of E-64, a new thiol protease inhibitor. *Agric. Biol. Chem.* 42: 523-528.
- Hastings, R.J., Kesy, J.N. and Young, K.W. 1990. The properties of surimi and kamaboko gels from nine British species of fish. *Int. J. Food Sci. Technol.* 25: 281-286.
- Huang, F.L. and Tapple, A.L. 1971. Action of cathepsins C and D in protein hydrolysis. *Biochim. Biophys. Acta.* 236: 739-748.
- Hultin, H.O. 1985. Characteristics of muscles tissue. *In Food Chemistry.* 2nd ed. (Fennema, O.R., ed.). p. 725. Marcel Dekker. New York.
- Ishida, M., Sugiyama, N., Sato, M. and Nagayama, F. 1995. Two kinds of neutral serine proteinases in salted muscle of Anchovy, *Engraulis japonica*. *Biosci. Biotechnol. Biochem.* 59: 1107-1112.

- Iwata, k., Kobashi, K. and Hase, J. 1974. Studies on muscle alkaline protease-IV. Comparison of physiochemical and enzymic properties of alkaline protease from white croaker and barracuda muscle with those of enzyme from carp. *Bull. Jap. Soc. Sci. Fish.* 40: 1043-1050.
- Jiang, S.T. 2000. Enzymes and their effects on seafood texture. *In Seafood Enzymes: Utilization and Influence on Post harvest Seafood Quality.* (Haard, N.F. and Simpson, B.K., eds.). p. 427-428. Marcel Dekker. New York.
- Jiang, S.T., Lee, J.J. and Chen, H.C. 1994a. Purification and characterization of a novel cysteine proteinase from mackerel (*Scomber australasicus*). *J. Agric. Food Chem.* 42: 1639-1646.
- Jiang, S.T., Lee, J.J. and Chen, H.C. 1994b. Purification and characterization of cathepsin B from ordinary muscle of mackerel (*Scomber australasicus*). *J. Agric. Food Chem.* 42: 1073-1079.
- Jiang, S.T., Lee, J.J. and Chen, H.C. 1996. Proteolysis of actomyosin by cathepsin B, L, L-like and X from mackerel (*Scomber australasicus*). *J. Agric. Food Chem.* 44: 769-773.
- Jiang, S.T., Lee, J.J. and Tsao, C.Y. 1997. Mackerel cathepsin B and L effects on thermal degradation of surimi. *J. Food Sci.* 62: 1-6.
- Jiang, S.T., Tsao, C.Y., Wang, Y.T. and Chen, C.S. 1990a. Purification and properties of proteases from milk fish muscle (*Chanos chanos*). *J. Agric. Food Chem.* 38: 1458-1463.
- Jiang, S.T., Wang, Y.T. and Chen, C.S. 1991. Purification and some properties of calpain II from tilapia muscle (*Tilapia nilotica* × *Tilapia aurea*). *J. Agric. Food Chem.* 39: 237-241.
- Jiang, S.T., Wang, Y.T. and Chen, C.S. 1992. Lysosomal enzyme effects on the postmortem changes in tilapia (*Tilapia nilotica* × *T. aurea*) muscle myofibrils. *J. Food Sci.* 57: 277-279, 282.

- Jiang, S.T., Wang, Y.T., Gau, B.S. and Chen, C.S. 1990b. Role of pepstatin-sensitive proteases on the postmortem changes of tilapia (*Tilapia nilotica* × *T. aurea*) muscle myofibrils. *J. Agric. Food Chem.* 38: 1464-1468.
- Keilova, H. and Tomasek, V. 1973. On the isoenzymes of cathepsin B₁. *FEBS Letters.* 29: 335-338.
- Kim, C.Y., Choi, Y.J. and Pyeun, J.H. 1982. Changes occurred in protein and amino acid composition during postmortem aging of white and dark muscle of yellowtail at 2°C. *Bull. Jap. Soc. Sci. Fish.* 15: 123-127.
- Kinoshita, M., Toyohara, H. and Shimizu, Y. 1990a. Diverse distribution of four distinct types of modori (gel degradation)-inducing proteinases among fish species. *Nippon Suisan Gakkaishi.* 56: 1485-1492.
- Kinoshita, M., Toyohara, H. and Shimizu, Y. 1990b. Induction of carp muscle multicatalytic proteinase activities by sodium dodecylsulfate and heating. *Comp. Biochem. Physiol.* 97: 315-319.
- Kinoshita, M., Toyohara, H. and Shimizu, Y. 1990c. Purification and properties of a novel latent proteinase showing myosin heavy chain degrading activity from threadfin bream muscle. *J. Biochem.* 107: 587-591.
- Kinoshita, M., Toyohara, H. and Shimizu, Y. 1990d. Characterization of two distinct latent proteinases associated with myofibrils of crucian carp (*Carassius auratus cuvieri*). *Comp. Biochem. Physiol.* 97: 315-319.
- Kirschke, H. and Barrett. 1987. Chemistry of lysosomal proteases. *In* Lysosome: Their Role in Protein breakdown. (Glaumann, H. and Ballard, F.J., eds.). p. 193-238. Academic Press. London.
- Kolodziejska, I. And Sikorski, Z.E. 1996. Neutral and alkaline muscle proteases of marine fish and invertebrates: a review. *J. Food Biochem.* 20: 349-363.

- Kominami, E.J., Tsukahara, Y., Bando, Y. and Katunuma, N. 1985. Distribution of cathepsins B and H in rat tissues and peripheral blood cells. *J. Biochem.* 98: 87.
- Koohmaraie, M. 1992. Ovine skeletal muscle multicatalytic proteinase complex (proteasome): purification, characterization, and comparison of its effects on myofibrils with μ -calpains. *J. Anim. Sci.* 70: 3697-3708.
- Koohmaraie, M. 1994. Muscle proteinases and meat aging. *Meat Sci.* 36: 93-104.
- Koohmaraie, M., Babiker, A.S., Merkel, R.A. and Dutson, T.R. 1988a. The role of proteases in meat tenderness. *Proc. Recip. Meat Conf.* 41: 89-100.
- Koohmaraie, M., Babiker, A.S., Merkel, R.A. and Dutson, T.R. 1988b. Role of Ca-dependent proteases and lysosomal enzymes in postmortem changes in bovine skeletal muscle. *J. Food Sci.* 53: 1253-1257.
- Kudo, G., Okada, M. and Mivauchi, D. 1973. Gel-forming capacity of washed and unwashed flesh of some Pacific coast species of fish. *Mar. Fish. Rev.* 35: 10-13.
- Laemmli, U.K. 1970. Cleavage of structure proteins during the assembly of the head of bacteriophage T₄. *Nature.* 227: 680-685.
- Lanier, T.C., Lin, T.S., Liu, Y.M. and Hamann, D.D. 1982. Heat gelation properties of actomyosin and surimi prepared from Atlantic croaker. *J. Food Sci.* 47: 1921-1914.
- Lee, C.M. 1986. Surimi process technology. *Food Technol.* 40(3): 107-114.
- Lee, M.L. and Pan, B.S. 1990. Comparison of the autolysis of Argentina squid (*Illex argentinus*) and Falkland squid (*Martilia hyagesii*). In *Proceedings of the Second Asian Fisheries Forum.* (Hirano, R. and Hanyu, I., eds.), p. 881-884.

- Levine, R.J.C., Caulfield, J.B., Norton, P., Chantler, P.D., Deziel, M.R., Slayter, H.S. and Margossian, S.S. 1999. Myofibrillar protein structure and assembly during idiopathic dilated cardiomyopathy. *Mol. Cell Biochem.* 195: 1-10.
- Lowry, O.H., Rosebrough, N.J., Fan, A.L. and Randall, R.J. 1951. Protein measurement with Folin phenol reagent. *J. Biol. Chem.* 193: 256-275.
- Makinodan, Y. and Ikeda, S. 1971. Studies on fish muscle protease. Part V. The existence of protease active in neutral pH range. *Bull. Jap. Soc. Sci. Fish.* 37: 1002-1006.
- Makinodan, Y., Hirotsuka, M. and Ikeda, S. 1980. Autolysis of carp muscle. *Bull. Jap. Soc. Sci. Fish.* 46: 1507-1511.
- Makinodan, M., Toyohara, H. and Ikeda, S. 1982. Intracellular distribution of carp muscle cathepsin D and an electron micrograph of muscle lysosomal fraction. *Bull. Jap. Soc. Sci. Fish.* 48: 1501.
- Makinodan, M., Toyohara, H. and Ikeda, S. 1984. Comparison of muscle proteinase activity among fish species. *Comp. Biochem. Physiol.* 79: 129-134.
- Makinodan, M., Toyohara, H. and Niwa, E. 1985. Implication of muscle alkaline proteinase in the texture degradation of fish meat gel. *J. Food Sci.* 50: 1351-1355.
- Makinodan, M., Yamamoto, M. and Simidu, W. 1963a. Studies on muscle of aquatic animals-XXXIX. Protease in fish muscle. *Bull. Jap. Soc. Sci. Fish.* 35: 749-757.
- Makinodan, M., Yamamoto, M. and Simidu, W. 1963b. Protease in fish. *Nippon Suisan Gakkaishi.* 29: 776-780.
- Makinodan, Y., Yokoyama, Y., Kinoshita, M. and Toyohara, H. 1987. Characterization of an alkaline proteinase of fish muscle. *Comp. Biochem. Physiol.* 87: 1041-1046.

- Mason, R.W. and Barrett, J. 1984. Purification and properties of human liver cathepsin L. *Biochem. Soc. Trans.* 12: 111.
- Matsuishi, M. and Okitani, A. 1997. Proteasome from rabbit skeletal muscle: some properties and effects on muscle proteins. *Meat Sci.* 45: 451-462.
- Mayer, M., Amin, R. and Shafir, E. 1974. Rat myofibrillar protease: Enzyme properties and adaptive changes in conditions of muscle degradation. *Arch. Biochem. Biophys.* 161: 20-25.
- McLay, R. 1980. Activities of cathepsins A and D in cod muscle. *J. Sci. Food Agric.* 31: 1050-1054.
- Morrissey, M.T. and Tan, S.M. 2000. World resources for surimi. In *Surimi and Surimi Seafood.* (Park, J.W., ed.). p. 1-21. Marcel Dekker. New York.
- Morrissey, M.T., Hartley, P.S. and An, H. 1995. Proteolytic activity in Pacific whiting and effects of surimi processing. *J. Aquat. Food Prod. Technol.* 4(4): 5-18.
- Morrissey, M.T., Wu, J.W., Lin, D. and An, H. 1993. Protease inhibitor effects on torsion measurements and autolysis of Pacific whiting surimi. *J. Food Sci.* 58: 1050-1054.
- Mykles, D.L. 1989. Purification and characterization of a multicatalytic proteinase from crustacean muscle: comparison of latent and heat-activated forms. *Arch. Biochem. Biophys.* 274: 216-218.
- Nielsen, L.B. and Nilesen, H.H. 2001. Purification and characterization of cathepsin D from herring muscle (*Clupea harengus*). *Comp. Biochem. Physiol.* 128: 351-363.
- Nissen, J.A. 1993. Proteases. *In Enzymes in Food Processing.* (Nagodawithana, T. and Reed, G., eds.). p. 159-203. Academic Press, Inc. New York.

- Nishimoto, S., Hashimoto, A., Seki, N., Kimura, I., Toyoda, K., Fujita, T. and Arai, K. 1987. Influencing factors on changes in myosin heavy chain and jelly strength of salted meat paste from Alaska pollock during setting. *Nippon Suisan Gakkaishi*. 53: 2011.
- Niwa, E. 1992. Chemistry of surimi gelation. *In* *Surimi Technology*. (Lanier, T.C., ed.). p. 389-438. Marcel Dekker. New York.
- Niwa, E., Inuzuka, K., Nowsad, A., Liu, D. and Kanoh, S. 1995. Contribution of SS bonds to the elasticity of actomyosin gel in which coexisting transglutaminase was inactivated. *Fish. Sci.* 61: 438-440.
- Niwa, E., Nakayama, T. and Hanada, I. 1983. Effect of setting on the network structure of protein in fish flesh gel. *Bull. Jap. Soc. Sci. Fish.* 49: 245-252.
- Nomata, H., Toyohara, H., Makinodan, Y. and Ikeda, S. 1985. The existence of proteinases in chum salmon muscle and their activities in the spawning state. *Nippon Suisan Gakkaishi*. 51: 1799-1804.
- North, M.J. 1989. Prevention of unwanted proteolysis. *In* *Proteolytic Enzymes: A Practical Approach*. (Beynon, R.J. and Bond, J.S., eds.). p. 105-124. IRL Press, Oxford. England.
- Okada, M. 1992. History of surimi technology in Japan. *In* *Surimi: Technology*. (Lanier, T.C. and Lee, C.M., eds.). p. 3-22. Marcel Dekker. New York.
- Okata, H., Aranishi, F., Hara, K., Osatomi, K. and Ishihara, T. 1998. Proteolytic degradation of myofibrillar components by carp cathepsin L. *J. Sci. Food Agric.* 76: 499-504.
- Okitani, A., Matsuishi, M., Matsumoto, T., Kamoshida, M., Sato, U., matsukura, M., Watanabe, M., kato, H. and Fijimali, M. 1988. Purification and some properties of cathepsin B from rabbit skeletal muscle. *Europ. J. Biochem.* 171: 305-319.

- Okitani, A., Matsumoto, T., Kitamura, Y. and Kato, H. 1981. Purification of cathepsin D from rabbit skeletal muscle and its action toward myofibrils. *Biochim. Biophys. Acta.* 662: 202.
- Osatomi, K., Sasai, H., Cao, M., Hara, K. and Ishihara, T. 1997. Purification and characterization of myofibril-bound serine proteinase from carp *Cyprinus carpio* ordinary muscle. *Comp. Biochem. Physiol.* 116: 183-190.
- Otsuka, Y., Homma, N., Shiga, K., Ushiki, J., Ikeuchi, Y. and Suzuki, A. 1998. Purification and properties of rabbit muscle proteasome, and its effect on myofibrillar structure. *Meat Sci.* 49: 365-378.
- Robbins, F.M., Walker, J.E., Cohen, S.H. and Charterjee, S. 1979. Action of proteolytic enzymes on bovine myofibrils. *J. Food Sci.* 44: 1672.
- Roby, J.F. and White, B.J. 1987. *Biochemical Techniques Theory and Practice.* Brooks/Cole. California.
- Rodger, G.W. and Wilding, P. 1990. Muscle proteins. *In Food Gels.* (Harris, P., ed.). p. 361. Elsevier Applied Science Publishers. London.
- Sano, T., Noguchi, S.F., Tsuchiya, T. and Matsumoto, J.J. 1988. Dynamic viscoelastic behaviour of natural actomyosin and myosin during thermal gelation. *J. Food Sci.* 53: 924-933.
- Seymour, T.A., Morrissey, M.T., Peters, M.Y. and An, H. 1994. Purification and characterization of Pacific whiting proteases. *J. Agric. Food Chem.* 42: 2634-2638.
- Sherekar, S.V., Doke, S.N., Gore, M.S. and Ninjoor, B. 1986. Proteinases of tropical fish and their role in autolysis. *Ind. J. Exp. Biol.* 24: 440-444.
- Shimizu, Y., Machida, R. and Takenami, S. 1981. Species variations in gel-forming characteristics of fish meat paste. *Nippon Suisan Gakkaishi.* 47: 95-104.

- Shimizu, Y., Nishioka, F., Machida, R. and Shien, C.M. 1983. Gelation characteristics of salt-added myosin sol. *Bull. Jap. Soc. Sci. Fish.* 4: 1239-1240.
- Siebert, G. and Schmitt, A. 1965. Fish enzymes and their role in the deteriorative changes in fish. *In The Technology of Fish Utilization.* (Kreuzer, R., ed.) p. 47-52. Fishing News Books Ltd. London.
- Stine, A.P. and Stanley, D.W. 1992. Mechanisms of fish muscle gelation. *Food Res. Int.* 25: 381-388.
- Stoknes, I. And Rustad, I. 1995. Purification and characterization of multicatalytic proteinase from Atlantic salmon (*Salmo salar*) muscle. *Comp. Biochem. Physiol.* 111: 587-596.
- Stone, A.P. and Stanley, D.W. 1992. Mechanisms of fish muscle gelation. *Food Res. Int.* 25: 381-388.
- Suzuki, T. 1981. Frozen minced meat (surimi). *In Fish and Krill Protein Technology: Processing Technology*, Chapter 3. p. 115. Applied Science Publishers. London.
- Taguchi, T., Kikuchi, K., Oguni, M., Tanaka, M. and Suzuki, K. 1978. Heat changes of myosin B Mg^{2+} ATPase and setting of fish meat paste. *Bull. Jap. Soc. Sci. Fish.* 44: 1470-1477.
- Tanaka, K., Ii, K., Ichihara, A., Waxman, L. and Goldberg, A.L. 1986. A high molecular weight protease in the cytosol of rat liver. *J. Biol. Chem.* 261: 15197-15203.
- Taneda, T., Watanabe, T. and Seki, N. 1983. Purification and some properties of a calpain from carp muscle. *Bull. Jap. Soc. Sci. Fish.* 49: 219.
- Taylor, R.G., Tassy, C., Briand, M., Robert, N., Briand, Y. and Ouali, A. 1995. Proteolytic activity of proteasome on myofibrillar structures. *Mol. Biol. Rep.* 21: 71-73.

- Toyohara, H., Ito, K., Ando, M., Kinoshita, M. and Shinizu, Y. 1991. Effect of maturation on activities of various proteases and protease inhibitors in the muscle of ayu (*Plecoglossus altivelis*). *Comp. Biochem. Physiol.* 99: 419-424.
- Toyohara, H., Kinoshita, M. and Shimizu, Y. 1990a. Proteolytic gel degradation of threadfin bream meat gel. *J. Food Sci.* 55: 259-260.
- Toyohara, H., Kinoshita, M., Kimura, I., Satake, M. and Sakaguchi, M. 1993. Cathepsin L-like protease in Pacific hake muscle infected by myxosporidian parasites. *Nippon Suisan Gakkaishi.* 59: 1101-1107.
- Toyohara, H., Kinoshita, M., Sasaki, K. and Shimizu, Y. 1990b. Change of myofibril-associated type of the phenomenon after death. *Nippon Suisan Gakkaishi.* 56: 1251-1253.
- Toyohara, H., Makinodan, Y. and Ikeda, S. 1982. Purification and properties of carp muscle cathepsin A. *Bull. Jap. Soc. Sci. Fish.* 48: 1145-1150.
- Toyohara, H., Nomata, H., Makinodan, Y. and Shimizu, Y. 1987. High molecular weight heat stable alkaline proteinase from white croaker and chum salmon muscle: Comparison of the activating effects by heating and urea. *Comp. Biochem. Physiol.* 68: 99-102.
- Toyohara, H., Sasaki, T., Yamashita, K., Kinoshita, M. and Shimizu, Y. 1990c. Degradation of oval-filefish meat gel caused by myofibrillar proteinase (s). *J. Food Sci.* 55: 364 – 368.
- Toyohara, H., Sasaki, K., Kinoshita, M. and Shimizu, Y. 1990d. Effect of bleeding on the modori-phenomenon and possible existence of some modori-inhibitor(s) in serum. *Nippon Suisan Gakkaishi.* 56: 1245-1249.
- Toyohara, H., Tanaka, K., Makinodan, Y. and Ikeda, S. 1983. Detection of calpastatin and a trypsin inhibitor in carp muscle. *Agric. Biol. Chem.* 47: 1151-1154.
- Tsuchiya, H. and Seki, N. 1991. Action of calpain on α -actinin within and isolated from carp myofibrils. *Nippon Suisan Gakkaishi.* 57: 1133-1139.

- Tsuchiya, Y., Takahashi, T., Sakurai, Y., Iwamatsu, A. and Takahashi, K. 1994. Purification and characterization of a novel membrane-bound arginine-specific serine proteinase from porcine intestinal mucosa. *J. Biol. Chem.* 269: 32985-32991.
- Umezawa, H. 1976. Structures and activities of protease inhibitors of microbial origin. *Methods Enzymol.* 45: 678-695.
- Wang, J.H., Ma, W.C., Su, J.C., Chen, C.S. and Jiang, S.T. 1993. Comparison of properties of m-calpain from tilapia and shrimp muscle. *J. Agric. Food Chem.* 41: 1379-1384.
- Wasson, D.H. 1992. Fish muscle proteases and the heat-induced myofibrillar degradation: A review. *J. Aquat. Food Prod. Technol.* 1(2): 23-41.
- Wasson, D.H., Reppond, K.D., Babbitt, J.K. and French, J.S. 1992a. Effects of additives on proteolytic and functional properties of arrowtooth flounder surimi. *J. Aquat. Food Prod. Technol.* 1(3/4): 147-165.
- Wasson, D.H., Babbitt, J.K. and French, J.S. 1992b. Characterization of a heat stable protease from arrowtooth flounder: *Atheresthes stomias*. *J. Aquat. Food Prod. Technol.* 1(3/4): 167-182.
- Wilk, S. and Orlowski, M. 1983. Evidence pituitary cation-sensitive neutral endopeptidase a multicatalytic protease complex. *J. Neurochem.* 40: 842-849.
- Wojtowicz, M.B. and Odense, P.H. 1972. Comparative study of the muscle catheptic activity of some marine species. *J. Fish Res. Board. Can.* 29: 85-90.
- Wu, M.C., Lanier, T.C. and Hamann, D.D. 1985. Rigidity and viscosity changes of croaker actomyosin during thermal gelation. *J. Food Sci.* 50: 14-19.
- Yamashita, M. and Konagaya, S. 1990. Participation of cathepsin L into extensive softening of the muscle of chum salmon caught during spawning migration. *Nippon Suisan Gakkaishi.* 56: 1271-1277.

- Yamashita, M. and Konagaya, S. 1991a. Immunochemical localization of cathepsins B and L in the white muscle of chum salmon (*Oncorhynchus keta*) in spawning migration: probable participation of phagocytes rich in cathepsins in extensive muscle softening of the mature salmon. *J. Agric. Food Chem.* 39: 1402-1405.
- Yamashita, M. and Konagaya, S. 1991b. Proteolysis of muscle proteins in the extensively softened muscle of chum salmon caught during spawning migration. *Nippon Suisan Gakkaishi.* 57: 2163.
- Yamashita, M. and Konagaya, S. 1992. Differentiation and localization of catheptic proteinases responsible for extensive autolysis of mature chum salmon muscle (*Oncorhynchus keta*). *Comp. Biochem. Physiol.* 103: 999-1003.
- Yanagihara, S., Nakaoka, H., Hara, K. and Ishihara, T. 1991. Purification and characterization of serine proteinase from white croaker skeletal muscle. *Nippon Suisan Gakkaishi.* 57: 133-142.