

CONTENTS

	Page
Contents	(8)
List of tables	(14)
List of figures	(16)
Chapter	
1. Introduction	1
Literature review	3
1. Chemical composition of fish and shellfish	3
1.1 Proteins and nitrogenous compounds of fish and shellfish muscle	3
1.1.1. Protein	3
1.1.1.1 Sarcoplasmic protein	4
1.1.1.2 Myofibrillar protein	4
- Myosin and paramyosin	4
- Actin	6
- Tropomyosin	6
- Troponin	7
1.1.1.3 Stromal protein	8
1.1.2 Non-protein nitrogenous compounds of fish and shellfish muscle	10
1.2 Lipid and fatty acids in fish and shellfish muscle	10
1.3 Carotenoid	12
1.4 Mineral content	13
1.5 Nucleotide	13
1.6 DSC thermogram of fish muscle	15
2. Postmortem changes of fish	16
2.1 Changes of proteins	16
2.2 Changes of biogenic amines	17
2.3 Changes of lipids	18
2.4 Changes in nucleotide	19
	(8)

CONTENTS (Continued)

	Page
2.5 Changes in melanosis	20
2.6 Changes in microbiology	22
2.7 Changes in sensory property	23
3. Effect of thermal process on fish and shellfish quality	24
4. Effect of freeze-thawing process on fish and shellfish quality	25
Objectives	27
2. Materials and Methods	28
1. Materials	28
1.1 Shrimp samples	28
1.2 Chemicals	28
1.3 Microbial media	28
2. Instruments	29
3. Methods	29
3.1 Characterization of black tiger shrimp and white shrimp meats	29
3.1.1 Proximate analysis	29
3.1.2 Determination of protein and non-protein nitrogenous compounds	29
3.1.3 Determination of collagen	30
3.1.4 Amino acid analysis	30
3.1.5 Determination of lipid and fatty acid profile	30
3.1.6 Determination of mineral content	31
3.2 Effect of heat treatment on physicochemical, physical properties and microstructure of black tiger shrimp and white shrimp	31
3.2.1 Thermal properties of muscle proteins	31
3.2.1.1 Differential scanning calorimetry (DSC)	31
3.2.1.2 Thermal stability	32
3.2.2 Effect of heat treatment on physical properties of shrimp meats	32

CONTENTS (Continued)

	Page
3.2.2.1 Determination of cooking loss	32
3.2.2.2 Determination of shear force	32
3.2.2.3 Determination of color	33
3.2.3 Effect of heat treatment on microstructure of shrimp meats	33
3.3 Effect of freeze-thawing on physicochemical, physical properties and microstructure of black tiger shrimp and white shrimp meats	33
3.3.1 Determination of exudate loss	33
3.3.2 α -glucosidase (AG) and β -N-acetyl-glucosaminidase (NAG) activity assay	34
3.3.3 Determination of Ca^{2+} - ATPase activity	34
3.3.4 Determination of total sulfhydryl content	34
3.3.5 Determination of disulfide bond content	35
3.3.6 Determination of surface hydrophobicity	35
3.3.7 Determination of protein solubility	35
3.3.8 Determination of shear force	36
3.3.9 Effect of freeze-thawing process on microstructure of shrimp meats	36
3.4 Effect of ice storage on quality changes of black tiger shrimp and white shrimp meats	36
3.4.1 Chemical analysis	36
3.4.1.1 pH determination	36
3.4.1.2 Determination of TVB and TMA	37
3.4.1.3 Determination of biogenic amines	37
3.4.1.4 Determination of glycogen	38
3.4.1.5 Determination of K-value	38

CONTENTS (Continued)

	Page
3.4.1.6 Determination of TBARS	38
3.4.1.7 Protein patterns by SDS – PAGE	39
3.4.1.8 Determination of TCA soluble peptides	39
3.4.2 Physical analysis	39
3.4.2.1 Determination of shear force	39
3.4.2.2 Determination of water holding capacity	39
3.4.2.3 Determination of melanosis	39
3.4.2.4 Determination of cooking loss	40
3.4.2.5 Determination of color	40
3.4.3 Microbiological analyses	40
3.4.3.1 Total viable count	40
3.4.3.2 Determination of coliforms bacteria and <i>E. coli</i>	40
3.4.3.3 Determination of <i>Salmonella</i>	40
3.4.4 Sensory evaluation	41
4. Statistical analysis	41
3. Results and Discussion	42
1. Characterization of black tiger shrimp and white shrimp meats	42
1.1 Proximate composition	42
1.2 Protein and non-protein nitrogenous compounds	43
1.3 Collagen	45
1.4 Amino acid compositions	46
1.5 Lipid composition and fatty acid profile of shrimp meat	48
1.6 Mineral content of shrimp meat	51
2. Effect of heat treatment on physicochemical, physical properties and microstructure of black tiger shrimp and white shrimp meats	52
2.1 Thermal properties of muscle proteins	52
2.1.1 Differential scanning calorimetry (DSC)	52

CONTENTS (Continued)

	Page
2.1.2 Thermal stability	52
2.2 Effect of heat treatment on physical properties of shrimp meats	53
2.2.1 Changes in cooking loss of black tiger shrimp and white shrimp meats with different parts subjected to heat treatment	53
2.2.2 Changes in shear force of black tiger shrimp and white shrimp meats with different parts subjected to heat treatment	55
2.2.3 Changes in color of black tiger shrimp and white shrimp meats with different parts subjected to heat treatment	55
2.3 Changes in microstructure of raw and cooked black tiger shrimp and white shrimp meats with different parts	59
3. Effect of freeze-thawing on physicochemical, physical properties and microstructure of black tiger shrimp and white shrimp meats	62
3.1 Effect of freeze-thawing on exudate loss	62
3.2 Effect of freeze-thawing on AG and NAG activities	63
3.3 Effect of freeze-thawing on Ca ²⁺ -ATPase Activity	63
3.4 Effect of freeze-thawing on sulfhydryl and disulfide bond contents	65
3.5 Effect of freeze-thawing on surface hydrophobicity	66
3.6 Effect of freeze-thawing on solubility	66
3.7 Effect of freeze-thawing on shear force	69
3.8 Effect of freeze-thawing on microstructure	70
4. Effect of ice storage on quality changes of black tiger shrimp and white shrimp	72
4.1 Chemical changes of black tiger shrimp and white shrimp meats during iced storage	72
4.1.1 Changes in pH	72
4.1.2 Changes in TVB-N and TMA-N	73
4.1.3 Changes in biogenic amines	77

CONTENTS (Continued)

	Page
4.1.4 Changes in glycogen	79
4.1.5 Changes in K-value	82
4.1.6 Changes in TBARS	83
4.1.7 Changes in protein patterns	84
4.1.8 Changes in TCA-soluble peptide	88
4.2 Physical changes of black tiger shrimp and white shrimp during iced storage	89
4.2.1 Changes in shear force	89
4.2.2 Changes in water holding capacity (WHC)	90
4.2.3 Changes in melanosis score	94
4.2.4 Changes in cooking loss	95
4.2.5 Changes in L*, a* and b*-values	96
4.3 Microbiological changes of black tiger shrimp and white shrimp meats during iced storage	101
4.3.1 Changes in total viable count	101
4.3.2 Changes in coliforms and <i>E. coli</i>	102
4.4. Sensorial changes of black tiger shrimp and white shrimp during iced storage	105
4. Conclusion	113
References	115
Appendix	139
Vitae	144

LIST OF TABLES

Table	Page
1. Chemical composition (%) of lobster and shrimp at different season	3
2. Contractile proteins in food myosystems	5
3. Distribution (%) of non-protein nitrogenous (NPN) compounds in some seafoods	10
4. Lipid compositions of shrimp meats (mg/100 g meat)	11
5. Proximate composition of black tiger shrimp and white shrimp meats	42
6. Nitrogenous constituents in black tiger shrimp and white shrimp meats	43
7. Amino acid compositions of black tiger shrimp and white shrimp meat (mg/100 g)	48
8. Lipid composition of black tiger shrimp and white shrimp meats	49
9. Fatty acid composition (g/100g) of black tiger shrimp and white shrimp meats	50
10. Mineral contents in black tiger shrimp and white shrimp meats (mg/kg)	51
11. T_{max} and enthalpy of muscle proteins of black tiger shrimp and white shrimp meats	52
12. Thermal inactivation rate constant ($K_D \times 10^{-5} S^{-1}$) of natural actomyosin from black tiger shrimp and white shrimp meats	53
13. Exudate loss of black tiger shrimp and white shrimp meats subjected to different freeze- thaw cycles	62
14. Changes in biogenic amine contents (mg/kg) of whole and decapitated black tiger shrimp with different icing methods during the storage	79
15. Changes in biogenic amine contents (mg/kg) of whole and decapitated white shrimp with different icing methods during the storage	80
16. Changes in L*-value of raw meat of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	98
17. Changes in a*-value of raw meat of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	98
18. Changes in b*-value of raw meat of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	99
19. Changes in L*-value of cooked meat of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	100

LIST OF TABLES (Continued)

Table	Page
20. Changes in a*-value of cooked meat of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	100
21. Changes in b*-value of cooked meat of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	101
22. Changes in coliforms (MPN/g) of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	104
23. Changes in <i>Escherichia coli</i> (MPN/g) of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	105

LIST OF FIGURES

Figure	Page
1. Model of myosin molecule	6
2. A thin filament of muscle formed by the filament of tropomyosin molecules wound in each of the two grooves of the actin helix. Proposed model for configuration of actin, tropomyosin and troponin (Tn) subunits	7
3. Collagen structures of shrimp	9
4. Postmortem ATP degradation in fish	14
5. Formation of biogenic amines	18
6. Formation of melanin from tyrosine	21
7. Electrophoretic pattern of black tiger shrimp and white shrimp meats	44
8. Electrophoretic pattern of various protein fractions from black tiger shrimp and white shrimp meats	45
9. Electrophoretic pattern of PSC and ISC from black tiger shrimp and white shrimp meats	46
10. The influence of heat treatment (100°C) for different times on cooking loss of black tiger shrimp and white shrimp meats	54
11. The influence of heat treatment (100°C) for different times on shear force of black tiger shrimp and white shrimp meats	56
12. The influence of heat treatment (100°C) for different times on color of black tiger shrimp	57
13. The influence of heat treatment (100 °C) for different times on color of white shrimp	58
14. SEM micrographs of longitudinal section of raw and cooked of black tiger shrimp and white shrimp with different parts	60
15. SEM micrographs of transverse section of raw and cooked of black tiger shrimp and white shrimp with different parts	61
16. Changes in α -glucosidase and β -N-acetyl-glucosaminidase activities of black tiger shrimp and white shrimp subjected to different freeze-thaw cycles	64

LIST OF FIGURES (Continued)

Figure	Page
17. Changes in Ca ²⁺ -ATPase activity of natural actomyosin extracted from black tiger shrimp and white shrimp subjected to different freeze-thaw cycles	65
18. Changes in sulfhydryl group content and disulfide bond content of natural actomyosin extracted from black tiger shrimp and white shrimp subjected to different freeze-thaw cycles	67
19. Changes in surface hydrophobicity of natural actomyosin extracted from black tiger shrimp and white shrimp subjected to different freeze-thaw cycles	68
20. Changes in protein solubility of black tiger shrimp and white shrimp subjected to different freeze-thaw cycles	68
21. Changes in shear force of black tiger shrimp and white shrimp subjected to different freeze-thaw cycles	69
22. Microstructure of black tiger shrimp and white shrimp before and after subjecting to 5 freeze-thaw cycles	71
23. Changes in pH of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	73
24. Changes in TVB-N of whole and decapitated black tiger shrimp (A) and white shrimp (B) with different icing methods during the storage	75
25. Changes in TMA-N of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	76
26. Changes in glycogen of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	81
27. Changes in K-value of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	83
28. Changes in TBARS contents of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	85
29. SDS-PAGE pattern of whole and decapitated black tiger shrimp with different icing methods during the storage	86

LIST OF FIGURES (Continued)

Figure	Page
30. SDS-PAGE patterns of whole and decapitated white shrimp with different icing methods during the storage	87
31. Changes in TCA-soluble peptides of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	89
32. Changes in shear force of raw whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	91
33. Changes in shear force of cooked whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	92
34. Changes in WHC of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	93
35. Changes in melanosis score of whole black tiger shrimp and white shrimp with different icing methods during the storage	95
36. Changes in cooking loss of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	97
37. Changes in microbial load of whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	103
38. Changes in total quality of raw and cooked whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	106
39. Changes in appearance score of raw and cooked whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	108
40. Changes in texture score of raw and cooked whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	109
41. Changes in odor score of raw and cooked whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	111
42. Changes in flavor score of cooked whole and decapitated black tiger shrimp and white shrimp with different icing methods during the storage	112