

บรรณานุกรม

- กฤษณา สุตทะสาร. 2541. การเพาะเลี้ยงเอ็มบริโอและโพรโทพลาสต์ของข้าว. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาวิทยาศาสตร์ชีวภาพ มหาวิทยาลัยสงขลานครินทร์. 93 หน้า.
- ไชยา-ลาวัลย์. 2534. ใป๊ยะเซียน. โรงพิมพ์มิตรสยาม. กรุงเทพฯ. หน้า 13-25.
- ประเสริฐ ศิริบุญเรือง. 2537. คู่มือการปลูกเลี้ยงใป๊ยะเซียน. สำนักพิมพ์ใบไม้. กรุงเทพฯ. หน้า 23-36.
- เพชรรัตน์ จันทรทิณ อัจฉรา มณีน้อย และ วีระเดช สุขเอียด. 2542. ส่วนปล้องของเปล้าน้อยชักนำให้เกิดยอดจำนวนมาก. ว. จุฬาลงกรณ์. 18 : 24-25.
- เสาวรัตน์ จันทะโร. 2539. การแยกและหลอมรวมกันของโพรโทพลาสต์จากเซลล์มีโซฟิลล์ของกล้วยไม้ป้อมปาดัวร์. ครงงานทางเทคโนโลยีชีวภาพ คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์. หน้า 35-36.
- สมปอง เตชะโต และ เมฆา ซาคิกุล. 2536. การเพาะเลี้ยงเนื้อเยื่อของพารา : การชักนำกระบวนการโซมาติกเอ็มบริโอเจเนซิสและพืชต้นใหม่. ว. สงขลานครินทร์. 15 : 235-241.
- สมปอง เตชะโต และ อรุณี ม่วงแก้วงาม. 2535. การเพาะเลี้ยงเนื้อเยื่อของพารา I : การขยายพันธุ์โดยไม่อาศัยเพศในหลอดทดลอง. ว. สงขลานครินทร์. 14 : 123-132.
- อุไร จิรมงคลการ. 2540. ใป๊ยะเซียนไม้ดอกเลี้ยงขาย เล่ม 4. สำนักพิมพ์บ้านและสวน. กรุงเทพฯ. หน้า 7.
- Arokiaraj, P., Jones, H., Cheong, K. F., Coomber, S. and Charlwood, B. V. 1994. Gene insertion into *Hevea brasiliensis*. Plant Cell Tiss. Org. Cult. 13 : 425-431.
- Auboiron, E., Carron, M. P. and Ferriere, N. M. 1990. Influence of atmospheric gases, particularly ethylene, on somatic embryogenesis of *Hevea brasiliensis*. Plant Cell Tiss. Org. Cult. 21 : 31-37.
- Balestri, E. and Cinelli, F. 2001. Isolation and cell wall regeneration of protoplasts from *Posidonia oceanica* and *Cymodocea nodosa*. Aqua.Bot. 70 : 237-242.
- Biesboer, D. D., Amour, P. D., Wilson, S. R. and Mahlberg, P. 1982. Sterols and triterpenols in latex and cultured tissues of *Euphorbia pulcherrima*. Phytochem. 21(5) : 1115-1118.
- Biggs, B. J., Smith, M. K. and Scott, K. J. 1986. The use of embryo culture for the recovery of plants from cassava (*Manihot esculenta* Crantz) seeds. Plant Cell Tiss. Org. Cult. 6 : 229-234.

- Blanc, G., Ferriere, N. M., Teisson, C., Lardet, L. and Carron, M. P. 1999. Effects of carbohydrate addition on the induction of somatic embryogenesis in *Hevea brasiliensis*. *Plant Cell Tiss. and Org. Cult.* 59 : 103-112.
- Carron, M. P. and Enjaleric, F. 1982. Studies on vegetative micropropagation of *Hevea brasiliensis* by somatic embryogenesis and *in vitro* microcutting. *Plant Tiss. Cell Cult.* 5 : 751-752.
- Catapan, E., Luis, M., Silva, B. D., Moreno, F. N. and Viana, A. M. 2002. Micropropagation, callus and root culture of *Phyllanthus urinaria* (Euphorbiaceae). *Plant Cell Tiss. Org. Cult.* 70 : 301-309.
- Catapan, E., Otuki, M. F. and Viana, A. M. 2000. *In vitro* culture of *Phyllanthus urinaria* (Euphorbiaceae). *Plant Cell Tiss. Org. Cult.* 62 : 195-202.
- Cazaux, E. and Auzac, J. D. 1995. Explanation for the lack of division of protoplasts from stems of rubber-tree (*Hevea brasiliensis*). *Plant Cell Tiss. Org. Cult.* 41 : 211-219.
- Chagvardieft, P., Pean, M., Carrier, P. and Dimon, B. 1988. Oxygen exchange during growth of photomixotrophic cell suspension of *Euphorbia characias* L. *Plant Cell Tiss. Org. Cult.* 12 : 243-251.
- Cocking, E.C. 1972. Plant cell protoplasts isolation and development. *Ann. Rev. Plant Physiol.* 23:29-50.
- Dixon, R. A. 1985. *Plant Cell Culture : A Practical Approach*. IRL. Press Oxford.
- Dorion, N., Wies, N., Burteaux, A. and Bigot, C. 1990. Protoplast and leaf explant culture of *Lycopersicon cheesmanii* and salt tolerance of protoplast-derived calli. *Plant Cell Tiss. Org. Cult.* 56 : 9-16.
- Ferreira, M. F., Novais, J. M. and Pais, M. S. S. 1989. Calli and suspension cultures for biomass production of *Euphorbia characias* L. subsp. *Characias*. *Biotech. Lett.* 11 : 259-264.
- Ferriere, N.M. and Carron, M. P. 1989. Histology of early somatic embryogenesis in *Hevea brasiliensis* : The importance of the timing of subculturing. *Plant Cell Tiss. Org. Cult.* 19 : 243-256.
- Ferriere, N. M., Grout, H. and Carron, M. P. 1992. Origin and ontogenesis of somatic embryos in *Hevea brasiliensis* (Euphorbiaceae). *American. J. Bot.* 79 : 174-180.

- Fitzsimons, P. J. and Weyers, J. D. 1985. Properties of some enzymes used for protoplast isolation. *In* The Physiological Properties of Plant Protoplasts. Springer-verlay. Berlin Heidelberg. p. 12-23.
- Folling, M., Madsen, S. and Olesen, A. 1995. Effect of nurse culture and conditioned medium on colony formation and plant regeneration from *Lolium perenne* protoplasts. *Plant Sci.* 108 : 229-239.
- Fregene, M., Ospina, J. A. and Roca, W. 1999. Recovery of cassava (*Manihot esculanta* Crantz) plants from culture of immature zygotic embryos. *Plant Cell Tiss. Org. Cult.* 55 : 39-43.
- Groll, J., Mycock, D. J., Gray, V. M., and Laminski, S. 2001. Secondary somatic embryogenesis of cassava on picloram supplemented media. *Plant Cell Tiss. Org. Cult.* 65 : 201- 210.
- Hadrami, I.E. and Auzac. J. D. 1992. Effects of growth regulators on polyamine content and peroxidase activity in *Hevea brasiliensis* callus. *Ann. Bot.* 69 : 323-325.
- Kao, K.N. and Michayluk, M.R. 1974. A method for higher-frequency intergeneric fusion of plant protoplasts. *Planta.* 15 : 355-367.
- Karim, M.A. and Adachi, T. 1997. Cell suspension, isolation and culture of protoplasts of *Allium cepa*. *Plant Cell Tiss. Org. Cult.* 51 : 43-47.
- Katsirdakis, K. C. and Roubelakis, K. A. 1992. Modified culture conditions for increased viability and cell wall synthesis in grapevine (*Vitis vinifera* L. Cv. Sultanina) leaf protoplasts. *Plant Cell Tiss. Org. Cult.* 28 : 255-260.
- Kawiak, A., Krolicka, A. and Lojkowska, E. 2003. Direct regeneration of *Drosera* from leaf explants and shoot tips. *Plant Cell Tiss. Org. Cult.* 75 : 175-178.
- Kihara, M. and Funatsuki, H. 1995. Fertile plant regeneration from barley (*Hordeum vulgare* L.) protoplasts isolated from primary calluses. *Plant Sci.* 106 : 115-120.
- Kim, J. C. and Lee, E. A. 1996. Plant regeneration from mesophyll protoplasts of *Dianthus superbis*. *Plant Cell Rep.* 16 : 18-21.
- Koh, M. C., Goh, C. J. and Loh, C. S. 1988. Protoplast isolation and culture of *Aranda hybrids*. *Malay. Orch. Rev.* 22 : 70-78.
- Konan, N. K., Sangwan, R. S., and Sangwan, B. S. 1994. Somatic embryogenesis from cultured mature cotyledons of cassava (*Manihot esculenta* Crantz). *Plant Cell Tiss. Org. Cult.* 37 : 91-102.

- Li, Z., Jarret, R. L., Pittman, R. N., Dunbar, K. B. and Demski, J. W. 1993. Efficient plant regeneration from protoplasts of *Arachis paraguariensis*. Chod. Et Hassl. Using a nurse culture method. *Plant Cell Tiss. Org. Cult.* 34 : 83-90.
- Ma, G. and Xu, Q. 2002. Induction of somatic embryogenesis and adventitious shoots from immature leaves of cassava. *Plant Cell Tiss. Org. Cult.* 70 : 281-288.
- Marchant, R., Davey, M. R. and Power, J. B. 1997. Isolation and culture of mesophyll protoplasts from *Rosa hybrida*. *Plant Cell Tiss. Org. Cult.* 50 : 131-134.
- Martre, P., Lacan, D., Just, D., and Teisson, C. 2001. Physiological effects of temporary immersion on *Hevea brasiliensis* callus. *Plant Cell Tiss. Org. Cult.* 67 : 25-35.
- Mills, D. and Hammerschlag, F.A. 1994. Isolation of cells and protoplasts from leaves of in vitro propagated peach (*Prunus persica*) plants. *Plant Cell Tiss. Org. Cult.* 36: 99-105.
- Montoro, P., Etienne, H., Ferriere, N. M. and Carron, M. P. 1993. Callus friability and somatic embryogenesis in *Hevea brasiliensis*. *Plant Cell Tiss. Org. Cult.* 33 : 331-338.
- Mussio, I., Chaput, M. H., Serral, I., Ducreux, G. and Sihachakr. 1998. Adventitious shoot regeneration from leaf explants of an African clone of cassava (*Manihot esculenta* Crantz) and analysis of the conformity of regenerated plants. *Plant Cell Tiss. Org. Cult.* 53 : 205-211.
- Nakano, M., Hosokawa, K., Oomiya, T. and Yamamura, S. 1995. Plant regeneration from protoplasts of *Gentiana* by embedding protoplasts in gellan gum. *Plant Cell Tiss. Org. Cult.* 41 : 221-227.
- Parraga, F. O. and Burgos, L. 2003. Isolation and culture of mesophyll protoplast from apricot. *J. of Hort. Sci. and Biotech.* 78 : 624-628.
- Perrin, Y., Doumas, P., Lardet, L. and Carron, M.P. 1997. Endogenous cytokinins as biochemical markers of rubber tree (*Hevea brasiliensis*) clone rejuvenation. *Plant Cell Tiss. Org. Cult.* 47 : 239-245.
- Raemakers, C. J. J. M., Bessembinder, J. J. E., Staritsky, G., Jacobsen, E. and Visser, R. G. F. 1993. Induction, germination and shoot development of somatic embryos in cassava. *Plant Cell Tiss. Org. Cult.* 33 : 151-156.
- Reichert, N. A. and Liu, D. 1996. Protoplast isolation , culture , and fusion protocols for Kenaf (*Hibiscus cannabinus*). *Plant Cell Tiss. Org. Cult.* 44 : 201-210.

- Sandberg, G. and Crozier, A. 1985. The biosynthesis and catabolism of Indole-3-Acetic Acid in protoplasts. *In* The Physiological Properties of Plant Protoplasts. Springer-verlay Berlin. Heidelberg. p. 209-218.
- Sanya, M., Gupta, S. D., Jana, M.K. and Kundu, S.C. 1998. Shoot organogenesis and plant regeneration from leaf callus cultyres of Tuberose (*Polianthes tuberosa* L.). *Plant Cell Tiss. and Biotech.* 4 :81-86.
- Shahin, E. A. and Shepard, J. F. 1980. Cassava mesophyll protoplast : Isolation, Proliferation, and Shoot Formation. *Plant Sci. Lett.* 17 : 459-465.
- Shimizu, K., Nagaike, H., Yabuya, T. and Adachi, T. 1997. Plant regeneration from suspension culture of *Iris germanica*. *Plant Cell Tiss. Org. Cult.* 50 : 27-31.
- Sofiari, E., Raemakers, C.J.J.M., Kanju, E., Denso, K., Lammeren, A.M.V., Jacobsen, E. and Visser, R.G.F. 1997. Comparison of NAA and 2,4-D induced somatic embryogenesis in cassava. *Plant Cell Tiss. Org. Cult.* 50 : 45-56.
- Souissi, T., Kremer, R. J. and White, J. A. 1997. Interaction of rhizobacteria with leafy spurge (*Euphorbia esula* L.) callus tissue cells. *Plant Cell Tiss. Org. Cult.* 47 : 279-287.
- Stamp, J. A. and Henshaw, G. G. 1987. Secondary somatic embryogenesis and plant regeneration in cassava. *Plant Cell Tiss. Org. Cult.* 10 : 227-233.
- Street, H. E. 1977. *Plant Tissue and Cell Culture*. Botanical Monographs. Blackwell scientific Publications. Oxford. p. 35-48.
- Te-chato, S. and Chartikul, M. 1993. Tissue culture of rubber: Induction cell suspension and embryogenic suspension culture. *Songklanakarin J. Sci. Tech.* 15 : 341-347.
- Theodoropoulos, P. A. and Roubelakis, K. A. 1990. Progress in leaf protoplast isolation and culture from virus-free axenic shoot cultures of *Vitis vinifera* L. *Plant Cell Tiss. Org. Cult.* 20 : 15-23.
- Tian, Z. and Meng, J. 1999. Plant regeneration from cultured protoplasts of *Moricandia nitens*. *Plant Cell. Tiss. Org. Cult.* 55 : 217-221.
- Veisseire, P., Cailloux, F. and Coudret, A. 1994. Effect of conditioned media on the somatic embryogenesis of *Hevea brasiliensis*. *Plant Physiol. Biochem.* 32 : 571-576.

- Veissiere, P., Linossier, L. and Coudret, A. 1994. Effect of abscisic acid and cytokinins on the development of somatic embryos in *Hevea brasiliensis*. *Plant Cell Tiss. Org. Cult.* 39 : 219-223.
- Wilson, Z. A. and Power, J. B. 1989. Elimination of systemic contamination in explant and protoplast cultures of rubber (*Hevea brasiliensis* Muell. Arg.). *Plant Cell Rep.* 7 : 622-625.
- Xiu, Z. Y., Harris, P. J. C. and Yi, Y. D. 1995. Plant regeneration from protoplasts isolated from cotyledons of *Sesbania bispinosa*. *Plant Cell Tiss. Org. Cult.* 40 : 119-123.
- Xu, Z. Q. and Jia, J. F. 1996. Callus formation from protoplasts of *Artemisia sphaerocephala* and some factors influencing protoplast division. *Plant Cell Tiss. Org. Cult.* 44 : 129-134.
- Zaidi, N., Khan, N. H., Zafar, F. and Zafer, S. I. 2000. Bulbous and cormous monocotyledonous ornamental plants *in vitro*. *Science Vision.* 6 . p. 58-73.
- Zhang, P., Phansiri, S., Kaerlas, J. P. 2001. Improvement of cassava shoot organogenesis by the use of silver nitrate *in vitro*. *Plant Cell Tiss. Org. Cult.* 67 : 47-54.
- Zok, L., Rodrigo, H. and Roca, W. 1998. *In vitro* somatic embryogenesis and plant regeneration of cassava. *Plant Cell Rep.* 6:248-251.