

## เอกสารอ้างอิง

- กิจการ ศุภมาตย์ และ สิทธิ บุณยรัตพลิน. 2538. การศึกษาภูมิคุ้มกันโรคและแนวทางการใช้วัสดุชีนป้องกันโรคติดเชื้อแบคทีเรียและไวรัสในกุ้งกุลาดำ (*Penaeus monodon*). รายงานการวิจัย สำนักงานคณะกรรมการวิจัยแห่งชาติ หน้า 1-17.
- กิจการ ศุภมาตย์, อุณณิย์ เอกปนิชานพวงศ์, Toshiaki Itami และ จิราพร เกษรจันทร์. 2543ก. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ: I. เทคนิคในการศึกษาระบบทุ่มภูมิคุ้มกันโรคและองค์ประกอบเดือดในกุ้งกุลาดำ. ว. สงขลานครินทร์ 22: 567-580.
- กิจการ ศุภมาตย์, จิราพร เรืองศรี, สุกฤษฎา คีรรัฐนิกม และ นรินทร์ สงสีจันทร์. 2543ข. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ: IV. การศึกษาค่าปกติของระบบภูมิคุ้มกันและองค์ประกอบเดือดในกุ้งกุลาดำ. ว. สงขลานครินทร์ 22: 597-603.
- ชุติมา ตันติกิตติ, มะลิ บุณยรัตพลิน และ อัตรา ไชยมงคล. 2546. การศึกษาสถานภาพการวิจัยและพัฒนาอาหารสำหรับกุ้งกุลาดำ. สำนักงานพัฒนาวิทยาศาสตร์และเทคโนโลยีชีวภาพแห่งชาติ ศูนย์พันธุ์วิศวกรรมและเทคโนโลยีชีวภาพแห่งชาติ.
- นงลักษณ์ สุวรรณพินิจ และ ปรีชา สุวรรณพินิจ. 2541. จุดชีววิทยาทั่วไป. กรุงเทพฯ : สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย. 735 หน้า.
- ประจำบ หลักอุบล. 2527. กุ้ง. ภาควิชาวิทยาศาสตร์ทางทะเล คณะประมงมหาวิทยาลัยเกษตรศาสตร์ กรุงเทพฯ.
- ประจำบ หลักอุบล. 2537. สารวิทยาของกุ้ง. ภาควิชาวิทยาศาสตร์ทางทะเล คณะประมงมหาวิทยาลัยเกษตรศาสตร์ กรุงเทพฯ.
- ปีบะบุตร วนิชพงษ์พันธุ์. 2545. ศาสตร์ของกุ้งขาว ลิโ拓พีเนียส วนนาไม (ตอนที่ 2). ว. สัตว์น้ำ 14 (159): 113-116.
- กิญ โภุ เกียรติกิญ โภุ. 2545. วิธีปฏิบัติสำหรับการเลี้ยงกุ้งขาว แอล.วนนาไม (Practical Technology for *Litopenaeus vannamei* Culture). สมุทรปราการ : สำนักพิมพ์เมืองเกษตรแม็กกาซีน. 120 หน้า.
- มะลิ บุณยรัตพลิน, กิจการ ศุภมาตย์, และ ชูศักดิ์ บริสุทธิ์. 2543. ระบบภูมิคุ้มกันโรคในกุ้งกุลาดำ : VIII. ผลของสารสี (astaxanthine) ต่อการเจริญเติบโต องค์ประกอบเดือด ระบบภูมิคุ้มกันโรคและความต้านทานโรคในกุ้งกุลาดำ. ว. สงขลานครินทร์. 22: 633-639.
- วีรพงศ์ วุฒิพันธุ์ชัย. 2536. อาหารปลา. กรุงเทพฯ : สำนักพิมพ์โอดีเยนสโตร์. 336 หน้า.

- วุฒิพร พรหมขุนทอง. 2541. โภชนาศาสตร์สัตว์น้ำ. เอกสารคำสอนวิชา 530-433. ภาควิชาการชีว  
ศาสตร์ คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์.
- วุฒิพร พรหมขุนทอง, วิมล จันทร์ โรทัย, นรินทร์ สงสีจันทร์ และ นพพร นานะจิตต์. 2540. ระดับ  
โปรตีนในอาหารที่เหมาะสมต่อปลาคดเหลืองขนาดปานิช. ว. สงขลานครินทร์  
19: 327-335.
- สิริ เอกมหาราช. 2548. การเพาะเลี้ยงกุ้งขาว (*Penaeus vannamei*) ในกลุ่มประเทศไทยเชิงตะวันออก  
เฉียงใต้และประเทศไทย. ว. การประมง 58: 107-111.
- สุทธิวัฒน์ เปญจกุล. 2548. เคมีและคุณภาพสัตว์น้ำ. กรุงเทพฯ : สำนักพิมพ์โอดียนส์โตร์. 344  
หน้า.
- Adrian-Romero, M. and Blunden, G. 2001. Betaine distribution in the Bromeliaceae. Biochem.  
Syst. Ecol. 29: 305-311.
- AOAC (Association of Official Analytical Chemists). 1990. Official Methods of Analysis.  
Washington, D.C. : AOAC.
- Augustine, P. C. and Danforth, H. D. 1999. Influences of betaine and salinomycin on intestinal  
absorption of methionine and glucose and on the ultrastructure of the intestinal  
cells and parasite developmental stage in chicks infected with *Eimeria*  
*acervulina*. Avian. Dis. 43: 89-97.
- Balkan, J., Oztezcan, S., Kucuk, M., Cevikbas, U., Kocak-Toker, N. and Uysal, M. 2004. The  
effect of betaine treatment on triglyceride levels and oxidative stress in the liver  
of ethanol-treated guinea pigs. Exp. Toxicol. Pathol. 55: 505-509.
- Barak, A. J., Beckenhauer, H. C. and Tuma, D. J. 1996. Betaine, ethanol, and the liver: A Review.  
Alcohol 13: 395-398.
- Bedford, J. J., Harper, J. L., Leader, J. P., Yancey, P. H. and Smith, R. A. J. 1998. Betaine is the  
principal counteracting osmolyte in tissues of the elephant fish, *Callorhincus*  
*millii* (Elasmobranchii, Holocephali). Comp. Biochem. Physiol 119: 521-526.
- Bjorkoy, G., 1991. Synthesis and accumulation of glycine betaine in salmon *Salmo salar* and in  
mussel *Modiolus modiolus*. MSc Thesis. The College of Fisheries. Department  
of Marine Biochemistry. University of Tromso, 94 pp.
- Blunden, G., Yang, M., Yuan, Z., Smith, B. E., Patel, A., Cegarra, J. A., Mathe, I. and Janicsak,  
G. 1996. Betaine distribution in the Labiatae. Biochem. Syst. Ecol. 24: 71-81.

- Blunden, G., Yang, M., Janicsak, G., Mathe, I. and Carabot-Cuervo, A. 1999. Betaine distribution in the Amaranthaceae. *Biochem. Syst. Ecol.* 27: 87-92.
- Blunden G., Patel A.V., Armstrong N. J. and Gorham J. 2001. Betaine distribution in the Malvaceae. *Phytochemistry* 58: 451-454.
- Blunden, G., Patel, A. V. and Armstrong, N. 2003. Betaine distribution in the Scrophulariaceae and some previously included families. *Biochem. Syst. Ecol.* 31: 359-365.
- Blunden, G., Patel, A. V., Armstrong, N., Romero, M. A. and Melendez, P. 2005. Betaine distribution in angiosperms. *Biochem. Syst. Ecol.* 33: 904-920.
- Bray, W. A., Lawrence, A. L., Leung-Trujillo, J. R. 1994. The effect of salinity on growth and survival of *Penaeus vannamei*, with observations on the interaction of IHHNV virus and salinity. *Aquaculture* 122: 133-146.
- Brock, J.A. and Main, K.L. 1994. A guide to the common problems and diseases of cultured *Penaeus vannamei*. The Oceanic Institute Makapuu Point, Honolulu, Hawaii 242 pp.
- Castro, H., Battaglia, J. and Virtanen, E. 1998. Effect of finnstim on growth and sea water adaptation of *Coho salmon*. *Aquaculture* 168: 423-429.
- Chambers, S. T., Peddie, B. A., Randall, K. and Lever, M. 1999. Inhibitors of bacterial growth in urine: what is the role of betaines. *Int. J. Antimicrob. Agents.* 11: 293-296.
- Chen, J.C and Chia, P. G. 1997. Oxyhemocyanin, protein, osmolality and electrolyte levels in the hemolymph of *Scylla serrata* in relation to size and molt cycle. *J. Exp. Mar. Biol. Ecol.* 217: 93-105.
- Chuaychuwong, P., Viyakarn, V., Piyatiratitivorakul, S. and Menasveta, P. 1998. Effect of betaine on growth and survival rates of the giant tiger shrimp (*Penaeus monodon*) In The fifth asian fisheries forum international conference on fisheries and food security beyond the year 2000. Chiangmai, Thailand, November, 11-14, 1998: 326 p.
- Clarke, W. C., Virtanen, E., Blackburn, J. and Higgs, D. A. 1994. Effects of a dietary betaine/amino acid additive on growth and seawater adaptation in yearling Chinook salmon. *Aquaculture* 121: 137-145.

- Coman, G. J., Sarac, H. Z., Fielder, D. and Thorne, M. 1996. Evaluation of crystalline amino acid, betaine and AMP as food attractants of the giant tiger prawn (*Penaeus monodon*). *Comp. Biochem. Physiol.* 3: 247-253.
- Cosquer, A., Ficamos, M., Jebbar, M., Corbel, J.-C., Choquet, G., Fontenelle, C., Uriac, P. and Bernard, T. 2004. Antibacterial activity of glycine betaine analogues: involvement of osmoprotectors. *Bioorg. Med. Chem. Lett.* 14: 2061-2065.
- Craig, S. A. S. 2004. Betaine in human nutrition. *Am. Soc. Nutrition* 80: 539-549.
- Deaton, L. E. 2001. Hyperosmotic volume regulation in the gills of the ribbed mussel, *Geukensia demissa*: rapid accumulation of the betaine and alanine. *J. Exp. Mar. Biol. Ecol.* 260: 185-197.
- De Zwart, F. J., Slow, S., Payne, R. J., Lever, M., George, P. M., Gerrard, J. A. and Chamber, S. T. 2003. Glycine betaine and glycine betaine analogues in common foods. *Food Chem.* 83: 197-204.
- Dragolovich, J. 1994. Dealing with salt stress in animal cells: the role and regulation of glycine betaine concentration. *J. Exp. Zoo.* 268: 139-144.
- Duncan, D.B. 1955. Multiple-rage and multiple F tests. *Biometrics* 11: 1–42.
- Dupree, H.K. and Snead, K.P. 1966. Response of channel catfish fingerling to different levels of major nutrients in purified diets. U.S. Bureau of Sports Fish and Wildlife Tech. Pap. No. 9.
- Dy Penaflorida, V. and Virtanen, E. 1996. Growth, survival and feed conversion of juvenile shrimp (*Penaeus monodon*) fed a betaine/amino acid additive. *The Israeli Journal of Aquaculture* 48: 3-9.
- Felix, N. and Sudharsan, M. 2004. Effect of glycine betaine, a feed attractant affecting growth and feed conversion of juvenile freshwater prawn *Macrobrachium rosenbergii*. *Aquacul. Nutr.* 10: 193-197.
- Fernandez-Figares, I., Wray-Cahen, D., Steele, N. C., Campbell, R. G., Hall, D. D., Virtanen, E. and Caperna, T. J. 2002. Effect of dietary betaine on nutrient utilization and partitioning in the young growing feed-restricted pig. *Am. Soc. Animal. Sci.* 80: 421-428.

- Ferraris, R. P., Parado-Estepa, F. D., Ladja, J. M. and De Jesus, E. G. 1986. Effect of salinity on the osmotic, chloride, total protein and calcium concentrations in the hemolymph of the prawn *Penaeus monodon* (Fabricius). Comp. Biochem. Physiol. 83: 701-708.
- Fetterer, R. H., Augustine, P. C., Allen P. C. and Barfield, R. C. 2003. The effect of dietary betaine on intestinal and plasma levels of betaine in uninfected and coccidian-infected broiler chicks. Parasitol. Res. 90: 343-348.
- Gaudy, R., Sloane, L. 1981. Effect of salinity on oxygen consumption in postlarvae of the penaeid shrimps *Penaeus monodon* and *P. stylirostris* without and with acclimation. Mar. Biol. 65: 297-301.
- Gomez-Jimenez, S., Urias-Reyes, A. A., Vazquez-Ortiz, F. and Hernandez-Watanabe, G. 2004. Ammonia efflux rate and free amino acid levels in *Litopenaeus vannamei* postlarvae during sudden salinity changes. Aquaculture 233: 573-581.
- Harbeck, C., Faurie, R. and Schepel, T. 2004. Application of near-infrared spectroscopy in the sugar industry for the detection of betaine. Anal. Chim. Acta 501: 249-253.
- Harpaz, S. 1997. Enhancement of growth in juvenile freshwater prawns, *Macrobrachium rosenbergii*, through the use of a chemoattractant. Aquaculture 156: 221-227.
- Holliday, C.W. 1985. Salinity-induced changes in gill Na<sup>+</sup>/K<sup>+</sup> ATPase activity in the mud fiddler crab, *Uca pugnax*. J. Exp. Zool. 233:199-208.
- Hyvarinen, A. and Nikkila, E. 1962. Specific determination of blood glucose with o-toluidine . Clin. Chim. Acta 7: 140-143.
- Incharoensakdi, A. 1998. Osmoregulation in a halophilic cyanobacterium, *Aphanothecace halophytica* : Biosynthesis of a compatible solute, glycinebetaine, Department of Biochemistry Faculty of Science Chulalongkorn University. 67 p.
- Jahn, M. P., Cavagni, G. M., Kaiser, D. and Kucharski, L. C. 2006. Osmotic effect of choline and glycine betaine on the gills and hepatopancreas of the *Chasmagnathus granulatus* crab submitted to hyperosmotic stress. J. Exp. Mar. Biol. Ecol. 334: 1-9.
- Kasper C. S., White M. R., and Brown P. B. 2002. Betaine can replace choline in diets for juvenile Nile Tilapia, *Oreochromis niloticus*. Aquaculture 205: 119-126.

- Kettunen, H., Peuranen, S., Tiihonen, K. and Saarinen, M. 2001. Intestinal uptake of betaine in vitro and the distribution of methyl groups from betaine, Choline and methionine in the body of broiler chicks. *Comp. Biochem. Physiol.* 128: 269-278.
- Klasing, K. C., Adler, K. L., Remus, J. C. and Calvert, C. C. 2002. Dietary betaine increases intraepithelial lymphocytes in the duodenum of coccidia-infected chicks and increases functional properties of phagocytes. *J. Nutr.* 132: 2274-2282.
- Knights, B. 1996. Studies of feeding stimulation in young eels, *Anguilla anguilla* L., before and after first-feeding using a novel rapid-screening method. *Aquac. Res.* 27: 379-385.
- Kramer, R. and Morbach, S. 2004. BetP of *Corynebacterium glutamicum*, a transporter with three different functions: betaine transport, osmosensing and osmoregulation. *Biochim. Biophys. Acta* 1659B: 31-36.
- Lang, F., Busch, G. L., Ritter, M., Volkl, H., Waldegger, S., Gulbins, E. and Haussinger, D. 1998. Functional significance of cell volume regulation mechanisms. *Physiol. Rev.* 78: 247-306.
- Lima, A. G., McNamara, J. C. and Terra, W. R. 1997. Regulation of hemolymph osmolytes and gill  $\text{Na}^+/\text{K}^+$ -ATPase activities during acclimation to saline media in the freshwater shrimp *Macrobrachium olfersii* (Wiegmann, 1836) (Decapoda, Palaemonidae). *J. Exp. Mar. Biol. Ecol.* 215: 81-91.
- Lindstedt, M., Allenmark, S., Thompson, R. A. and Edebo, L. 1990. Antimicrobial activity of betaine esters, quaternary ammonium amphiphiles which spontaneously hydrolyze into nontoxic components. *Antimicrob. Agents Chemother.* 34: 1949-1954.
- Liu, H., Du, Y., Yang, J. and Zhu, H. 2004. Structural characterization and antimicrobial activity of chitosan/betaine derivative complex. *Carbohydrate Polymers* 55: 291-297.
- Lowry, O. H., Rosebrough, N. J. Farr, A. L. and Randell, R. J. 1951. Protein measurement with the folin phenol reagent. *J. Biol. Chem.* 193: 265-275.
- Marja, M. and Erkki, V. 1993. Effect of dimethylglycine and trimethylglycine (betaine) on the response of atlantic salmon (*Salmo salar* L.) smolts to experimental *Vibrio anguillarum* infection. *Fish Shellfish Immunol.* 3: 439-449.

- Morbach, S. and Kramer, R. 2003. Impact of transport processes in the osmotic response of *Corynebacterium glutamicum*. J. Biotechnol. 104: 69-75.
- Olthof, M. R. and Verhoef, P. 2005. Effects of betaine intake on plasma homocysteine concentrations and consequences for health. Curr. Drug Metab. 6: 15-22.
- Papatryphon, E. and Soares, J. H. 2000. Identification of feeding stimulants for striped bass, *Morone saxatilis*. Aquaculture 185: 339-352.
- Perez Farfante, I and Kensley, B. 1997. Penaeoid and sergestoid shrimps and prawns of the world. keys and diagnoses for the families and genera. Memories du museum national D' historie naturelle, Paris, France. 233 p.
- Petronini, P. G., De Angelis, E. M., Borghetti, P. and Borghetti, A. F. 1992. Modulation by betaine of cellular responses to osmotic stress. Biochem. J. 282: 69-73.
- Petty, C. N. and Lucero, M. T. 1999. Characterization of a  $\text{Na}^+$ -dependent betaine transporter with  $\text{Cl}^-$  channel properties in squid motor neurons. News Physiol. Sci. 81: 1567-1574.
- Pierce, S. K., Rowland-faux, L. M. and Crombie, B. N. 1995. The mechanism of glycine betaine regulation in response to hyperosmotic stress in oyster mitochondria: A comparative study of Atlantic and Chesapeake Bay oysters. J. Exp. Zool. 271: 161-170.
- Pillay, T. V. R. 1990. Aquaculture principles and practices. Aquaculture development and coordination programme food and agriculture organization of the United Nation. Rome, Italy.
- Rathinasabapathi, B. 2000. Metabolic engineering for stress tolerance: installing osmoprotectant synthesis pathways. Ann. Bot. 86: 709-716.
- Rhodes, D. and Hanson A. D. 1993. Quaternary ammonium and tertiary sulphonium compounds in higher plants. Annu. Rev. Plant Physiol. Plant Mol. Biol. 44: 357-384.
- Roberts, M. F. 2005. Organic compatible solutes of halotolerant and halophilic microorganisms : Review. Saline system 1: 1-30.
- Rodriguez, G. A. 1981. Osmoregulation and total serum protein of two species of penaeidean shrimps from the Pacific coast of Mexico. J. Crust. Biol. 1: 392-400.

- Romano, I., Nicolaus, B., Lama, L., Trabasso, D., Caracciolo, G. and Gambacorta, A. 2001. Accumulation of osmoprotectants and lipid pattern modulation in response to growth conditions by *Halomonas pantelleriense*. *Syst. Appl. Microbiol.* 24: 343-352.
- Roy, L. A., Davis, D. A., Saoud, I. P. and Henry, R. P. 2007. Effects of varying levels of aqueous potassium and magnesium on survival, growth, and respiration of the pacific white shrimps, *Litopenaeus vannamei*, reared in low salinity waters. *Aquaculture* 262: 461-469.
- Rubenhagen, R., Morbach, S. and Kramer, R. 2001. The osmoreactive betaine carrier BetP from *Corynebacterium glutamicum* is a sensor for cytoplasmic K<sup>+</sup>. *EMBO rep.* 20: 5412-5420.
- Sakamoto, A., Nishimura, Y., Ono, H. and Sakura, N. 2002. Betaine and homocysteine concentrations in foods. *Pediatr. Int.* 44: 409-413.
- Santos, E. A. and Nary, L. E. M. 1987. Blood glucose regulation in and estuarine crab, *Chasmagnathus granulata* (Dana, 1851) exposed to different salinities. *Comp. Biochem. Physiol.* 87: 1033-1035.
- Saoud, I. P. and Davis, D. A. 2005. Effects of betaine supplementation to feeds of pacific white shrimp *Litopenaeus vannamei* reared at extreme salinities. *North American Journal of Aquaculture.* 67: 351-353.
- Scott, M. L. 1986. Nutrition of humans and selected animal species. New York. John Wiley and Sons.
- Slow, S., Donaggio, M., Cressey P. J., Lever, M., George, P. M. and Chamber, S. T. 2005. The betaine content of new zealand foods and estimated intake in the new zealand diet. *J. Food Compost Anal.* 18: 473-485.
- Smith, D. M., Tabrett, S. J., Barclay, M. C. and Irvin, S. J. 2005. The efficacy of ingredients included in shrimp feeds to stimulate intake. *Aquacul. Nutr.* 11: 263-272.
- Soderhall, K., Rogener, W., Newton, R. P. and Ratcliffe, N. A. 1988. The propertiesd purification of a *Blaberus craniifer* plasma protein which enhances the activation of haemocyte prophenoloxidase by β-1, 3- glucan. *Insect. Biochem.* 18: 322-330.

- Spanopoulos-Hernandez, M., Martinez-Palacios, C. A., Vanegas-Perez, R. C., Rosas, C. and Ross, L. G. 2005. The combined effects of salinity and temperature on the oxygen consumption of juvenile shrimps *Litopenaeus stylirostris* (Stimpson, 1874). Aquaculture 244: 341-348.
- Steel, R.G.D. and Torrie, J.H. 1980. Principle and Procedures of Statistics. 2<sup>nd</sup> edition. New York : McGraw Hill. 633 pp.
- Tapia-Salazar, M., Cruz-Suarez, L. E., Ricque-Marie, D., Pike, I. H., Smith, T. K., Harris, A., Nygard, E. and Opstvedt, J. 2004. Effect of fishmeal made from stale versus fresh herring and of added crystalline biogenic amines on growth and survival of blue shrimp *Litopenaeus stylirostris* fed practical diets. Aquaculture 242: 437-453.
- Ung, E. H. and Junilla, M. 1988. Preliminary observations on the nutritional effects of a betaine/amino acid mixture: survival, growth and food conversion of juvenile *Penaeus monodon* fed with FINNSTIM. In Report on the workshop on shrimp and finfish feed development. pp. 71-83. ASEAN/UNDP/FAO Regional Small-Scale Coastal Fisheries Development Project, Johore Bahru, Malaysia.
- Vargas-Albores, F., Hinojosa-Baltazar, P., Portillo-Clark, G. and Magallon-Barajas, F. 1998. Influence of temperature and salinity on the yellow-leg shrimp. *Penaeus californiensis* Holmes, phenoloxidase system. Aquac. Res. 29: 549-553.
- Vilmaz, E. 2005. The effects of two chemo-attractants and different first feeds on the growth performances of african catfish (*Clarias gariepinus*, Burchell, 1822) at different larval stages. Turk. J. Vet. Anim. Sci. 29: 309-314.
- Virtanen, E., Junnila, M., Soivio, A. 1989. Effect of food containing betaine/amino acid additive on the osmotic adaptation of young Atlantic salmon, *Salmo salar* L. Aquaculture 83: 109-122.
- Virtanen, E., Hole, R., Resink, R., Slanning, J. W. and Junnila, M. 1994. Betaine/amino acid additive enhances seawater performance of rainbow trout (*Oncorhynchus mykiss*) fed standard fishmeal- based diets. Aquaculture 124: 220-231.

- Warskulat U., Schliess F., Haeussinger, D. 1998. Compatible organic osmolytes and osmotic modulation inducible nitric oxide synthases in RAW 264.7 mouse macrophages. *Biol. Chem.* 379: 867-874.
- Wu, Guangbing and Davis D. A. 2005. Interrelationship among methionine, choline and betaine in Channel Catfish *Ictalurus punctatus*. *Journal of the World Aquaculture Society* 36: 337-345.
- Yancey, P. H., Clark, M. E., Hand, S. C., Bowlus, R. D. and Somero, G. N. 1982. Living with water stress: Evolution of osmolyte systems. *Science* 217: 1214-1222.
- Yancey, P. H. 2005. Organic osmolytes as compatible, metabolic and counteracting cytoprotectants in high osmolarity and other stresses. *J. Exp. Biol.* 208: 2819-2830.
- Yano., I., Kanna, R.A., Oyama, R.N., and Wyban, J.A. 1998. Mating behavior in the penaeid shrimp *Penaeus vannamei*. *Mar. Biol.* 97: 171-175.
- Vilmaz, E. 2005. The effects of two chemo-attractants and different first feeds on the growth performances of african catfish (*Clarias gariepinus*, Burchell, 1822) at different larval stages. *Turk. J. Vet. Anim. Sci.* 29: 309-314.
- Yu, J. 1993. Hemocyte classification, density and percentage of the prawn *Penaeus japonicus*. *J. Ocean-Oniv.* 23: 107-114.
- Zeisel, S. H., Mar, M. H., Howe, J. C. and Holden, J. M. 2003. Concentrations of choline-containing compounds and betaine in common foods. *Am. Soc. Nutrition.* 1302-1307.
- Ziaeini-Nejad, S., Rezaei, M. H., Takami, G. A., Lovett, D. L., Mirvaghefi, A-R. and Shakouri, M. 2006. The effect of *Bacillus* spp. bacteria used as probiotics on digestive enzyme activity, survival and growth in the Indian white shrimp *Fenneropenaeus indicus*. *Aquaculture* 252: 516-524.