

เอกสารอ้างอิง

- พวงเพ็ญ ศิริรักษ์. 2544. พรรณพืชวงศ์ขิงของไทย. ใน: วิสุทธ์ ไบไม้ และ รังสิมา คุ่มหอม (บรรณาธิการ) รายงานการวิจัยในโครงการ BRT, หน้า 65-77.
กรุงเทพฯ: บริษัท จีรวัฒน์ เอ็กเพรส จำกัด.
- พวงเพ็ญ ศิริรักษ์. 2532. การสำรวจพืชวงศ์ขิงในบริเวณภาคใต้ของประเทศไทย.
ภาควิชาชีววิทยา คณะวิทยาศาสตร์, มหาวิทยาลัยสงขลานครินทร์.
- ฉัตรชัย งามเรียบสกุล. 2535. การเปรียบเทียบทางสัณฐานวิทยาและไอโซไซม์ของพืชบางชนิดในวงศ์ขิง (Zingiberaceae). โครงการงานทางชีววิทยา, ภาควิชาชีววิทยา คณะวิทยาศาสตร์, มหาวิทยาลัยสงขลานครินทร์
- Aert, R., Voet, M., Van Canmpenhout, S., Stappen, J.A., Volckaert, G. 1998. Polymerase Chain Reaction. *In*: Karp, A., Isaac, P.G. and Ingram, D.S. (eds.), *Molecular Tool for Screening Biodiversity*, pp. 111-118. London: Chapman and Hall Inc.
- Adams, W.T. 1983. Application of Isozymes in Tree Breeding. *In*: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 381-400. Amsterdam: Elsevier Publishing Co.
- Apavatjirut, P., Anuntalabhochai, S., Sirirugsa, P., and Alisi, C., 1999. Molecular marker in the identification of some early flowering *Curcuma* L. (Zingiberaceae) species. *Ann. Bot.* 84: 529-534.

- Avery, O.T., Macleod, C.M. and McCarty, M. 1944. Studies on the chemical nature of the substance inducing transformation of *Pneumococal* types I introduction of transformation by a DNA isolated from *Pneumococcus* type III. *J. Exp. Med.* 79: 137-158.
- Avise, J.C. 1994. Molecular Markers, Natural History and Evolution. New York: Chapman and Hall Inc.
- Backjau, T., Bruyn, L.D., Wolf, H.D., Jordaens, K., Van dongen, S. and Winnepeninckx, B. 1996. Multiple UPGMA and neighbor-joining tree and performance of some computer packages. *Mol. Biol. Evol.* 13: 309-313.
- Bailey, D.C. 1983. Isozyme Variation and Plant Breeders Rights. *In*: Tanksley S.D. and Orton, T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 425-440. Amsterdam: Elsevier Publishing Co.
- Beevers, L. 1982. Post-translational Modifications. *In*: Boulter, D. and Parthier, B. (eds.), *Encyclopedia of Plant Physiology, New series, Vol.14A*, pp. 136-168. Berlin: Springer-Verlag Inc.
- Birchler, J.A. 1983. Allozymes in Gene Dosage Studies. *In*: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 85-110. Amsterdam: Elsevier Publishing Co.
- Brettschneider, R. 1998. RFLP Analysis. *In*: Karp, A., Isaac, P.G. and Ingram, D.S. (eds.), *Molecular Tool for Screening Biodiversity*, pp. 83-95. London: Chapman and Hall Inc.

- Briggs, D. and Walters, S.M. 1997. *Plant Variation and Evolution*. Cambridge: Cambridge University Press.
- Burdon, J.J. and Marshall, D.R. 1983. The Use of Isozymes in Plants Disease Research. *In*: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 401-412. Amsterdam: Elsevier Publishing Co.
- Buth, D.G. 1984. The application of electrophoretic data in systematic studies. *Ann. Rev. Ecol. Syst.* 15: 501-522.
- Buth, D.G. and Murphy, R.W. 1999 The use of isozyme characters in systematic studies. *Biochem. Syst. Ecol.* 27: 117-129.
- Caetano-Anolles, G., Bassam, B.J., and Gresshoff, P.M. 1991. DNA amplification fingerprinting using very short arbitrary oligonucleotide primers. *Bio. Technology* 9: 553-557.
- Case, M.A., Mlodozienec, H.T. Wallace, L.E. and Weldy, T.W. 1998. Conservation genetics and taxonomic status of the rare Kentucky lady's slipper: *Cypripedium kentuckiense* (Orchidaceae). *Amer. J. Bot.* 85: 1779-1786.
- Chu, D., Miles, H., Toney, D., Chi, N., Marciano, C.F. and Chu, D.M. 1998. Amebicidal activity of plants extracts from Southeast Asia on *Acanthamoeba* spp. *Parasitology Research* 84: 746-752.

- Ciofi, C., Funk, S.M., Coote, T., Cheesman, D.J., Hammond, R.L., Saccheri, L.J. and Bruford M.W. 1998. Genotyping with Microsatellite Markers. *In*: Karp, A., Isaac, P.G. and Ingram, D.S. (eds.), *Molecular Tool for Screening Biodiversity*, pp. 195-200. London: Chapman and Hall Inc.
- Clarke, J. and Shannon, L.M. 1976. The isolation and characterization of the glycopeptides from horseradish peroxidase isozyme C. *Biochem. Biophys. Acta.* 427: 428-442.
- Crawford, D.J. 1990. *Plant Molecular Systematics: Macromolecular Approaches*. New York: Wiley-Interscience Publication.
- Cronn, R., Brother, M., Klier, K., Bretting, P.K. and Wendel, J.F. 1997. Allozyme variation in domesticated annual sunflower and its wild relatives. *Theor. Appl. Genet.* 95: 532-545.
- Dasuki, S.M., Kamaruzaman, M. and Sulaiman, S.F. 2000. Genetic variation and relationships among the species of Zingiberaceae by using random amplified polymorphic DNA marker (RAPD-PCR). The Third Regional IMT-GT uninet conference, p. 52. Universitas Sumatera Utara Medan, Indonesia.
- Dahlgren, R. and Rasmussen F.N. 1983. Monocotyledon evolution: characters and phylogenetic estimation. *Evol. Biol.* 16: 255-395.

- Dalton, P.A., 1963. Ascorbate Peroxidase. *In*: Bverse, J., Bverse, K.E. and Grisham, M.B. (eds.), *Peroxidase in Chemistry and Biology* (Vol. II), pp. 139-153. Boston: CRC. Press.
- Doyle J.A. 1998. Phylogenetic of vascular plants. *Ann. Rev. Ecol. Syst.* 29: 567-599.
- Doyle, J.J. and Doyle, J.L. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemistry Bulletin* 19: 11-15
- Eanes, W.F. 1999. Analysis of selection on enzyme polymorphisms. *Ann. Rev. Ecol. Syst.* 30: 301-326.
- Edwards, K. 1998. Polymerase Chain Reaction-Restriction Fragment Length Polymorphism (PCR-RFLPs). *In*: Karp, A., Isaac, P.G. and Ingram, D.S. (eds.), *Molecular Tool for Screening Biodiversity*, pp. 131-134. London: Chapman and Hall Inc.
- Eksomtramage, L., Sirirugsa, P. and Mayakul, S. 1996. Chromosome number of some Thai Zingiberaceae. *Songklanakarin J. Sci. Technol.* 18: 153-159.
- Freeling, M. 1983. Isozyme System to Study Gene Regulation During Development: A Lecture *In*: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 61-83. Amsterdam: Elsevier Publishing Co.

- Garkava, P.A., Rumpunen, K. and Bartish I.V. 2000. Genetic relationships in *Chaenomele* (Rosaceae) revealed by isozyme analysis. *Scientia Horticulturae* 85: 21-35.
- Gottlieb, L.D. 1981. Electrophoretic evidence and plant populations. *Progr. Phytochem.* 7:1-46.
- Gottlieb, L.D. 1982. Conservation and duplication of isozyme in plants. *Science* 216: 373-380.
- Graham, R.T. 1991. Polymerase Chain Reaction: Basic Principal and Automation. *In: McPheson, P.Q. and Taylor, G.R. (eds.), A Practical Approach*, pp. 1-13. New York: Oxford University Press.
- Haginiwa, J., Harada, M.M. and Morishita, I. 1963. Properties of essential oil components of aromatics and their pharmacological effect on mouse intestine. Pharmacological studies on crude drugs. VII. *Yakugaku Zasshi* 88:624.
- Hammond, R.L., Saccheri, I.J., Ciofi, C., Coote, T., Funk, S.M., Mcmillan, W.O., Bayes, M.K., Taylor, E., and Bruford, M.W. 1998. Isolation of Microsatellite Markers in Animals. *In: Karp, A., Isaac, P.G., and Ingram, D.S. (eds.), Molecular Tool for Screening Biodiversity*, pp. 279-285. London: Chapman and Hall Inc.

- Hennig, W. 1966. *Phylogenetic Systematics*. Illinois: University of Illinois Press.
- Holtum, R.E. 1950. *Zingiberaceae of Malay Peninsular Gardens' Bulletin Singapore*. 13: 1-282.
- Horandl, E., Jakubowsky, G. and Dobes., C. 2001. Isozyme and morphological diversity within apomictic and sexual taxa of *Ranunculus auricomus* complex. *Plant Syst. Evol.* 226: 165-185.
- Hussin, K.H., Ibrahim, H., and Ali, D.A.H.A. 2001. Anatomical variations in leaves at *Boesenbergia* O. Kuntze and *Kaempferia* L. species (Zingiberaceae). *J. Trop. and Subtrop. Bot.* 9: 49-54.
- Ibrahim, H. 1991. Taxonomic implications of isozyme and anatomical studies on *Curcumar* spp. *In: Botany 2000 Asia: A workshop meeting on the family Zingiberaceae*, p. 12. Prince of Songkla university Thailand
- Ibrahim, H. 1996. Isozyme variations in selected Zingiberaceae spp. *In: Proceedings of the Second Symposium on the Family Zingiberaceae*, pp. 142-149. South Institute of Botany, Guangzhou, China.
- Innis, M.A. and Gelfand D.H. 1990. Optimization of PCRs. *In: Innis, M.A. and Gelfand D.H. and Sninsky, J.J. (eds.), PCR Protocol: A Guide to Methods and Application*, pp. 3-12. California: Academic Press Inc.

- Inouye, J. and Hagiwara, T. 1980. Classification of floating rice varieties by acid phosphatase and peroxidase zymogram. *Jap. J. Trop. Agric.* 24: 159-164.
- Jaaska, V. 1999. Isoenzyme diversity and phylogenetic affinities among the Africa beans of the genus *Vigna Savi* (Fabaceae). *Biochem. Syst. and Ecol.* 27: 569-589.
- Jeffreys, A.L., Wilson, V. and Thein, S.L. 1985. Individual-specific "fingerprints" of human DNA. *Nature* 316: 76-79.
- Jones, C.J., Edwards, K.J., Castiglione, S., Winfield, M.O., Sala, F., Van der Wiel, C., Vosman, B.L., Matthes, M., Daly A., Brettschneider, R., Bettini, P., Buiatti, M., Maestri, N., Marmiroli, N., Aert, R.L., Volckaert, G., Rueda, J., Vazquez, A., and Karp, A. 1998. Reproducibility Testing of RAPDs by Network of European Laboratory. *In: Karp, A., Isaac, P.G. and Ingram, D.S. (eds.), Molecular Tool for Screening Biodiversity*, pp. 176-180. London: Chapman and Hall Inc.
- Judd, W.S., Campbell, C.S., Kellogg, E.A. and Stevens, P.E. 1999. *Plant Systematic Approach*. Massachusetts: Sinauer Associates Inc.
- Karp, A., Isaac, P.G., and Ingram, D.S. 1998. *Molecular Tool for Screening Biodiversity*. London: Chapman and Hall Inc.

- Karpinska, B., Karlsson, M., Schinkel H., Steller, S., Süss, K., Melzer, M. and Wingsle, G. 2001. A novel superoxide dismutase with a high isoelectric point in higher plant. Expression, regulation and protein localization. *Plant Physiology*. 126: 1668-1677.
- Kitching, I.J., Forey, P.L., Humphries, J. and Williams, D. 1998. Cladistics: The Theory and Practice of Parsimony Analysis (2nded). Oxford: Oxford University Press.
- Kress, W.J. 1990. The phylogenetic and classifications of the Zingiberales. *Ann. Missouri Bot. Gard.* 77: 131-142.
- Kress, W.J. 1996. Phylogenetic of the Zingiberaceae: Morphology and molecular. In Rudall, P.J., Cribb, P.J., Cutler, D.E., and Humphries, C.J. (eds.), *Monocotyledons: Systematic and Evolution*, pp. 443-460. Kew: Royal Botanical Garden.
- Lange, O. and Schifino-Wittmann, M. 2000. Isozyme variation in wild and cultivated species of the Genus *Trifolium* L. (Leguminosae). *Ann. Bot.* 86: 339-345.
- Larsen, K. 1993. *Boesenbergia tenuispicata* (Zingiberaceae): a new species from Thailand. *Nordic J. Bot.* 13: 281-283.
- Larsen, K. 1997. Further Studies in the genus *Boesenbergia* (Zingiberaceae). *Nordic J. Bot.* 17: 361-366.

- Larsen, K. 1999. New research in Zingiberaceae in Thailand. 24 September 1999. At Forest Herbarium, Royal Forest Department. Bangkok.
- Larsen, K., Ibrahim, H., Khaw, S.H. and Saw, L. G. 1999. Gingers of Peninsular Malaysia and Singapore. Malaysia: Natural History Publications.
- Larsen, K., Lock, J.M., Maas, H. and Mass, P.J.M., 1998. Zingiberaceae. *In*: Knbitzki K. (ed.), The Families and Genera at Vascular Plants (Vol. IV), pp. 474-495. Germany: Springer.
- Lawyer, F.C., Stoffel, S., Saiki, R.K., Myambo, K., Drummond, R. and Gelfand, D.H. 1989. Isolation, characterization and expression in *Escherichia coli* of the DNA polymerase gene from *Thermus aquaticus*. *J. Biol. Chem.* 264: 6427-6437.
- Lim, S.W., Teng, P.C.P., Lee, Y.H. and Goh, C.J. 1999. RAPD analysis of some species in genus *Vanda* (Orchidaceae). *Ann. Bot.* 83: 193-196.
- Linz, U. 1990. Thermocycler temperature variation in validates PCR results. *Bio. Techniques.* 9: 286-293.
- Liu, N. 1991. The peroxidase isozyme of *Curcuma* and *Alpinia*. *In*: Botany 2000 Asia: A workshop meeting on the family Zingiberaceae, p. 9. Prince of Songkla University Thailand.

- Liu, N. 1996. Peroxidase isoenzymes and ordination of some *Alpinia* spp. *In*: Proceedings of the Second Symposium on the Family Zingiberaceae, pp. 150-160. South China Institute of Botany, Guangzhou, China.
- Lowry, O.H., Rosenbrough, N.K., Farr, A.L. and Randall, R.J., 1951. Protein measurement with the folin-phenol reagent. *J. Biol. Chem.* 193: 265-275.
- Ludwig, J.A. and Reynolds, J.F. 1988. Statistical Ecology A Primer on Methods and Computing. USA: John Willey and Sons Inc.
- Makhuvha, N., Van Wyk, B.E., Van der Bank, H. and Van der Bank, M., 1997. Genetic polymorphism in wild and cultivated *Siphonochilus acthiopicus* (Zingiberaceae). *Biochem. Syst. Ecol.* 25(4): 343-351.
- Mahidol, C., Tantiwachwuttikul, P., Reutrakul, V. and Taylor, W.C. 1984. Constituents of *Boesenbergia pandurata* (syn. *Kaempferia pandurata*) III isolation and synthesis of (+)-boesenbergia B. *Aust. J. Chem.* 37: 1739-1745.
- Maknoi, C. 2001. Diversity and Habitat Relationships of Zingiberaceae along Thai-Malaysian Border in Yala and Narathiwat Provinces. Master Thesis. Graduate School, Prince of Songkla University Thailand.
- Matthes, M.C., Daly, A. and Edward, K.J. 1998. Amplified fragment length polymorphism (AFLP). *In* Karp, A., Isaac, P.G., and Ingram, D.S. (eds), Molecular Tool for Screening Biodiversity, pp. 183-190. London: Chapman and Hall Inc.

- McMillin, D.E. 1983. Plants Isozyme: a History Perspective. *In*: Tanksley S.D. and Orton T.J. (eds.) Isozymes in Plant Genetics and Breeding. Part A, pp. 3-14. Amsterdam: Elsevier Publishing Co.
- Murakami, A., Kondo, A., Nakamura, Y., Ohigashi, H. and Koshimizu, K. 1993. Possible anti-tumor promoting properties of edible plants from Thailand and identification of an active constituent cardamonin of *Boesenbergia pandurata*. *Biosci. Biotech. Biochem.* 57: 1971-1973.
- Murphy, R.W., Sites, J.W., Buth, D.G. and Haufler, C.H., 1996. Protein: Isozyme electrophoresis. *In*: Hillis, D.M., Moritz, C. and Mable, B.K. (eds.), Molecular Systematics, (2nded), pp. 51-120. Sunderland: Sinauer Associates Inc.
- Moritz, C. and Hillis, D.M. 1996. Molecular systematic: context and controversies. *In*: D.M., Hillis, C., Moritz and B.K., Mable (eds.), Molecular Systematic (2nded), pp. 1-13. Massachusetts: Sinauer Associates, Inc.
- Nadolny, L. and Sequeira, L. 1980. Increase in peroxidase activities are not directly involved in induced resistance in tobacco. *Physiol. Plant Pathol.* 8 307-311.
- Nei, M. 1987. Molecular Evolution Genetic. New York: Columbia University Press.

- Newton, K.J. 1983. Genetic of Mitochondrial Isozymes. In: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 157-176. Amsterdam: Elsevier Publishing Co.
- Ozaki, Y., Tashiro, T. and Okubo, H. 2000. Use of allozyme variation for evaluating genetic purity in asparagus (*Asparagus officinalis* L.) cultivars. *J. of Horticultural Science & Biotechnology* 75: 105-111
- Paisookamtivatana, Y., Kako, S., and Seiko, H. 2001. Isozyme polymorphism in *Curcuma alismatifolia* Gagnep. (Zingiberaceae) populations from Thailand. *Scientia Horticulturae* 88: 299-307.
- Pasteur, N., Pasteur, G. 1988. *Practical Enzyme Genetics*. New York: John Willey and Sons Inc.
- Pillay, M., Nwakanma, D.C. and Tenkouana, A. 2000. Identification of RAPD markers linked to A and B genome sequences in *Musa* L. *Genome* 43: 763-767.
- Prakash, V. and Mehrotra, B.N. 1996. Zingiberaceae of NE India: biodiversity and taxonomy status. In: *Proceedings of the Second Symposium on the Family Zingiberaceae*, pp. 262-273. South China Institute of Botany, Guangzhou, China.
- Prathepha, P. 2000. Screening of random primer to evaluate DNA diversity in Thai *Curcuma* using random amplified polymorphic DNAs. *Songklanakarin J. Sci. Technol.* 22: 7-13.

- Provan, J., Powell, W. and Hollingsworth, P.M. 2001. Chloroplast microsatellites: new tools for studies in plant ecology and evolution. *Trends in Ecol & Evol.* 16: 142-147.
- Rajaseger, G., Tan, H.T.W., Turner, I.M. and Kumar, P.P. 1997. Analysis of genetic diversity among *Ixora* cultivars (*Rubiaceae*) using random amplified polymorphic DNA. *Ann. Bot.* 80: 355-361.
- Ranade, S.A., Farooqui, N., Bhattacharya, E. and Verma, A. 2001. Gene tagging with random amplified polymorphic DNA (RAPD) marker for molecular breeding in plants. *Critical Reviews in Plants Science* 20: 251-275.
- Rao, K.P. and Randall, D.D. 1980. Plant pyruvate dehydrogenase complex: Inactivation and reaction by phosphorylation and dephosphorylation. *Arch. Biochem. Biophys.* 200: 461-466.
- Rath, P., Rajaseger, G., Goh, C.J. and Kumar, P.P. 1998. Phylogenetic analysis of Dipterocarps using random amplified polymorphic DNA markers. *Ann Bot.* 82: 61-65.
- Rout, G.R., Das, P., Goel, S. and Raina, S.N. Determination of genetic stability of micropropagated plants of ginger using random amplified polymorphic DNA (RAPD) markers. *Bot. Bull. Acad. Sin.* 39: 23-27.

- Rueda, J. Linacero, R. and Vazquez, A.M. Plant Total DNA Extraction. *In*. Karp, A., Isaac, P.G. and Ingram, D.S. (eds), *Molecular Tool for Screening Biodiversity*, pp. 10-14. London: Chapman and Hall Inc.
- Russell, J.R., Fuller, J.D., Macaulay, M., Jahoor, A., Powell W. and Waugh, R. 1997. Direct comparison of levels of genetic variation among barley accessions detected by RFLPs, AFLPs, SSRs and RAPDs. *Theor. Appl. Genet.* 95: 714-722.
- Saiki, S.F. 1990. Amplification of Genomic DNA. *In*: Innis, M.A. and Gelfand D.H. and Sninsky, J.J. (eds.), *PCR Protocol: A Guide to Methods and Application*, pp. 13-20. California: Academic Press Inc.
- Saiki, S.F., Scharf, S., Faloona, F., Mullis, K.S., Harm, G.T., Erich, H.A. and Arnheim, N. 1985. Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230: 1350-1354.
- Sarich, V.M. and A.C. Wilson. 1967. Immunological time scale for hominid evolution. *Science.* 158: 1200-1203.
- Saunders, G.C., Dukes, J., Parkers, H.C. and Cornett, J.H. 2001. Interlaboratory study on thermal cycler performance in controlled PCR random amplified polymorphic DNA analysis. *Clinical Chemistry* 47: 47-55.
- Scandalios, J.G. 1974. Isozymes in development and differentiation. *Ann. Rev. Plant Physiol.* 25: 225-258.

- Seark, R.J. 1999. A new combination and new synonym in *Kaempferia* (Zingiberaceae: Hedychieae). *Telopea*. 8: 375-376.
- Shamina, A., Zachariah, T.J., Sasikumar B. and George, J.K.. 1998. Biochemical variation in Turmeric (*Curcuma longa* Linn.) accessions based on isozyme polymorphism. *J. Hort. Sci. & Biotech.* 73: 479-483.
- Shields, C.R. Orton, T.J. and Stuber, C.W. 1983. An Outline of General Resource Need and Procedure for Electrophoretic Separation of Active Enzyme from Plant Tissue. *In*: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 443-468. Amsterdam: Elsevier Publishing Co.
- Siegel, S.M., Chen, J., Kottenmeier, W., Clark, K., Siegel, B.Z. and Chang, H. 1982. Reduction in peroxidase in *Cucumis brassica* and other seedings cultured in saline waters. *Phytochemistry* 21: 539-542.
- Simpson, M.J.A. and Wither, L.A. 1986. Characterzation using isozyme electrophoresis. Guide to the literature. Rome: International Board for Plant Genetic Resources.
- Sirirugsa, P. 1992a. A revision of genus *Boesenbergia* Kuntze (Zingiberaceae) in Thailand. *Nat. His. Bull. Siam Soc.* 40: 67-90.
- Sirirugsa, P. 1992b. Taxonomy of the genus *Kaempferia* (Zingiberaceae) in Thailand. *Thai. For. Bull.* 19: 1-15.

- Sirirugsa, P. and Larsen, K. 1991. A new species of *Scaphochlamys* (Zingiberaceae) from Thailand. *Nordic J. Bot.* 11: 93-95.
- Skoula, M., El hilali, I., Makris A.M., 1999. Evaluation of the genetic diversity of *Salvia fruticosa* Mill. clones using RAPD markers and comparison with the essential oil profiles. *Biochem. Syst. and Eco.* 27: 559-568.
- Smith, R.M. 1981. Synoptic Keys to the Genera of Zingiberaceae, pp. 1-28. Edinburgh: Royal Botanical Garden.
- Smithies, O. 1955. Zone electrophoresis in starch gel: group variations in the serum proteins of normal individuals. *Biochem. J.* 61:629-641.
- Sneath, P.H.A. and Sokal, R.R. 1973. Numerical Taxonomy. San Francisco: W.H. Freeman
- Soltis, P., Soltis, D. and Doyle, J.J. 1992. Molecular Systematic of Plants. New York: Chapman and Hall Inc.
- Specht, C.D., Kress, W.J., Stevenson, D.W. and DeSalle, R. 2001. A molecular phylogeny of Costaceae (Zingiberaceae). *Molecular Phylogenetic and Evolution.* 21: 333-345.
- Stearns, S.C. 1992. The evolution of life histories. Oxford: Oxford University Press.

Stuber, C.W., Wendel, J.F., Goodman, M.M. and Smith, J.S.C. 1988.

Techniques and Scoring Procedures for Starch Gel Electrophoresis of Enzymes from Maize (*Zea mays* L.). Agricultural Research service, North Carolina State University.

Sunnucks, P. 2000 Efficient genetic markers for population biology. *Tree* 15: 199-203.

Suvachittanont, W. 1991. Characterization of some species of the genus *Kaempferia* using isozyme electrophoresis. *In: Botany 2000 Asia: A workshop meeting on the family Zingiberaceae*, p. 11. Prince of Songkla university Thailand.

Suvachittanont, W. and Pongspaiboon, K. 1994. Factor affecting isozyme patterns in leaves of *Havea brasiliensis*. 11 FAOBMB Symposium, Bangkok Thailand.

Tansley, S.A. and Brown, C.R. 2000. RAPD variation in the rare and endangered *Leucadendron elimense* (Proteaceae): implication for their conservation. *Biol. Conserv.* 92: 39-48.

Tanksley, S.D. and Rick, C.M. 1980. Genetic of esterase in species of *Lycopersicon*. *Theor. Appl. Genet.* 56: 209-219.

- Trakoontivakorn, G., Nakahara, K., Shinmoto, H., Takenaka, M., Onishi-Kameyama, M., Ono, H., Yoshida, M., Nagata, T., and Tsushida, T. 2001. Structural analysis of a novel antimutagenic compound, 4-hydroxypanduratin A, and the antimutagenic activity of flavonoids in a Thai spice, fingerroot (*Boesenbergia pandurata* Schult.) against mutagenic heterocyclic amines. *J. Agric. Food Chem.* 49: 3046-3050.
- Tuchinda, P., Reutrakul, V., Claeson, P., Pongprayoon, U., Sematong, T., Santisuk, T. and Taylor, W.C. 2002. Anti-inflammatory cyclohexenyl chalcone derivatives in *Boesenbergia pandurata*. *Phytochemistry* 59: 169-173.
- Vallejos, E. 1983. Enzyme activity staining. In: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 469-514. Amsterdam: Elsevier Publishing Co.
- Van der Bank, H., Van der Bank, M. and Van Wyk, B.E. 2001. A review of the use of allozyme electrophoresis in plant systematics. *Biochem. Syst. Ecol.* 29: 469-483.
- Volis, S., Mendlinger, S., Turspekov Y., Esnazarov, U., Abugalieva, S. and Orlovsky, N. 2001. Allozyme variation in Turkmenian Population of wild barley, *Hordeum spontaneum* Koch.. *Ann. Bot.* 87: 435-446.
- Walter, H. 1954 *Grundlagen der pflanzenverbreitung: Einführung in die pflanzengeographie (Fundamental of plant distribution: introduction to plant geography)*, pp. 25. Ludwigsburg: Eugen Ulmer.

- Watson, J.D. and Crick, F.H.C. 1953. A structure for DNA. *Nature* 171: 736-738.
- Weeden, N.F. 1983a. Plastid Isozymes. *In*: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 141-149. Amsterdam: Elsevier Publishing Co.
- Weeden, N.F. 1983b. Evolution of Isozyme. *In*: Tanksley S.D. and Orton T.J. (eds.), *Isozymes in Plant Genetics and Breeding. Part A*, pp. 177-207. Amsterdam: Elsevier Publishing Co.
- Weeden, N.F. 1989. Application of isozyme in plant breeding. *Plant Breeding Reviews* 6: 11-54.
- Weeden, N.F. and Wendel, J.F. 1989. Genetic of Plant Isozymes. *In*: Soltis, D.E., Soltis, P.S. (eds.), *Isozyme in Plant Biology*, pp. 46-72. Oregon: Dioscorides Press.
- Welsh, J. and McClelland, M. 1990. Fingerprinting genome using PCR with arbitrary primer. *Nucl. Acids Res.* 18: 7213-7218.
- Werman, S.D., Springer, M.S. and Britten, R.J. 1996. Nucleic Acid I: DNA-DNA Hybridization. *In*. D.M., Hillis, C., Moritz and B.K., Mable (eds.), *Molecular Systematic* (2nded), pp. 169-180. Massachusetts: Sinauer Associates Inc.

- Winter, P and Kahl G. 1995. Molecular markers technologies for plant improvement. *J. Micro and Biotech.* 11: 438-448.
- Williams, J.G.K., Kubelik, A.R., Livak, K.J. and Tingey, S.V. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *J. Nucleic Acids Research* 18: 6531-6535.
- Urasaki, N., Tokumoto, M., Tarora., K., Ban, Y., Kayano, H., Tanaka, H., Oku, H., Chinen, I. and Terauchi, R. 2002. A male and hermaphrodite specific RAPD marker for papaya (*Carica papaya* L.). *Theor. Appl. Genet.* 104: 281-285.