

บรรณานุกรม

- กนกธร ปิยธำรงวัฒน์. 2537. ระบบอวัยวะของร่างกาย. พิมพ์ครั้งที่1. กรุงเทพฯ : โอเดียนสโตร์.
- ปิยวรรณ สิทธิพงศ์. 2548. “สารยับยั้งอะไมเลส มอลเตส และซูเครส จากถั่วแดง : การทำบริสุทธิ์และการศึกษาคุณสมบัติของสารยับยั้ง”, วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาชีวเคมี มหาวิทยาลัยสงขลานครินทร์.
- อารีชา เทพชาตรี. 2527. โรคภูมิแพ้ที่พบบ่อยในเด็ก. ม.ป.ท : หน่วยเวชניתศน์ คณะแพทยศาสตร์ ม. สงขลานครินทร์.
- อนงค์ อัดตะโน. 2546. “สารยับยั้งอะไมเลสในพืชและสมุนไพรไทยบางชนิด”, โครงการปริญญาตรีวิทยาศาสตรบัณฑิต ภาควิชาชีวเคมี มหาวิทยาลัยสงขลานครินทร์.
- Akasawa, A., Hsieh, L. and Lin, Y. 1995. “Allergen, IgE, mediators, inflammatory mechanisms”, J. Allergy Clin. Immun. 95, 1196-1205.
- Ali, H., Houghton, P.J. and Soumyanath, A. 2006. “ α -Amylase inhibitory activity of some Malaysian plants used to treat diabetes ; with particular reference to *Phyllanthus amarus*”, J. Ethnopharmacol. 107, 449-455.
- Amano, M., Ogawa, H., Kojima, K., Kamidaira, T., Suetsugu, S., Yoshihama, M., Satoh, T., Samejima, T. and Matsumoto, I. 1998. “Identification of the major allergens in wheat flour responsible for baker’s asthma”, Biochem. J. 330, 1229-1234.
- Azarkan, M., El Moussaoui, A., Van Wuytswinkel, D., Dehon, G. and Looze, Y. 2003. “Fractionation and purification of the enzymes stored in the latex of *Carica papaya*”, J. Chromatogr. B. 790, 229-238.
- Azarkan, M., Wintjens, R., Looze, Y. and Baeyens-volant, D. 2004. “Detection of three wound-induced proteins in papaya latex”, Phytochemistry. 65, 525-534.
- Banerjee, S. and Haldar, B.C. 1950. “Constitution of ferri-phenol complex in solution”, Nature. 165, 1012-1012.
- Battais, F., Pineau, F., Popineau, Y., Aparicio, C., Kanny, G., Guerin, L., Moneret-Vautrinana, D.A. and Denery-Papini, S. 2003. “Food allergy to wheat : identification of immunoglobulin E and immunoglobulin G-binding proteins with sequential extracts and purified proteins from wheat flour”, Clin. Exp. Allergy. 33, 962-970.

- Bernfeld, P. 1955. "Amylase α and β ", *Method Enzymol.* 1, 149-258.
- Blanco, C., Ortega, N., Castillo, R., Alvarez, M., Dumpierrez, A.G. and Carrillo, T. 1998. "Carica papaya pollen allergy", *Ann. Allerg. Asthma Im.* 81, 171-175.
- Bradford, M. 1976. "A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein dye binding", *Anal. Biochem.* 72, 248-254.
- Breiteneder, H. and Ebner, C. 2000. "Molecular and biochemical classification of plant-derived food allergen", *J. Allergy Clin. Immun.* 106, 27-36.
- Brena, B.M., Pazos, C., Franco-Fraguas, L. and Batista-Viera, F. 1996. "Chromatographic methods for amylases", *J. Chromatogr. B.* 684, 217-237.
- Brunkhorst, C. and Schneider, E. 2005. "Characterization of maltose and maltotriose transport in the acarbose-producing bacterium *Actinoplanes* sp.", *Res. Microbiol.* 156, 851-857.
- Clendennen, S.K., Lopez-Gomez, R., Gomez-Lim, M., Arntzen, C.J. and May, G.D. 1998. "The abundant 31-kilodalton banana pulp protein is homologous to class-III acidic chitinases", *Phytochemistry.* 47, 613-619.
- Correia, R.T.P., McCue, P., Vатtem, D.A., Magalhaes, M.M.A., Macedo, G.R. and Shetty, K. 2004. "Amylase and *Helicobacter pylori* inhibition by phenolic extracts of pineapple wastes bioprocessed by *Rhizopus oligosporus*", *J. Food Biochem.* 28, 419-433.
- Davis, B.J. 1964. "Disc electrophoresis II, Method and application to human serum proteins", *Ann. NY. Acad. Sci.* 121, 404-427.
- Delbourg, M.F., Guilloux, L., Moneret-Vautrin, D.A. and Ville, G. 1996. "Hypersensitivity to banana in latex-allergic patients. Identification of two major banana allergens of 33 and 37 kDa", *Ann. allerg. Asthma Im.* 76, 321-326.
- Diaz-Perales, A., Collada, C., Blanco, C., Sanchez-Monge, R., Carrillo, T., Aragoncillo, C. and Salcedo, G. 1999. "Cross-reactions in the latex-fruit syndrome : relevant Role of chitinase but not of complex asparagines - linked glycans", *J. Allergy Clin. Immun.* 104, 681-687.

- Ebo, D.G., Bridts, C.H., Hagendorens, M.M., De clerck, L. S. and Stevens, W. J. 2003. "The prevalent and diagnostic value of specific IgE antibodies to inhalant, animal and plant food, and ficus allergens in patients with natural rubber latex allergy", *Acta Clin. Belg.* 58, 183-189.
- Farias, L. R., Costa, F. T., Souza, L.A., Pelegrini, P. B., Grossi-de-sa, M.F., Neto, S.M., Bloch Jr., C., Laumann, R.A., Noronha, E.F. and Franco, O.L. 2007. "Isolation of a novel *Carica papaya* α -amylase inhibitor with deleterious activity toward *Callosobruchus maculatus*", *Pestic. Biochem. Phys.* 87, 255-260.
- Fisher, S.Z., Covindasamy, L., Tu, C., Agbandje-Mckenna, M., Silverman, D.N., Rajaniemi, H.J., and Mckenna, R. 2006. "Structure of human salivary α -amylase crystallized in a C-centered monoclinic space group", *Acta Cryst.* 62, 88-93.
- Franco, O. L., Rigden, D.J., Melo, F.R. and Glosi-De-Sa, M.F. 2002. "Plant α -amylase inhibitor and their interaction with insect α -amylase", *Eur. J. Biochem.* 296, 397-412.
- Franken, J., Stephen, U., Meyer, H.E. and Konig, W. 1994. "Identification of alpha amylase inhibitor as a major allergen of wheat flour", *Int. Arch. Allergy Imm.* 104, 171-174.
- Garcia-Menaya, J.M., Gonzalo-Garijo, M.A., Moneo, I., Fernandez, B., Gracia-Gonzalez, F. and Moreno, F. 2000. "A 17 kDa allergen detected in pine nuts", *Allergy.* 55, 291-293.
- Gavrovic-Jankulovic, M., Cirkovic, T., Vuckovic, O., Atanaskovic-Markovic, M., Petersen, A., Gojgic, G., Burazer, L. and Jankov, R.M. 2002. "Isolation and biochemical characterization of a thumatin-like kiwi allergen", *J. Allergy Clin. Immun.* 110, 805-810.
- Gerrard, I.A., Prince, M.I. and Abell, A.D. 2000. "Kinetic characterisation of Ene-Diol-Based inhibitors of α -amylase", *Bioorg. Med. Chem. Lett.* 106, 1575-1576.
- Giri, A.P. and Kachole, M.S. 1996. "Detection of electrophoretically separated amylase inhibitors in starch – polyacrylamide gels", *J. Chromatogr. A.* 752, 261-264.
- Gomez, L., Sanchez-Monge, R., Garcia-Olmedo, F. and Salsedo, G. 1989. "Wheat tetrameric inhibitors of insect alpha-amylases : Allopoloid heterosis at the molecular level", *Proc.Natl. Acad. Sci.* 86, 3242-3246.

- Grant, G., Edwards, J.E. and Puztai, A. 1995. " α -amylase inhibitor levels in seeds generally available in Europe", *J. Sci. Food Agr.* 67, 235-238.
- Graziano, G., Gatanzano, F. and Barone, G. 2000. "On the pH dependence of thermodynamic stability of α -amylase inhibitor tendamistat", *Thermochimica.* 345, 59, quoting Pflugrath, J., Wicgand, I., Huber, R., Vertesy, L. 1987. *J. Mol. Biol.* 189, 59-66.
- Hansawasdi, C., Kawabata, J. and Kasai, T. 2000. " α -amylase inhibitors from Roselle (*Hibiscus sabdariffa* Linn.) tea", *Biosci. Biotech. Bioch.* 64, 1041-1043.
- Harborne, J.B. 1973. "Phytochemical Methods", Singapore: Toppan Printing CO.(S) Pte. Ltd. 16.
- Heidari, R., Zareae, S. and Heidarizadeh, M. 2005. "Extraction, purification, and inhibitory effect of Alpha-amylase inhibitor from wheat (*Triticum aestivum* Var. Zarrin)", *Pakistan J. Nutr.* 4, 101-105.
- Helm, R.M., Cockrell, G., Connaughton, C., Sampson, H.A., Bannon, G.A., Beilinson, V., Livingstone, D., Nielsen, N.C. and Burks, A.W. 2000. "G2 glycinin allergen 1 identification and characterization", *Int. Arch. Allergy Imm.* 123, 205-212.
- Hepner, D.L. and Castells, M.C. 2003. "Latex allergy: an update", *Anesth. Analg.* 96, 1219-1229.
- Iulek, J., Franco, O.L., Silva, M., Slivinski, C.T., Broch Jr, C., Rigden, D.J. and Grossi De Sa, M.F. 2000. "Purification, biochemical characterization and partial primary structure of a new α -amylase inhibitor from *Secale cereale* (rye)", *Int. J. Biochem. Cell B.* 32, 1195-1024.
- James, J.M., Sixbey, J.P., Helm, R.M., Bannon, G.A. and Burks, A.W. 1997. "Wheat alpha-amylase inhibitor : a second route of allergic sensitization", *J. Allergy Clin. Immun.* 99, 239-244.
- Jekel, P.A., Hofsteenge, J. and Beintema, J. 2003. "The patatin-like protein from the latex of *Hevea brasiliensis* (Hev b 7) is not a vacuolar protein", *Phytochemistry.* 63, 517-522.

- Kadziola, A., Sagard, M., Srensson, B. and Haser, R. 1998. "Molecular structure of a barley α -amylase inhibitor complex : implications for starch binding and catalysis", J. Mol. Biol. 278, 205-217.
- Kandra, L., Gyemant, G., Zajacz, A. and Batta, G. 2004. "Inhibitory effects of tannin on human salivary α -amylase", Biochem. Bioph. Res. Co. 319, 1265-1271.
- Karisola, P., Kotovuori, A., Poikonen, S., Niskanen, E., Kalkkinen, N., Turjanmaa, K., Palosuo, T., Reunala, T., Alenius, H. and Kulomaa, M. 2005. "Isolated hevein-like domains, but not 31-kd endochitinases, are responsible for IgE mediated *in vitro* and *in vivo* reactions in latex-fruit syndrome", J. Allergy Clin. Immun. 115, 598-605.
- Kim, J.S., Kwon, C.S. and Son, K.H. 2000. "Inhibition of alpha-glucosidase and amylase by luteolin, a flavonoid", Biosci. Biotech. Bioch. 64, 2458-2461.
- Kim, M.J., Lee, H.S., Cho, J.S., Kim, T.J., Moon, T.W., Oh, S.T., Kim, J.W., Oh, B.H. and Park, K.H. 2002. "Preparation and characterization of α -D- Glucopyranosyl- α -acarviosinyl-D-glucopyranose, a Novel inhibitor specific for maltose-producing amylase", Biochemistry. 41, 9099-9108.
- Krebitz, M., Wagner, B., Ferreira, F., Peterbauer, C., Campillo, N., Witty, M., Kolarich, D., Steinkellner, H., Scheiner, O. and Breiteneder, H. 2003. "Plant-based heterologous expression of Mal d 2, a Thaumatin-like protein and allergen of apple (*Malus domestica*), and its characterization as an antifungal protein", J. Mol. Biol. 329, 721-730.
- Kusaba-Nakayama, M., KI, M., Iwamoto, M., Shibata, R., Sato, M. and Imaizumi, K. 2000. "CM3 one of the wheat α -amylase inhibitor subunits and binding of IgE in sera from japanese with Atopic Dermatitis related to wheat", Food Chem. Toxicol. 38, 179-185.
- Le Berre-Anton, V., Bompard-Gilles, C., Payan, F. and Roug, P. 1997. "Characterization and functional properties of the α -amylase inhibitor (α -AI) from kidney bean (*Phaseolus vulgaris*) seeds", Biochem. Biophys.acta. 1343, 31-40.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. "Protein measurement with the folin phenol reagent", J. Biol. Chem. 193, 265-275.

- Lynn, K.R. and Clevette - Radford, N.A. 1987. "Biochemical properties of lactices from the Euphorbiaceae", *Phytochemistry*. 26, 939-944.
- Makinen-kiljunen, S. 1994. "Banana allergy in patients with immediate-type hypersensitivity to natural rubber latex : characterization of cross reacting antibodies and allergens", *J. Allergy Clin. Immun.* 93, 990-996.
- Marshall, J.J. and Lauda, C.M. 1975. "Purification and properties of Phaseolamin, an inhibitor of α -amylase, from the kidney bean, (*Phaseolus vulgaris*)", *J. Biol. Chem.* 250, 8030-8037.
- Matsuura, H., Miyazaki, H., Akasawa, C., Amano, M., Yoshihara, T. and Mizutani, J. 2004. "Isolation of α -glucosidase inhibitors from Hyssop (*Hyssopus officinalis*)", *Phytochemistry*. 65, 91-97.
- McCue, P., Vattem, D. and Shetty, K. 2004. "Inhibitory effect of clonal oregano extracts against porcine pancreatic amylase *in vitro*", *Asia Pac. J. Clin. Nutr.* 13, 401-408.
- Mikkola, J.H., Alenius, H., Kalkkinen, N., Turjanmaa, K., Palosuo, T. and Reunala, T. 1998. "Hevein like protein domains as a possible cause for allergen cross- reactivity between latex and banana", *J. Allergy Clin. Immun.* 102, 1005-1012.
- Monti, R., Basilio, C.A., Trevisan, H.C. and Contiero, J. 2000. "Purification of papain from fresh latex of *Carica papaya*", *Braz. Arch. Biol. Techn.* 43, 501-507.
- Morrissey, J.H. 1981. "Silverstain for proteins in polyacrylamide gels: a modified procedure with enhanced uniform sensitivity", *Anal. Biochem.* 117, 307-310.
- Moutim, V., Silva, L.G., Lopes, M.T.P., Fernandes, G.W. and Salas, C.E. 1999. "Spontaneous processing of peptides during coagulation of latex from *Carica papaya*". *Plant Sci.*, 142, 115-121.
- Nawaz, H., Shi, J., Mittal, G.S. and Kakuda, Y. 2006. "Extraction of polyphenols from grape seeds and concentration by ultrafiltration", *Sep. Purif. Technol.* 48, 176-181.
- Park, J.W., Kang, D.B., Kim, C.W., Ko, S.H., Yum, H.Y., Kim, K.E., Hong, C-S. and Lee, K.Y. 2000. "Original article identification and characterization of the major allergens of buckwheat", *Allergy*. 55, 1035-1041.

- Pasini, G., Simonato, B., Curinni, A., Vincenzi, S., Cristaudo, A., Santucci, B., Dal Belln Peruffo, A. and Glannattasio, M. 2002. "IgE-mediated allergy to corn : 50kDa protein belonging to the reduced soluble proteins, is a major allergen", *Allergy*. 57, 98-106.
- Pastorello, E.A., Farioli, L., Pravettoni, V., Ortolani, C., Fortunato, D., Giuffrida, M.G., Garoffo, L.P., Calamari, A.M. and Brenna, O. 2003. "Identification of grape and wine allergen as an endochitinase 4, a lipid-transfer protein, and a thaumatin", *J. Allergy Clin. Immun.* 111, 350-359.
- Payan, F. 2004. "Structural basis for the inhibition of mammalian and insect α -amylase by plant protein inhibitors", *Biochimica et Biophysic Acta*. 1696, 171, quoting Whitaker, J.R. " α - amylase inhibitors of higher plants and microorganism", in *Food protein proc. Prot.co-pro. Symp.*, 354. Kinsella, J.E. and Soucle, W.G., eds., AM. Oil chem.Soc, champaign, USA : IL.
- Pereira, L.S., Gomes, V.M., Fernandes, K.V.S., Sales, M.P., Xavier-Filho, J. 1999. "Insecticidal and antifungic proteins of the latex from *Manihot glaziovii* Muell", *Arg. Revta. Bras. Bot.* 22, 27-30.
- Peumans, W.J., Proost, P., Swennen, R.L. and Van Damme, E.J.M. 2002. "The abundant class III chitinase homolog in young developing banana fruits behaves as a transient vegetative storage protein and most probably serves as an important supply of amino acid for the synthesis of ripening-associated proteins", *Plant Physiol.* 130, 1063-1072.
- Raulf-Heimsoth, M., Posch, A., Chen, Z. and Baur, X. 1997. "Cross – reactivity between natural rubber latex and food allergens", *Environ. Toxicol. Phar.* 4, 169-173.
- Rekha, M.R., Sasikiran, K. and Padmaja, G. 2004. "Inhibitor potential of protease and α -amylase inhibitors of sweet potato and taro on the digestive enzymes of root crop storage pests", *J. Stored Prod. Res.* 40, 461-470.
- Sanchez-Monge, R., Blanco, C., Diaz - Perales, A., Collada, C., Carrillo, T., Aragoncillo, C. and Salcedo, G. 1999. "Isolation and characterization of major banana allergens : identification as fruit class I chitinases", *Clin. Exp. Allergy.* 29, 673-680.

- Sanchez-Monge, R., Gomez, L., Barber, D., Lopez – Otin, C., Armentia, A. and Salcedo, G. 1992. “Wheat and barley allergens associated with baker’s asthma”, *Biochem. J.* 281, 401-405.
- Schagger, H. and Von Jagow, G. 1987. “Tricine-sodium dodecyl sulfate polyacrylamide gel electrophoresis for the separation of proteins in the range from 1-100 kDalton”, *Anal. Biochem.* 166, 368-379.
- Sivakumar, S., Mohan, M., Franco, O.L. and Thayumanavan, B. 2006. “Inhibition of insect pest α -amylases by little and finger millet inhibitors”, *Pestic. Biochem. Phys.* 85, 155-160.
- Slinkard, K. and Singleton, K. 1977. “Total phenol analysis: Automation and comparison with manual methods”, *Am. J. Enol. Viticult.* 28, 49-55.
- Smith, J. 1982. “Plant constituents interfering with the lowry method of protein determination”, *Proc. Okla. Acad. Sci.* 62, 80-83.
- Valderrama, A.M.V. 2006. “Tannin extraction from green bananas”, *Revista lasallista de investigacion.* 1, 17-22.
- Varjonen, E., Vainio, E. and Kalimo, K. 2000. “Antigliadin IgE –indicator of wheat allergy in atopic dermatitis”, *Allergy.* 55, 386-391.
- Wong, D.W.S. 1995. “Food enzymes : structure and mechanism”, United States of America: Chapman & Hall. 38-38.
- Yeang, H.Y., Arif, S.A.M., Yusof, F. and Sanderasan, E. 2002. “Allergenic proteins of natural rubber latex”, *Methods.* 27, 32-45.
- Yoon, S. and Robyt, J.F. 2002. “Synthesis of acarbose analogues by transglycosylation reactions of *Leuconostoc mesenteroides* B-512 and B-745CB”, *Carbohydr. Res.* 337, 2427-2435.
- Hagerman, E. 2002. **Tannin chemistry** (online). <http://www.Users.Muchio.Edu/hagermae/tannin.pdf>. [4 สิงหาคม 2548]

