

บรรณานุกรม

- خلธicha ชาลิตนิธิธรรม. 2539. การกำจัดเชื้อๆulinที่ร้ายในเต้าเจี้ยวด้วยรังสี gamma. วิทยานิพนธ์. สาขาวิชาเทคโนโลยีชีวภาพ. คณะวิทยาศาสตร์. มหาวิทยาลัยมหิดล.
- น้อมจิตต์ อ่อนแก้ว. 2544. ผลกระทบแบคเทอโริโนчинและระบบแลกโตรเปอร์ออกซิเดสในการผลิตเนยพาสเจอร์ไรส์. วิทยานิพนธ์. สาขาวิชาเทคโนโลยีชีวภาพ. คณะอุตสาหกรรมเกษตร. มหาวิทยาลัยสงขลานครินทร์.
- ปรีชา จังษามานุกูล. 2533. การสำรวมสุขลักษณะของเต้าเจี้ยว. ว. อาหาร. 20(3) : 181-195.
- ปรีชา จังษามานุกูล และ ดวงดาว วงศ์สมมาตร. 2536. คุณภาพทางชีววิทยาของชีอ้ว. ว.กรณวิทย์. 35(4) : 245-252.
- ราภุณิ ศรุส์ แหล่งรุ่งมาน พงศ์สวัสดิ์มานิต. 2532. เทคโนโลยีการหมักในอุตสาหกรรม. หน้า 59-60. โ.อ.อส พรัตน์ตั้งเอื้้าส. กรุงเทพฯ.
- วิสาวรรณย์ เจริญจิระตะกูล. 2536. ผลิตภัณฑ์อาหารหมักจากๆulinที่ร้าย. สงขลา : คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- วิสาวรรณย์ เจริญจิระตะกูล. 2539. ๆulinที่ร้ายที่มีความสำคัญด้านอาหาร. สงขลา : คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- ไว้ รังสรรคทอง. 2545. เทคโนโลยีการแปรรูปอาหาร. กรุงเทพฯ : คณะวิทยาศาสตร์ ประยุกต์ สถาบันเทคโนโลยีพระเจ้าจอมเกล้าพระนครเหนือ.
- สมາลี เหลืองสกุล. 2527. ชีววิทยาทางอาหาร. กรุงเทพฯ : คณะวิทยาศาสตร์ มหาวิทยาลัยศรีนครินทรวิโรฒ ประสานมิตร.
- ศรีนาถ หนูเอก. 2538. การคัดเลือกแบคทีเรียและติกที่สร้างแบคเทอโริโนчинในอาหารหมัก. วิทยานิพนธ์. สาขาวิชาเทคโนโลยีอาหาร. คณะอุตสาหกรรมเกษตร. มหาวิทยาลัยสงขลานครินทร์.

- ศิวารพ ศิริเวชช. 2542. การสุขาภิบาลโรงงานอุตสาหกรรมอาหาร. หน้า 255-315.
นครปฐม : มหาวิทยาลัยเกษตรศาสตร์.
- อรอนงค์ นัยวิกฤต. 2540. ข้าวสาลี : วิทยาศาสตร์และเทคโนโลยี. หน้า 67-103.
กรุงเทพฯ : มหาวิทยาลัยเกษตรศาสตร์.
- อกิจญา อัศวนิก และคณะ. 2534. การผลิตซีอิ้วในอุตสาหกรรมขนาดย่อม.
กรุงเทพฯ : คณะวิทยาศาสตร์ มหาวิทยาลัยมหิดล.
- Abee, T., Krockel, L. and Hill, C. 1995. Bacteriocins : modes of action and potentials in food preservation and control of food poisoning. Int J. Food Microbiol. 28 : 169-185.
- Adum , M. R., Hartley, A. D. and Cox, L. J. 1989. Factors affecting the efficacy of washing procedures used in the production of prepared salads. Food Microbiol. 6 : 69-77.
- A.O.A.C. 1999. Official Method of Analysis of the Association of Official Chemists. 16th ed. The Association of Official Analytical Chemists, Inc., Virginia.
- Aran, N. 2001. The effect of calcium and sodium lactates on growth from spores of *Bacillus cereus* and *Clostridium perfringens* in a sous-vide beef goulash under temperature abuse. Int J. Food Microbiol. 63 : 117-123.
- Andrews, S., Pardoel, D., Harun, A. and Treloar, T. 1997. Chlorine inactivation of fungal spores on cereal grains. Int J. Food Microbiol. 35 : 153-162.
- Aziz, N. H., Mahrous, S. R. and Youssef, B. M. 2002. Effect of gamma ray and microwave treatment on the shelf life on beef product stored at 5°C. J. Food Control. 13 : 437-444.
- Benedict, R. C., Partridge, T., Wells, D. and Buchanan, R. L. 1993. *Bacillus cereus* : aerobic growth kinetics. J. Food Protect. 56 : 211-214.

- Berghofer, L. K., Hocking, A. D., Miskelly, D. and Jansson, E. 2003. Microbiology of wheat and flour milling in Australia. *Int. J. Food Microbiol.* 85 : 137-149.
- Beuchat, L. R. 1987. Traditional fermented food product. In *Food and Beverage Mycology*. p. 269-305 . AVI. New York.
- Beuchat, L. R. 1998. Surface decontamination of fruits and vegetables eaten raw : a review. WHO/FSF/FOS/98.2. World Health Organization, Geneva, Switzerland.
- Brink, B. T., Minekus, M., Vander, V. J., Lee, R. J. and Hulis, J. H. J. 1994. Antimicrobial activity of lactobacilli preliminary characterization and optimization of acidocin B, a novel bacteriocin produced by Lactobacilli M46. *J. Appl. Bacteriol.* 77: 140-148.
- Caplice, E. and Fitzgerald, G. F. 1999. Food fermentation : Role of microorganisms in food production and preservation. *Int. J. Food Microbiol.* 50 : 131-149.
- Chipley, J. R. 1993. Sodium benzoate and benzoic acid. In *Antimicrobial in Foods*. Davidson, M. and Branam, D., eds. p. 11-48. Chapman & Hall. New York.
- Choi, M. H. and Park. Y. H. 2000. Selective control of Lactobacilli in kimchi with nisin. *Lett. Appl. Microbiol.* 33 : 173-177.
- Cleveland, J., Montville, T. J., Nes, I. F. And Chikindas, M. L. 2001. Bacteriocins : safe, natural antimicrobials for food preservation. *Int. J. Food Microbiol.* 71 : 1-20.
- Clint, J. H. 1992. Surfactant Aggregation. Chapman and Hall. New York.
- Datta, A. K. and Davidson, P. M. 2000. Microwave and radio frequency : special supplement. *J. Food Sci.*

- Davies, E. A., Bevis, H. E. and Delves-Broughton, J. 1997. The use of the bacteriocin, nisin, as a preservative in ricotta-type cheeses to control the food-borne pathogen *Listeria monocytogenes*. Lett. Appl. Microbiol. 24 : 343-346.
- De Lara, J., Fernandez, P. S., Periago, P. M. and Palop, A. 2002. Irradiation of spores of *Bacillus cereus* and *Bacillus subtilis* with electron beams. Inno. Food Sci. and Emer. Technol. 3 : 379- 384.
- De Vuyst, L. and Vandamme, E. J. 1994. Nisin, A lantibiotic produced by *Lactococcus lactis* subsp. *Lactis* : properties, biosynthesis, fermentation and application . In Bacteriocin of Lactic Acid Bacteria : Microbiology, Genetics and Application. p.151-221. Blackie Academic & Professional. London.
- Edebo, L., Ahlstrom, B., Allenmark, S., Bertilsson, M., Jennische, E., Lange, S., Lindstedt, M and Thompson, R. A. 1992. Betaine esters : quaternary ammonium compounds with time-limited activity. In Industrial Applications of Surfactants III. (Karsa, D. R., ed.) p. 185-207. Redwood Press. Manchester.
- El-Shenawy, M. A. And Marth, E. H. 1991. Organic acids enhance the antilisterial activity of potassium sorbate. J. Food Protect. 54 : 593 – 597.
- Ennahar, S., Sonomoto, K. and Ishizaki, A. 1999. Class IIa bacteriocin from lactic acid bacteria : antibacterial activity and food preservative. J. Biosci. & Bioeng. 87 : 705-716.
- Farkas, J., Polyak-Feher, K., Andrassy, E. and Meszaros, L. 2002. Improvement of microbiological safety of sous-vide meals by gamma radiation. Rad. Phy. and Chemis. 63 : 345-348

- Fernandez, A., Ocio, M. J., Fernandez, P. S. and Martinez, A. 2001. Effect of heat activation and inactivation conditions on germination and thermal resistance parameters of *Bacillus cereus* spores. Int J. Food Microbiology. 63 : 257-264.
- Ferreira, M. A. and Lund, B. M. 1996. The effect of nisin on *Listeria monocytogenes* in culture medium and long-life cottage cheese. Lett. Appl. Microbiol. 22 : 433-438.
- Frazier, W.C. and Westhoff , D.C. 1988. Food Microbiology . McGraw-Hill. London.
- Granum, P. E. 1997. *Bacillus cereus*. In Food Microbiology Fundamentals and Frontieres. (Doyle, M. P., Beuchat, L. R. and Montville, T. J. ed.) p. 327-336. ASM Press. Washington DC.
- Guinebretiere, M. H., Girardin, H., Dargaignaratz, C., Carlin, F. and Nguyen-The, C. 2003. Contamination flows of *Bacillus cereus* and spore forming aerobic bacteria in a cooked, pasteurized and chilled zucchini puree processing line. Int J. Food Microbiol. 82 : 223-232
- Han, B., Beumer, R. R., Rombouts, F. M. and Nout, M. J. R. 2001. Microbiological safety and quality of commercial sufu a Chinese fermented soybean food. Food Control. 12 : 541-547.
- Harmon, S. M., Kautter, D. A. and Solomon, H. M. 1987. *Bacillus cereus* contamination of seeds and vegetable sprouts grown in a home sprouting kit. J. Food Protect. 50 : 62-65.
- Harmon, S. M. and Kautter, D. A. 1991. Incidence and growth potential of *Bacillus cereus* in ready to serve foods. J. Food Protect. 54 : 372-374.

- Heddeson, R. A. and Doores, S. 1994. Factors affecting microwave heating of foods and microwave induced destruction of foodborne pathogens J. Food Protect. 57 : 1025-1037.
- Himathongkham, S., Nuanualsuwan, S., Riemann, H. and. Cliver, D. O. 2001. Reduction of *Escherichia coli* O157 : H7 and *Salmonella typhimurium* in artificially contaminated alfalfa seeds and mung beans by fumigation with ammonia. J. Food Protect. 64 : 1817–1819.
- Hoover, D. G. and Harlander, S. K. 1993. Screening methods for detection bacteriocin activity . In Bacteriocin of Lactic Acid Bacteria. (Hoover, D. G. and Steenson, L. R. ed.) p. 23–39. Academic Press. California.
- Hutton, M. T., Koskinen, M. A. and Hanlin, J. H. 1991. Interacting effects of pH and NaCl on heat resistance of bacterial spores. J. Food Sci. 56 : 821–822.
- Ismail, S. A. S., Deak, T., Abd El-Rahman, H. A., Yassien, M. A. M. and Beuchat, L. R. 2001. Effectiveness of immersion treatments with acids, trisodium phosphate, and herb decoctions in reducing populations of *Yarrowia lipolytica* and naturally occurring aerobic microorganisms on raw chicken. Int J. Food Microbiol. 64 : 13-19.
- Iwuoha, C. I. and Eke, O. S. 1996. Nigerian indigenous fermented foods: their traditional process operation, inherent problem, improvements and current status. Food Res. Inter. 29 : 527– 540.
- Jack, R. W., Tagg, J. R. and Ray, B. 1995. Bacteriocins of gram positive bacteria. Microbiol. Rev. June : 171-200.
- Janson, L., Baird, L., and Delves-Broughton, J. 1994. The use of nisin as a preservative in crumpets. J. Food Protect. 57 : 874-877.

- Jacquette, C. B. and Beuchat, L. R. 1998. Combination effects of pH, nisin ,and temperature on growth and survival of psychrotropic *Bacillus cereus*. J. Food Protect. 61 : 563-570.
- Jay, J. M. 2000. Radiation preservation of foods and nature of microbial radiation resistance. In : Modern Food Microbiology. p.301-321. Aspen Publisher, Inc. USA.
- Jean, J., Vachon, J. F., Moroni, O., Darveau, A., Kukavica-Ibrulj, I. and Fliss, I. 2003. Effectiveness of commercial disinfectants for inactivating hepatitis A virus on agri-food surfaces. J. Food Protect. 66 : 115-119.
- Jones, D. G. 1993. The exploitation of moulds in fermented foods. In : Exploitation of Microorganisms. p. 321-327. Chapman & Hall. London.
- Jones, J. M. 1992. Safety of Irradiated Foods. Marcel Dekker. New York.
- Kallander, K., Romer, J. C., Sofos, J. N. Kreuzer, K. S. and Singleton, E. R. 1995. Detection of heated bacterial spores with fluid thioglycollate and soybean casein digest broths containing variable concentrations of solids. J. Food Protect. 58 : 421-425.
- Kato, T., Maeda, K., Kasuya, H. and Matsuda, T. 1999. Complete growth inhibition of *Bacillus subtilis* by nisin - producing Lactococci in fermented soybeans. J. Biosci. Biotechnol. Biochem. 63 : 642-647.
- Klaenhammer, T.R. 1988. Bacteriocin of lactic acid bacteria. J. Biochimic. 70 : 337-349.
- Klaenhammer, T.R. 1993. Genetic of bacteriocin produced by lacyic acid bacteria. FEMS. Microbiol.Rev. 12 : 39-86.

- Kozempel, M. F., Annous, B. A., Cook, R. D., Scullen, O. J. and Whiting, R. C. 1998. Inactivation of microorganisms with microwaves at reduced temperatures. *J. Food Protect.* 61 : 582-585.
- Kramer, J. M. and Gilbert, R. J. 1989. *Bacillus cereus* and other *Bacillus* species, *In* Foodborne Bacterial Pathogens. ed. Dayle, M. P. p. 22-70. Marcel Dekker. New York .
- Leguerinel, I., Couvert, O. and Mafart, P. 2000. Relationship between the apparent heat resistance of *Bacillus cereus* spores and the pH and NaCl concentration of the recovery medium. *Int J. Food Microbiol.* 55 : 223-227. .
- Lillard, H. S. 1994. Effect of trisodium phosphate on *Salmonella* attached to chicken skin. *J. Food Protect.* 57 : 465-469.
- Lindqvist, R., Andersson, Y., Jong, B. and Norberg, P. 2000. A summary of reported foodborne disease incidents in Sweden, 1992 to 1997. *J. Food Protect.* 63 : 1315-1320.
- Meghrous, J., Lacroix, C. and Simard, R. E. 1999. The effects on vegetative cells and spores of three bacteriocins from lactic acid bacteria. *Food Microbiol.* 16 : 105-114.
- Mongkolwai, T., Assavanig, A., Amnajsongsiri, C., Flegel, T. W. and Bhumiratana, A. 1997. Technology transfer for small and medium soy sauce fermentation factories in Thailand : a consortium approach. *Food Research International.* 30 : 555-563.
- Monk, J. D., Beuchat, L. R. and Doyle, M. P. 1995. Irradiation inactivation of food-borne microorganisms. *J. Food Protect.* 58 : 197-208.
- Morpeth, F. F. 1997. Preservation of Surfactant Formulations. Chapman & Hall. USA.

- Nester, E. W., Roberts, C. E., Pearsall, N. N., Anderson, D. G. and Nester, M. T. 1998. Microbiology a human perspective. In : The Control of Microbial Growth. (Nester, E. W. ed.) p. 188-191. McGraw – Hill. America.
- Notermans, S., Batt, C. A. 1998. A risk assessments approach for food-borne *Bacillus cereus* and its toxins. J. Appl. Microbiol. Symp. Suppl . 84 : 51-61.
- Okereke, A. and Montville, T. J. 1991. Bacteriocin inhibition of *Clostridium botulinum* spores by lactic acid bacteria. J. Food Protect. 54 : 349-353.
- Oloyede, O. B. and Scholefield, J. 1994. Inhibition of *Bacillus* spores by combination of heat, potassium sorbate, NaCl and pH. Would J. Microbiol. and Biotech. 10 : 579-582.
- Oyashiki, H., Uchida, M., Obayashi, A. and Satoru O. 1989. Evaluation of koji various molds for mirin making. J. Ferment.and Bioeng. 67 : 163-168.
- Parente, E. and Hill, C. 1992. Characterization of enterocin 1146, a bacteriocin from *Enterococcus faecium* inhibitory to *Listeria monocytogenes*. J. Food Protect. 55 : 197-502.
- Peng, J., Tasi, W. and Chou, C. 2002. Inactivation and removal of *Bacillus cereus* by sanitizer and detergent. Int J. Food Microbiol. 77 : 11-18.
- Penna, T. C. V. and Moraes, D. A. 2002. The influence of nisin on the thermal resistance of *Bacillus cereus*. J. Food Protect. . 64 : 415-418.
- Piernas, V. P. and Guiraud, J. P. 1997. Microbial hazards related to rice sprouting. Int J. Food Sci. and Tech. 32 : 33-39.

- Pirovani, M. E., Guemes, D.R. and Piagnetini. 2001. Predictive models for available chlorine depletion and total microbial count reduction during washing of fresh-cut spinach. *J. Food Sci.* 66 : 860-864.
- Ramaswamy, H. S. and Pillet-Will, T. 1992. Temperature distribution in microwave heated food models. *J. Food Quality.* 15 : 435-448.
- Reed, G. 1983. Biotechnology volume 5: Food and Feed Production with Microorganisms. p. 479-495. Verlag chemic. Germany.
- Robert, T. A., Baird-Parker, A. C. and Tompkin, R. B. 1996. *Bacillus cereus*. In :Microorganisms in foods 5. p.20-35 . Chapman & Hall. Singapore.
- Rosenkvist, .H. and Hansen, A. 1995. Contamination profiles and characterization of *Bacillus* species in wheat bread and raw materials for bread production. *Int J. Food Microbiol.* 26 : 353-363.
- Ross, R. P., Morgan, S.and Hill, C. 2002. Preservation and fermentation : past, present and future. *Int J. Food Microbiol.* 79 : 3 -16.
- Rowan, N. J.and Anderson, J.G. 1998. Effectiveness of cleaning and disinfection procedures on the removal of enterotoxigenic *Bacillus cereus* from infant feeding bottles. *J. Food Protect.* . 61 : 196-200.
- Scott, V. N. and Taylor, S. L. 1981. Temperature, pH and spore load effects on the ability of nisin to prevent the outgrowth of *Clostridium botulinum* spores. *J. Food Protect.* 46 : 121-126.
- Sofos, J. N. and Busta, F. F. 1993. Sorbic Acid and sorbates .*In* Antimicrobial in Foods. Davidson, M. and Branam, D.,eds. p51-93. Champman & Hall. New York.

- Stecchini, M. L., Torre, M. D., Donda, S. and Maltini, E. 2000. Growth of *Bacillus cereus* on solid affected by agar, sodium chloride and potassium sorbate. J. Food Protect. 63 : 926-929.
- Tfouni, S. A. V. and Toledo, M. C. F. 2002. Determination of benzoic and sorbic acids in Brazilian food. J. Food Control. 13 : 117-123.
- Thayer, D. W., Rajkowski, K.T., Boyd, G., Cooke, P. H. and Soroka, D. 2003. Inactivation of *Escherichia coli* O157:H7 and *Salmonella* by gamma irradiation of alfalfa seed intended for production of food sprouts. J. Food Protect. 66 : 175-181.
- Thomas, L. V., Ingram, R. E., Bevis, H. E., Davis, B. E., Miline, C. F. and Delves-Broughton, J. 2002. Effective use of nisin to control *Bacillus* and *Clostridium* spoilage of a pasteurized mashed potato product. J. Food Protect. 65 : 1580-1585.
- Thomas, L. V., Wimpenny, J. W. T. and Davis, J. G. 1993. Effect of three preservatives on the growth of *Bacillus cereus*, *Vero cytotoxigenic Escherichia coli* and *Staphylococcus aureus*, on plate with gradients of pH and sodium chloride concentration. Int. J. Food Microbiol. 17 : 289-301.
- Torre, M. D., Corte, M. D. and Stechini, M. L. 2001. Prevalance and behavior of *Bacillus cereus* in a REPFED of Italian origin. Int. J. Food Microbiol. 63 : 1999-2007.
- Varnam, A. H. and Evans, M. G. 1996. Food Borne Pathogens an Illustrated Text p.267-300. Manson publishing. London.
- Valero, M., Fernandez, P. S. and Salmeron, M. C. 2003. Influence of pH and temperature on growth of *Bacillus cereus* in vegetable substrates. J. Food Protect. 82 : 71-79.

- Wandling, L. R., Sheldon, B. W. and Foegeding, P. M. 1999. Nisin in milk sensitizes *Bacillus* spores to heat and prevents recovery of survivors. J. Food Protect. 62 : 492-498.
- Young, C. S., Lethbridge, G., Shaw, L. J. and Burns, R.G. 1995. Survival of inoculated *Bacillus cereus* spores and vegetative cells in planted and rhizosphere soil. Soil Biol. Biochem. 27 : 1017- 1026.
- Yu, K., Newman, M. C. Archbold, D. D. and Hamilton, T. R. 2001. Survival of *Escherichia coli* O157 : H7 on strawberry fruit and reduction of the pathogen population by chemical agents. J. Food Protect. 64 : 1334-1340.