

เอกสารอ้างอิง

- กรมควบคุมโรคติดต่อ. 2540. คู่มือการรักษาโรคอุจจาระร่วงและหลักเกณฑ์การใช้ยา
รักษาโรคอุจจาระร่วงเฉียบพลันในเด็ก. หน้า 70-71. กรุงเทพฯ : โรงพิมพ์ศาสนา
กองระบาดวิทยา. 2539. โรคอุจจาระร่วงเฉียบพลัน ใน *สรุปรายงานการเฝ้าระวังโรค*.
หน้า 121. กรุงเทพฯ : องค์การรับส่งสินค้าและพัสดุภัณฑ์.
- กองระบาดวิทยา. 2541ก. โรคอุจจาระร่วงเฉียบพลัน ใน *สรุปรายงานการเฝ้าระวังโรค*.
หน้า 59-60. กรุงเทพฯ : องค์การรับส่งสินค้าและพัสดุภัณฑ์.
- กองระบาดวิทยา. 2541ข. การเฝ้าระวังทางห้องปฏิบัติการ. *ว.รายงานการเฝ้าระวังโรค
ประจำสัปดาห์*. 29(28): 426.
- กองระบาดวิทยา. 2541ค. โรคบิด ใน *สรุปรายงานการเฝ้าระวังโรค*. หน้า 134. กรุงเทพฯ
: องค์การรับส่งสินค้าและพัสดุภัณฑ์.
- คณาจารย์ภาควิชาปรสิตวิทยา มหาวิทยาลัยมหิดล. 2536. โปโรโตซัววิทยาทางการ
แพทย์. ใน *ปรสิตสาธารณสุข*. หน้า 295-305. กรุงเทพฯ: สหธรรมิก.
- ชัยโย ชัยชาญทิพยุทธ. 2522. ผักเบี้ยใหญ่ ใน *การใช้สมุนไพร* เล่ม 1. หน้า 93-100.
กรุงเทพฯ: คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- ชัยโย ชัยชาญทิพยุทธ. 2525. ผักขมหนาม. *ว. หมอชาวบ้าน*. 3(34): 58-56.
- คนัย บุนนาค, นิตยา ธรรมพาลีศ และ ตระหนักจิต หะริณสูตร. 2540. อะมีบิเอนซิส.
ว.อายุรศาสตร์เขตร้อนและปรสิต. 19(ฉบับพิเศษ): 38-53.
- ทวีผล เดชาติวงศ์ ณ อยุธยา, วุฒิชัย นุตกุล, อัมพร คุณเอนก, จารีย์ บันสิทธิ์, ปราณี
ชวลิตธำรง และ เย็นจิตร จิตเวชดำรงกุล. 2532. การศึกษาฤทธิ์ของสมุนไพรต่อ
เชื้อมาลาเรียพลาสโมเดียมในหลอดทดลอง. *การประชุมสัมมนาผู้วิจัยสมุนไพร เรื่อง*

สมุนไพรกับมาลาเรีย ณ ห้องประชุมเภสัชกรรม วันที่ 10 พฤศจิกายน 2532 หน้า 1-12.

นงเยาว์ สว่างเจริญ. 2542. พยาธิโปรโตซัว ใน *ปรสิตวิทยาทางการแพทย์*. หน้า 9-21.
สงขลา: ภาควิชาจุลชีววิทยา มหาวิทยาลัยสงขลานครินทร์.

นันทวัน บุญยะประกัศร และ อรนุช โชคชัยเจริญพร. 2541ก. ซ้ำพลู ใน *สมุนไพรไม้พื้นบ้าน* (1). หน้า 827-829. กรุงเทพฯ: บริษัท ประชาชน จำกัด.

นันทวัน บุญยะประกัศร และ อรนุช โชคชัยเจริญพร. 2541ข. ดีปลี ใน *สมุนไพรไม้พื้นบ้าน* (2). หน้า 23-27. กรุงเทพฯ: บริษัท ประชาชน จำกัด

น้อย นิยมสา และ ก้าน จันทรพรหมมา. 2530. การศึกษาสารเคมีจากชะพลู (*Piper sarmentosum* Roxb.) ว. *สงขลานครินทร์*. 5: 151-152.

นิมิตร มรกต. 2539. *Entamoeba histolytica*. ใน *ปรสิตวิทยาการแพทย์: โปรโตซัวและหนอนพยาธิ*. หน้า 22-31. เชียงใหม่: มหาวิทยาลัยเชียงใหม่.

นิภา จรูญเวศม์, กวี เจริญลาภ, ลาวัณย์ เมืองมณี และ นลินี อัสวโกที. 2520. โรคจากเชื้อแบคทีเรีย (Bacterial Diseases) ใน *โรคเขตร้อน*. หน้า 168-172. กรุงเทพฯ: อักษรสัมพันธ์.

นุวิท คุณารักษ์. 2535. พยาธิ *Blastocystis hominis* ในอุจจาระผู้ป่วยของโรงพยาบาลสงขลานครินทร์. *ว.เทคนิคการแพทย์*. 20(1): 49-52.

ประยงค์ ระดมยศ, อัญชลี ตั้งตรงจิตร, ศรชัย หล่ออารีย์สุวรรณ และ แทน จงศุกชัยสิทธิ์. 2535. *Entamoeba histolytica* ใน *Atlas of medical parasitology*. หน้า 3-7. กรุงเทพฯ: บริษัท ที.พี. พรินท์ จำกัด.

เพียว เหมือนวงษ์ญาติ. 2529. ดีปลี ใน *คู่มือการใช้สมุนไพร*. หน้า 64-65. กรุงเทพฯ: เมดิคัล มีเดีย.

เพียว เหมือนวงษ์ญาติ. 2534. สมุนไพรรักษาบิด ใน *คู่มือการใช้สมุนไพร*. หน้า 81-87. กรุงเทพฯ: เมดิคัล มีเดีย.

พร้อมจิต ศรีลัมพ์, รุ่งระวี เต็มศิริฤกษ์กุล, วงศ์สถิตย์ ฉั่วกุล, อาทร ริวไพบูลย์, สมภพ
 ประธานธรรารักษ์, จุฑามณี สุทธิสีสังข์ และ เพชรรัตน์ พงษ์เจริญสุข. 2539. คีปลี
 ใน *สมุนไพรรักษาโรค*. หน้า 166. กรุงเทพฯ: ภาควิชาเภสัชศาสตร์ มหาวิทยาลัย
 มหิดล.

วันดี กฤษณพันธ์. 2541. คีปลี ใน *สมุนไพรมารู้*. หน้า 205-206. กรุงเทพฯ: จุฬาลงกรณ์
 มหาวิทยาลัย.

วุฒิ วุฒิธรรมเวช. 2540ก. เบญจกานี ใน *สารานุกรมสมุนไพรร*. หน้า 262. กรุงเทพฯ:
 โอเดียนสโตร์.

วุฒิ วุฒิธรรมเวช. 2540ข. ชิงช้าชาติ ใน *สารานุกรมสมุนไพรร*. หน้า 184. กรุงเทพฯ:
 โอเดียนสโตร์.

ศิริวรรณ วณิชชานนท์. 2533. บิดอะมิบา ใน *ตำราอายุรศาสตร์เขตร้อน*. หน้า 163-177.
 กรุงเทพฯ: รวมทรงสน.

โสภิต ธรรมอารี, จันทิมา ปโซติการ, มณฑิรา ตันท์เกยูร และ จันทนี อธิพานิชพงศ์.
 2528. ฤทธิ์ของยาสมุนไพรร 30 ชนิด ที่มีสรรพคุณในการรักษาโรคท้องร่วงและบิด
 ต่อการบีบตัวของลำไส้เล็กหนูตะเภา. *จุฬาลงกรณ์เวชสาร*. 29(1): 39-51.

สมพร ภูติยานันท์. 2542. เบญจกานีก. ใน *ตำราการตรวจเอกลักษณ์พืชสมุนไพรร: ภาค
 พิเศษ* หน้า 760. กรุงเทพฯ: องค์การสงเคราะห์ทหารผ่านศึก.

สมพร ภูติยานันท์. 2542. ชิงช้าชาติข. ใน *ความรู้เบื้องต้นเกี่ยวกับการแพทย์แผนไทย*.
 หน้า 185-186. กรุงเทพฯ: องค์การสงเคราะห์ทหารผ่านศึก.

สมพร หิริธรรมเดช. 2536. เบญจกานี. ใน *ตำราการตรวจเอกลักษณ์พืชสมุนไพรร เล่ม 5*.
 หน้า 144-145. กรุงเทพฯ: กรุงเทพมหานครพิมพ์.

สมศักดิ์ นุกุลอุดมพาณิชย์, สุดาภรณ์ กุมาร และ วิยะดา ดิลกวัฒนา. 2542. ปัจจัยที่มีผล
 ต่อพฤติกรรมของมารดาในการป้องกันโรคอุจจาระร่วงในเด็กวัยก่อนเรียนของ
 จังหวัดสุโขทัย. *รายงานการเฝ้าระวังโรคประจำเดือน*. 30(2): 37-42.

- สมาคมสมุนไพรแห่งประเทศไทย. 2519. จึงข้าชาติ ใน *งานนิทรรศการสมุนไพร ครั้งที่ 2*. หน้า 62-63. กรุงเทพฯ: ศรีเมืองการพิมพ์.
- เสงี่ยม พงษ์บุญรอด. 2522. เบญจกานี ใน *ไม้เทศ-เมืองไทย*. กรุงเทพฯ:เกษมบรรณกิจ.
- สำลี ใจดี, รพีพล ภาโววาท, สุนทรี วิทยานาดไพศาล และ ชัยโย ชัยชาญทิพยุทธ. 2522. ผักเบี้ยใหญ่ ใน *การใช้สมุนไพร เล่ม 1*. หน้า 93-100. กรุงเทพฯ: บริษัทมวลชน จำกัด.
- เสาวภา พันธุ์งาม. 2541. ปัจจัยที่มีความสำคัญต่อพฤติกรรมการป้องกันและปฏิบัติตน ขณะป่วยเป็นโรคอุจจาระร่วงของมารดาหรือผู้เลี้ยงดูเด็กอายุต่ำกว่า 5 ปี. *ว.การเฝ้าระวังโรคประจำสัปดาห์*. 29(41): 621-631.
- อัมพวัน อภิสริยะกุล. 2527. การศึกษาฤทธิ์ทางเภสัชวิทยาของพืชสมุนไพรบางชนิดต่อ ลำไส้เล็กของหนูขาว. *เชียงใหม่เวชสาร*. 3(1): 8-27.
- อรุณพร อิฐรัตน์. 2532. เบญจกานี ใน *สมุนไพรไทย-เทศ เล่มที่ 1*. สงขลา: ภาควิชาเภสัช เวทและพฤษศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- อารีรัตน์ ลออปักษา, สุรัตนา อำนวยผล และ วิเชียร จงบุญประเสริฐ. 2531. การศึกษา สมุนไพรที่มีฤทธิ์ต้านแบคทีเรียที่ทำให้เกิดการติดเชื้อของระบบทางเดินหายใจ (ตอนที่1). *ไทยเภสัชสาร*. 13(1); 23-36.
- Abivardi, C. 1971. Studies on the effects of nine iranian anthelmintic plant extracts on the root knot nematode *Meloidogyne incognita*. *Phytopathol. Z.* 71:300-308.
- Adachi, T and Shiotsuki, S. 1976. Studies of biochemical genetics on flower color and application to flower. VII. some problems on the extract plant and tissue culture. *Miyazaki. Daigakubu. Nogakubu. Kenkyu. Hokoku*. 23(1): 65.
- Afaqe, S., Ahmad, I, Siddiqui. and Osman, S.M. 1984. Studies on minor oils-VIII. *J. Oil. Technol. Ass. Indian*. 15(2): 63-64.

- Agrawal, A.K., Rao, C.V., Sairam, K., Joshi, V.K. and Goel, R.K. 2000. Effect of *Piper longum* Linn. *Zingiber officianalis* Linn. and *Ferula* species on gastric ulceration and secretion in rats. *Indian. J. Exp. Biol.* 38(10): 994-998.
- Ahn, J.W., Lee, C.O., Kim, E.J., Zee, O.P. and Kim, H.J. 1992a. Piperoctadecalidine, a new piperidine alkaloid from *Piper retrofractum* fruits. *Bull. Korean. Chem. Soc.* 13(4): 388-391.
- Ahn, J.W., Ahn, M.J., Zee, O.P. Kim, E.J and Kim, H.J. 1992b. Piperidine alkaloid from *Piper retrofractum* fruits. *Phytochem.* 31(10): 3609-3612.
- Ahmad, I., Mehmood, Z. and Mohammad, F. 1998. Screening of some Indian medicinal plants for their antimicrobial properties. *J. Ethnopharmacol.* 62(2): 183-193.
- Ali, M.A., Mikage, M., Kiuchi, F., Tsuda, Y. and Kondo, K. 1991. Screening crude drugs used in Bangladesh for nematocidal activity on the larva of *Toxocara canis*. *Shoyakugaku. Zasshi.* 45(3): 206-214.
- Ali-Shtaych, M.S., Hamdan, A.H, Shaheen, S.F., Ab-Zeid, I. and Faidy, Y.R. 1989. Prevalence and seasonal fluctuations of intestinal parasitic infections in the Nablus area, West Bank of Jordan. *Ann. Trop. Med. Parasitol.* 83(1): 67-72.
- Apisariyakul, A., 1984. Investigation of fractions isolated from Thai medicinal plants affecting on isolated rat ileum. *10th Conference of science and technology of Thailand*, Chiangmai, 25-27 October 1984, pp. 450-451.
- Apisariyakul, A. and Anantararn, V. 1984. A pharmacological study of the Thai medical plants used as cathartics and antispasmodics. *Abstr. 10th conference of science and technology of Thailand*, Chiagmai, 25-27 October 1984, pp. 452-453.

- Anis, M. and Iqbal, M. 1986. Antipyretic utility of some Indian plants in traditional medicine. *Fitoterapia*. 57(1): 52-55.
- Antoun, M.D., Martinez, E., Caballero, R., Oquendo, I., Proctor, G.R., Weislow, O.S., McCloud, T.G., Kiser, R., Staley, P. and Clanton, D. 1999. Evaluation of the flora of *Puerto rico* for *in vitro* cytotoxic and anti-HIV activities. *Pharmaceutical. Biol.* 37(4): 277-280.
- Arbain, D., Canon, J.R., Afriastini, K., Kartawinata, K., Djamal, R., Bustari, A., Dharma, A., Rosmawaty, H., Rivai, H., Zaherman, D., Basir, D., Sjafar, M. and Kosela, S. 1989. Survey of some west Sumatran plants for alkaloids. *Econ. Bot.* 43(1): 73-78.
- Atal, C.K. and Banga, S.S. 1963. Structure of piplartine-a new alkaloid from *Piper longum*. *Curr. Sci.* 32(8): 354-355.
- Ayudhaya, T.D., Nutakul, W., Khunaneek, U., Bhhunsith, J., Chawaritthumrong, P., Jewanechdumrongkul, Y., Pawannuth, K. and Yongwaichjit, K. 1987. Study on the *vitro* antimalarial activity of some medicinal plants against *Plasmodium falciparum*. *Bull. Dept. Med. Sci.* 29: 29-38.
- Bacchi, C.E., Gown, A.M. and Bacchi, M.M. 1994. Detection of infectious disease agents in tissue by immunocytochemistry. *Braz. J. Med. Biol. Res.* 27(12): 2803-2820.
- Bairy, K.L., Roopa, K., Mallini, S. and Rao, C.M. 2002. Protective effect of *Tinospora cordifolia* on experimentally induced gastric ulcers in rats. *J. Natural. Remedies.* 2(1): 49-53.
- Bajpai, A., Ojha, J.K. and Sant, H.R. 1995. Medicobotany of the Varanasi district. *Int. J. Pharmacog.* 33(2): 172-176.

- Balamuth, W. and Sandza, J. 1944. Simple standardized culture medium for physiological studies on *Entamoeba histolytica*. *Proc. Soc. Exper. Biol. Med.* 57: 161.
- Banerji, N. 1979. Chemical constituents of *Amaranthus spinosus* roots. *Indian. J. Chem.* 17:181-181.
- Banerji, N., Bandyopadhyay, D and Sarkar, M. 1985. Structural and synthetic studies on the retrofractamides amide constituents of *Piper retrofractum*. *Phytochem.* 24 (2): 279-284.
- Banerji, N. and Chakravarti, R.N. 1973. Constituents of *Amaranthus spinosus* (Amaranthaceae). *J. Int. Chem.* 45(6): 205-206.
- Bangs, M. J., Purnomo, E.M., Andersen, E.M. and Anthony, R.L. 1996. Intestinal parasites of humans in a highland community of Irian Jaya, Indonesia. *Ann. Trop. Med. Parasitol.* 90(1): 49-53.
- Barrett, B. 1994. Medicinal plants of Nicaragua's Atlantic coast. *Econ. Bot.* 48(1): 8-20.
- Behari, M. and Andhiwal, C.K. 1976. Chemical examination of *Amaranthus spinosus* Linn. *Curr. Sci.* 45(13): 481-482.
- Behari, M. and Andhiwal, C.K. 1976. Amino acids in certain medicinal plants. *Acta. Cienc. Indica.* 2(3): 229-230.
- Bhakuni, O.S., Dhar, M.L., Dhar, M.M., Dhawan, B.N. and Mehrotra, B.N. 1969. Screening of Indian plants for biological activity, part II. *Indian. J. Exp. Biol.* 7: 250-262.
- Bhatt, R.K. and Sabata, B.K. 1989. A furanoid diterpene glucoside from *Tinospora cordifolia*. *Phytochem.* 28(9): 2419-2422.

- Bhatt, R.K., Hanuman, J.B. and Sabata, B.K. 1988. A new clerodane derivative from *Tinospora cordifolia*. *Phytochem.* 27(4): 1212-1216.
- Bisset, N.G. and Nwaiwu, J. 1983. Quaternary alkaloids of *Tinospora* species. *Planta Med.* 48(4): 275-279.
- Boeck, W. and Drbohlav, J. 1925. The cultivation of *Entamoeba histolytica*. *Am. J. Hyg.* 5: 371-407.
- Borda, C.E., Rea, M.J., Rosa, J.R. and Maidana, C. 1996. Intestinal parasitism in San Cayetano, Corrientes, Argentina. *Bull. Pan. Am. Health. Organ.* 30(3): 227-233.
- Boreham, P.F.L. and Stenzel, D.J. 1993. *Blastocystis* in humans and animals: morphology, biology, and epizootiology. *Adv. Parasitol.* 32: 1-70.
- Broker, R. and Bhatt, J.V. 1956. Symposium on antibacterial substances from soil, plants and other sources. XV. phagocytic coefficient as a measure for antibiotics. *Indian. J. Pharmacy.* 15: 309-310.
- Cavin, A., Dyatmyko, W. and Hostettmann, K. 1999. Screening of Indonesian plants for antifungal and free radical scavenging activities. *Pharmaceutical. Biol.* 37(4); 260-268.
- Chacin-Bonilla, L, Bonilla, E., Parra, A.M., Estevez, J., Morales, L.M. and Suarez, H. 1992. Prevalence of *Entamoeba histolytica* and other intestinal parasites in a community from Maracaibo, Venezuela. *Ann. Trop. Med. Parasitol.* 86(4): 373-380.
- Chakravarty, T.N. 1963. The structure of piperlongumine, a new alkaloid isolated from the roots of *Piper longum*. *Sci. Cult.* 29: 568-570.
- Chatterjee, A and Dutta, C.P. 1966. Structures of piperlonguminine, an alkaloid of *Piper longum*. *Tetrahedron. Lett.* 196: 1797-1800.

- Chatterjee, A and Dutta, C.P. 1967. Alkaloids of *Piper longum* structure and synthesis of piperlongumine and piperlonguminine. . *Tetrahedron*. 23: 1769-1781.
- Chauhan, J.S., Singh, N.K. and Singh, S.V. 1989. Screening of higher plants for specific herbicidal principle active against dodder, *Cuscuta reflexa* Roxb. *Indian. J. Exp. Biol.* 27(10): 877-884.
- Chevallier, A. 1996. The encyclopedia of medicinal plants. Dorling Kindersley, Limited, London.
- Chintalwar, G., Jain, A., Sipahimalani, A., Banerji, A., Sumariwalla, P., Ramakrishnan, R. and Sainis, K. 1999. An immunologically active arabinogalactan from *Tinospora cordifolia*. *Phytochem.* 52(6): 1089-1093.
- Chitravanshi, V.C., Singh, A.P., Ghoshal, S., Krishna, P.B.N., Srivastava, V. and Tandon, J.S. 1992. Therapeutic action of *Nyctanthes arbor-tristis* against caecal amoebiasis of rat. *Int. J. Pharmacog.* 30(1): 71-85.
- Connick, W.J.Jr., Bradow, J.M. and Legendre, M.G. 1989. Identification and bioactivity of volatile allelochemicals from *Amaranth resides*. *J. Agric. Food. Chem.* 37(3): 792-796.
- Connolly, J.D., Deans, R. and Haque, M.E. 1995. Constituents of *Piper chaba*. *Fitoterapia.* 66(2): 188.
- Comley, J.C.W., Titaji, V.P.K., Ayafor, J.F. and Singh, V.K. 1990. *In vitro* antifilarial activity of some medicinal plants. *Acta. Leidensia.* 59(1/2): 361-363.
- Craig, C.F. 1948. Laboratory diagnosis of protozoan diseases. Henry Kimpton, London.
- Dahanukar, S.A., Thatt, U.M., Pai, N., More, P.B. and Karandikar, S.M. 1988. Immunotherapeutic modification by *Tinospora cordifolia* of abdominal sepsis induced by caecal ligation in rats. *Indian. J. Gastroenterol.* 7(1): 21-23.

- Dangol, D.R. and Gurung, S.B. 1991. Ethnobotany of the tharu tribe of Chitwan district, Nepal. *Int. J. Pharmacog.* 29(3): 203-209.
- Das, B., Kashinatham, A. and Madhusudhan, P. 1998. One new and two rare alkamides from two samples of the fruits of *Piper longum*. *Nat. Prod. Sci.* 4(1): 23-25.
- Das, B., Kashinatham, A. and Madhusudhan, P. 1998. Long chain esters and alkamides from *Piper longum*. *Boll. Chem. Farm.* 137(8): 319-320.
- Das, B., Kashinatham, A. and Srinivas, K.V.N.S. 1996. Alkamides and other constituents of *Piper longum*. *Planta. Med.* 62(6): 582.
- D'Cruz, J.L., Nimbkar, A.Y. and Kokate, C.K. 1980. Evaluation of fruits of *Piper longum* Linn. and leaves of *Adhatoda vasica* nees for anthelmintic activity. *Indian. Drugs.* 17:99-101.
- Deka, L., Majumdar, R. and Dutta, A.M. 1983. Some ayurvedic important plants from district Kamrup. *Ancient. Sci. Life.* 39(2): 108-115.
- Desai, S.J., Prabhu, B.R. and Mulchandani, N.B. 1988. Aristolactams and 4,5-dioxoaporphines from *Piper longum*. *Phytochem.* 27(5): 1511-1515.
- Devera, R., Azacon, B. and Jimenez, M. 1998. *Blastocystis hominis* in patients at the Ruiz Y Paez University Hospital from Bolivar City, Venezuela. *Bol. Chil. Parasitol.* 53(3-4): 65-70.
- Dhar, M.L., Dhar, M.M., Dhawan, B.N., Mehrotra, B.N. and Ray, C. 1968. Screening of Indian plants for biological activity (part I). *Indian. J. Exp. Biol.* 6: 232-247.
- Di Stasi, L.C. 1995. Amoebicidal compounds from medicinal plants. *Parasitologia.* 37(1): 29-39.
- Diamond, L.S. 1961. Axenic cultivation of *Entamoeba histolytica*. *Sci.* 134: 336-337.

- Diamond, L.S. 1968. Techniques of axenic cultivation of *Entamoeba histolytica*. Schaudinn, 1903 and *Entamoeba histolytica* like amoebae. *J. Parasitol.* 54: 1047-1056.
- Diamond, L.S. 1982. A new medium for the axenic cultivation of *Entamoeba histolytica* and other lumen dwelling protozoa. *Parasitol.* 68: 958.
- Diamond, L.S. and Bartgis, I.L. 1971. Axenic cultures for *in vitro* testing of drugs against *Entamoeba histolytica*. *Arch. Invest. Med.* 2(1): 339-348.
- Diddiqui, M.B. and Husain, W. 1993. Traditional treatment of gonorrhoea through herbal drugs in the province of Central Uttar Pradesh, Indian. *Fitoterapia.* 64(5): 399-403.
- Dobell, C. and Laidlaw, P.P. 1926. On the cultivation of *Entamoeba histolytica* and some other entozoic amoeba. *Parasitol.* 18(3): 283-313.
- Dunn, L.A., Boreham, P.F.L. and Stenzel, D.J. 1989. Ultrastructural variation of *Blastocystis hominis* stocks in culture. *Int. J. Parasitol.* 19: 43-56.
- Dutta, C.P., Banerjee, N. and Roy, D.N. 1975. Lignans in the seeds of *Piper longum*. *Phytochem.* 14: 2090-2091.
- Dutta, C.P., Banerjee, N., Sil, A.K. and Roy, D.N. 1977. Studies on the genus piper: studies on the roots of *Piper longum*. *Indian. J. Chem.* 15b: 583.
- Eamsobhana, P. and Boranintra, K. 1993. Parasitology proficiency testing in the quality assessment programme in Thailand. *J. Med. Assoc. Thai.* 76(11): 626-630.
- Engels, D., Nahimana, S. and Gryseels, B. 1996. Comparison of the direct faecal smear and two thick smear techniques for the diagnosis of intestinal parasitic infections. *Trans. R. Soc. Trop. Med. Hyg.* 90(5): 523-525.

- Feng, P.C., Haynes, L.J. and Magnus, K.E. 1961. High concentration of (-) noradrenaline in *Portulaca oleracea* L. *Nature* (London). 191: 1108.
- Feng, P.C., Haynes, L.J., Magnus, K.E. Plimmer, J.R. and Sherra, H.S.A. 1962. Pharmacological screening of some west Indian medicinal plants. *J. Pharm. Pharmacol.* 14: 556-561.
- Fitzpatrick, F.K. 1954. Plant substances active against *Mycobacterium tuberculosis*. *Antibiot. Chemother.* 4: 528.
- Freeman, C.D., Klutman, N.E. and Lamp, K.C. 1997. Metronidazole. A Therapeutic review and update. *Drugs.* 54(5): 679-708.
- Gangan, V.D., Pradhan, P., Sipahimalani, A.T. and Banerji, A. 1994. Cordifolisides A,B,C: norditerpene furan glycosides from *Tinospora cordifolia*. *Phytochem.* 37(3): 781-786.
- Gangan, V.D., Pradhan, P., Sipahimalani, A.T. and Banerji, A. 1995. Norditerpene furan glycosides from *Tinospora cordifolia*. *Ibid.* 39(5): 1139-1142.
- Gangan, V.D., Pradhan, P., Sipahimalani, A.T. and Banerji, A. 1996. Pamosides C, F: diterpene furan glucosides from *Tinospora cordifolia* structural elucidation 2D NMR spectroscopy. *Indian J. Chem.* 35b(6): 630-634.
- Gangan, V.D., Pradhan, P. and Sipahimalani, A.T. 1997. Phytoecdysones from *Tinospora cordifolia* structural elucidation of ecdysterone and makisterone a by 2D NMR spectroscopy. *Indian J. Chem.* 36b(9): 787-792.
- Garcia, L.S. and Bruckner, D.A. 1993. Diagnostic Medical Parasitology. pp. 26. American Society for Microbiology, Washington D.C.
- Gatti, S., Mahdi, R., Bruno, A., Cevini, C. and Scaglia, M. 1998. A survey of amoebic infection in the Wonji area of central Ethiopia. *Ann. Trop. Med. Parasitol.* 92(2): 173-179.

- George, M. and Pandalai, A.M. 1949. Investigations on plant antibiotics, part IV further search for antibiotic substances in Indian medicinal plants. *Indian. J. Med. Res.* 37: 169-181.
- Ghoshal, S., Krishna Prasad, B.N. and Lakshmi, V. 1996. Antiamoebic activity of *Piper longum* fruits against *Entamoeba histolytica* *in vitro* and *in vivo*. *J. Ethnopharmacol.* 50(3): 167-170.
- Ghoshal, S. and Lakshmi, V. 2002. Potential antiamoebic property of the roots of *Piper longum* Linn. *Phytother. Res.* 16(17): 689-91.
- Govindachiri, T.R., Jadhav, S.J., Joshi, B.S., Kakat, V.N., Mohamed, P.A., Parthasarathy, P.C., Patankar, S.J., Prakash, D., Rane, D.F. and Viswanathan, N. 1969. Chemical investigation of some Indian plants part IV. *Indian. J. Chem.* 7: 308-310.
- Gleason, N.N., Goldman, M. and Carver, R.K. 1960. Enriched egg extract medium for *Entamoeba histolytica*. *Am. J. Trop. Med Hyg.* 9: 46-49.
- Guimaraes, S. and Sogayar, M.I. 1993. *Blastocystis hominis*: occurrence in children and staff members of municipal day-care centers from Botucatu, Sao Paulo State, Brazil. *Mem. Inst. Oswaldo. Cruz* 88(3): 427-429.
- Grieve, M. 1979. A modern herbal: the medicinal, culinary, cosmetic and economic properties, cultivation folklore of herbs, grasses, fungi, shrubs and trees with all their modern scientific uses. pp. 593-597. Jonathan Cape, LTP, London.
- Gupta, K.C. and Viswanathan, R. 1956. Antitubercular substances plants a preliminary study. *Antibiot. Chemother.* 6: 194-195.
- Gupta, S. Yadava, J.N.S. and Tandon, J.S. 1993. Anticretory (antidiarrhoeal) activity of Indian medicinal plants against *Escherichia coli* enterotoxigenic- induced section ileal loop models. *Int. J. Pharmacog.* 31(3): 198-204.

- Gupta, O.P., Gupta, S.C., Dhar, K.L. and Actal, C.K. 1997. A new amide from *Piper officinarum*. *Phytochem.* 16: 1436.
- Gupta, O.P., Gupta, S.C., Dhar, K.L. and Actal, C.K. 1976. Structure of a new amide, filifiline isolated from *Piper officinarum*. *Indian. J. Chem. Ser. B.* 14: 912.
- Gupta, O.P., Actal, C.K. and Gaiind, K.N. 1972. Occurrence of methyl piperate in *Piper officinarum* Cas. D.C. *Int. J. Cancer.* 10: 874.
- Han, G., Ma, Y. and Li, C. 1992. The studies of natural PAF antagonistic neolignan from *Piper* genus and their structure activity relationship. *Beijing. Yike. Daxue. Xuebao.* 24(4): 347-350.
- Handa, K.L., Sharma, M.L. and Nigam, M.C. 1963. The essential oil *Piper longum* properties of the components and isolation of two monocyclic sesquiterpenes. *Parfuem. Kosmet.* 44:233-236.
- Human, J.B., Bhatt, R.K. and Sabata, B. 1986. A diterpenoid furanlactone from *Tinospora cordifolia*. *Phytochem.* 25(7): 1677-1680.
- Human, J.B., Mishra, A.K. and Sabata, B. 1986. A natural phenolic lignan from *Tinospora cordifolia* Miers. *J. Chem. Soc. Perkin. Trans.* 7: 1181-1185.
- Human, J.B., Bhatt, R.K. and Sabata, B. 1988. A clerodane furano-diterpene from *Tinospora cordifolia*. *J. Nat. Prod.* 51(2): 197-201.
- Haque, R., Ali, I.M. and Petri, W.A.Jr. 1999. Prevalence and immune response to *Entamoeba histolytica* infection in preschool children in Bangladesh. *Am. J. Trop. Med. Hyg.* 60(6): 1031-1034.
- Haresh, K., Suresh, K., Khairul-Anus, A. and Saminathan, S. 1999. Isolate resistance of *Blastocystis hominis* to metronidazole. *Trop. Med. Int. Health.* 4(4):174-177.

- Harinasuta, T. and Bunnag, D. 1986. Amoebiasis in Southeast Asian. *Southeast Asian J. Trop. Med. Public. Health.* 17: 217.
- Heinrich, M., Kuhnt, M., Wright, C.W., Rimpler, H., Phillipson, J.D., Schandelmaier, A. and Warhurst, D.C. 1992. Parasitological and microbiological evaluation of Mixe Indian medicinal plants (Mexico). *J. Ethnopharmacol.* 36(1): 81-85.
- Hiatt, R.A., Markell, E.K. and Ng, E. 1995. How many examinations are necessary to detect pathogenic intestinal protozoa. *Am. J. Trop. Med. Hyg.* 53(1): 36-39.
- Hwang, J.K., Kong, T.W., Baek, N.I. and Pyun, Y.R. 2000. Alpha-Glycosidase inhibitory activity of hexagalloylglucose from the galls of *Quercus infectoria*. *Planta. Med.* 66(3): 273-274.
- Ilham, M., Yaday, M. Norhanom, a.w. 1995. Tumour promoting activity of plants used in Malaysian traditional medicine. *Nat. Prod. Sci.* 1(1): 31-42.
- Islam, M.W., Zakaria, M.N.M., Radharkrishnan, R., Liu, X.M. Chan, K. and Al-Attas, A. 2000. Anti-gastric ulcer and cytoprotective properties of arak tree (*Salvadora persica*) and purslane (*Portulaca oleracea*) *J. Pharmacol.* 73(3): 296.
- Islam, M.W., Zakaria, M.N.M., Radharkrishnan, R., Liu, X.M., Ismail, A., Chan, K. and Al-Attas, A. 2000. Safety evaluation studies of *Portulaca oleracea* vs *saitva*. *J. Pharmacol.* 52: 282.
- Jelinek, T., Peyerl, G., Loscher, T., von Sonnenburg, F. and Nothdurft, H.D. 1997. The role of *Blastocystis hominis* as a possible intestinal pathogen in travellers. *J. Infect.* 35(1): 63-66.
- Jensen, B., Kepley, W., Quarner, J., Anderson, K., Anderson, D., Clairmont, J., De-L'aune, W., Austin, E.H. and Austin, G.E. 2000. Comparison of polyvinyl alcohol fixative with three less hazardous fixatives for detection and identification of intestinal parasites. *J. Clin. Microbiol.* 38(4): 1592-1598.

- Jindal, N., Arora, R., Bhushan, B. and Arora, S. 1995. A study of infective aetiology of chronic diarrhoea in children in Amritsar. *J. Indian. Med. Assoc.* 93(5): 169-170.
- Johnson, P.J. 1993. Metronidazole and resistance. *Parasitol. Today.* 9: 183-186.
- Juckett, G. 1996. Intestinal Protozoa. *Am. Fam. Physician.* 53(8): 2507-2518.
- Kidwai, A.U.R., Salooja, K.C., Sharma, V.N. and Siddiqui, S. 1949. Chemical examination of *Tinospora cordifolia* Miers. *J. Sci. Ind. Res.* 8: 115-118.
- Kaij, A., Kamb, M., Amoros, M. and Girre, L. 1992. Search for new antiviral agents of plant origin. *Pharm. Acta. Helv.* 67(5/6): 130-147.
- Kain, K.C., Noble, M.A., Freeman, H.J. and Barteluk, R.L. 1987. Epidemiology and clinical features associated with *Blastocystis hominis* infection. *Diagn. Microbiol. Infect. Dis.* 8: 235-244.
- Kaneda, Y., Torii, M., Tanaka, T. and Aikawa, M. 1991. *In vitro* effects of berberine sulphate on the growth and structure of *Entamoeba histolytica*, *Giardia lamblia* and *Trichomonas vaginalis*. *Ann. Trop. Med. Parasitol.* 85(4): 417-725.
- Kapil, A. and Sharma, S. 1997. Immunopotentiating compounds from *Tinospora cordifolia*. *J. Ethnopharmacol.* 58(2): 89-95.
- Karanis, P., Schoenen, D., Maier, M.A. and Seitz, H.M. 1993. Drinking water and parasites. *Immun. Infekt.* 21(5): 132-136.
- Karadge, B.A. and Joshi, G.V. 1980. Carbon assimilation and crassulacean acid metabolism in *Portulaca oleraceae* Linn. *Indian. J. Exp. Biol.* 18: 631-634.
- Kennedy, R.A. and Laetsch, W.M. 1974. Formation of carbon-14-labeled alanine from pyruvate during short term photosynthesis in a C-4 plant. *Plant. Physiol.* 54: 608.

- Khan, M.Q. Gray, A.I. and Waterman, P.G. 1989. Tinosporaside an 18-norclerodane glucoside from *Tinospora cordifolia*. *Phytochem.* 28(1): 273-275.
- Kholkute, S.D., Kekre, M.B. and Munshi, S.R. 1979. Antifertility effects of the fruits of *Piper longum* in female rats. *Indian. J. Exp. Biol.* 17: 289-290.
- Kladchareon, N. 1990. Liver abscess in Thailand. *Southeast Asian J. Trop. Med. Public Health.* 21: 347-353.
- Kokate, C.K., Chaudhari, G.N., Nimbkar, A.Y. and D'Cruz, J.L. 1980. Search for anthelmintics of plants origin: activities of volatile principles of *Acorus calamus* and *Piper longum* against *Ascaris lumbricoides*. *Abstr. 4th Asian. Symp. Med. Plants spices Bangkok, Thailand, 15-19 September 1980*, pp. 144.
- Kosuge, T., Yokota, M., Sugiyama, K., Yamamoto, T., Ni, M.Y. and Yan, S.C. 1985. Studies on antitumor activities and antitumor principles of Chinese herbs. I. antitumor activities of Chinese herbs. *Yakugaku. Zasshi.* 108(8): 791-795.
- Koul, S.K., Taneja, S.C., Agarwal, V.K. and Dhar, K.L. 1988. Minor amides of *Piper* species. *Phytochem.* 27(11): 3523-3527.
- Kukoschke, K.G., Necker, A. and Muller, H.E. 1990. Detection of *Blastocystis hominis* by direct microscopy and culture. *Eur. J. Clin. Microbiol. Infect. Dis.* 9 (4): 305-307.
- Kumar, S., Nagchi, G.D. and Darokar, M.P. 1997. Antibacterial activity observed in the seeds of some corrophilous plants. *Int. Pharmacog.* 35(3): 179-184.
- Lai, J.S. Huang, K.F. and Yang, C.H. 1997. Studies on the constituents of whiten and sunscreen of some Chinese herbs. *Sci. Conf. Asian. Soc. Cosmet. Sci.* 3: 25-27.
- Lama, S. and Santra, S.C. 1979. Development of Tibetan plant medicine. *Sci. Cult.* 45: 262-265.

- Lamon, C., Sermsart, B., Sripochang, S. 1992. Prevalence of *Blastocystis hominis* in patients from out patient department of Siriraj Hospital, Bangkok. *J. Trop. Med. Parasitol.* 15: 1-6.
- Lanuza, M.D., Carbajal, J.A., Villar, J. and Borrás, S. 1997. Description of an improved method for *Blastocystis hominis* culture and axenization. *Parasitol. Res.* 83(1): 60-63.
- Lavier, G. 1952. Observations *Blastocystis*. *Ann. Parasitol. Hum. Comp.* 27: 339-356.
- Lawford, R. and Sorrell, T.C. 1994. Amebic abscess of the spleen complicated by metronidazole-induced neurotoxicity: case report. *Clin. Infect. Dis.* 19(2): 346-348.
- Lawrence, R. and Thomas, C. 1997. Atlas of Human Parasitology. pp. 121. American Society of Clinical Pathologists, Chicago.
- Lee, S.E. 2000. Mosquito larvicidal activity of piperonaline, a piperidine alkaloid derived from *Long pepper, Piper longum*. *J. Amer. Mosq. Control. Ass.* 16(3): 245-247.
- Leelayoova, S., Taamasri, P., Rangsri, R., Naaglor, T., Thathaiso, U. and Mungthin, M. 2002. *In vitro* cultivation: a sensitive method for detection *Blastocystis hominis*. *Ann. Trop. Med. Parasitol.* 96(8): 803-7.
- Lemee, V., Zaharia, I., Nevez, G., Rabodonirina, M., Brasseur, P., Ballet, J.J. and Favennec, L. 2000. Metronidazole and albendazole susceptibility of 11 clinical isolates of *Giardia duodenalis* from France. *J. Antimicrob. Chemothe.* 46: 819-821.
- Li, X.Y., Yuan, H.L. and Gou, K.B. 2000. Study of piperine in fructus *Piperis longi* by supercritical fluid extraction. *Zhongguo. Yiyuan. Yaoxue. Zazhi.* 20(10): 597-599.

- Likhitwitayawuld, K., Ruangrunsi, N., Lange, G.L. and Decicco, C.P. 1987. Structural elucidation and synthesis of components from *Piper sarmentosum* (piperaceae). *Tetrahedron*. 43: 3689-3694.
- Likhitwitayawuld, K., Ruangrunsi, N., Lange, G.L. and Decicco, C.P. 1988. Studies Thai medicine plants. Part VIII. Alpha-asarone and asaronaldehyde in *Piper sarmentosum*. *J. Sci. Thailand*. 14(1): 77-79.
- Liu, L.X., Howe, P., Zhou, Y.F., Xu, Z.Q., Hoccart, C. and Zhang, R. 2000. Fatty acids and beta-carotene in Australian purslane (*Portulaca oleracea*) varieties. *J. Chromatogr. A*. 893(1): 207-213.
- Madhusudhan, P. and Vandana, K.L. 2001. Tetrahydropiperine, the first natural aryl pentanamide from *Piper longum*. *Biochem. Syst. Ecol.* 29(5): 537-538.
- Magana-Garcia, M. and Arista-Viveros, A. 1993. Cutaneous amoebiasis in children. *Pediatr. Dermatol.* 10(4): 352-355.
- Manavalan, R. and Singh, J. 1979. Chemical and some pharmacological studies on leaves of *Piper longum* Linn. *Indian. J. Pharm. Sci.* 41: 190-191.
- Manandhar, N.P. 1995. In inventory of some herbal drugs of Myagdi district, Nepal. *Econ. Bot.* 49(4): 371-379.
- Mangali, A., Sasabone, P., Syafruddin, Abadi, K., Hasegawa, H., Toma, T., Kamimura, K. and Miyagi, I. 1993. Intestinal parasitic infections in Campalagian district, south Sulawesi, Indonesia. *Southeast Asian J. Trop. Med. Public Health*. 24(2): 313-320.
- Mank, T.G., Zaat, J.O., Blotkamp, J. and Polderman, A.M. 1995. Comparison of fresh versus sodium acetate acetic acid formalin preserved stool specimen for diagnosis of intestinal protozoal infections. *Eur. J. Clin. Microbiol. Infect. Dis.* 14(12): 1076-1081.

- Martinez, P.A. 1982. The Biology of *Entamoeba histolytica*. Published by Research Studies Press, A division of John Wiley and Sons Ltd., Chichester, New York.
- Masuda, T., Inazumi, A., Yamada, Y. Padolina, W.G., Kikuzaki, H. and Nakatani, N. 1991. Antimicrobial phenylpropanoids from *Piper sarmentosum*. *Phytochem.* 30 (10): 3227-3228.
- Matsumoto, Y., Yamada, M. and Yoshida, Y. 1987. Light-microscopical appearance and ultrastructure of *Blastocystis hominis* an intestinal parasite of man. *Zentralbl. Baktail. Microbiol. Hyg.* 264: 379-385.
- Maurya, R., Wazier, V., Tyagi, A. and Kapil, R.S. 1995. Clerodane diterpenoids from *Tinospora cordifolia*. *Phytochem.* 38(3): 659-661.
- Maurya, R., Wazir, V., Kapil, A. and Kapil, R.S. 1996. Cordifolisides A and B two new phenylpropene disaccharides from *Tinospora cordifolia* possessing immunostimulant activity. *Nat. Prod. Lett.* 8(1): 7-10.
- Maurya, R., Dhar, K.L. and Handa, S.S. 1997. A sesquiterpene glucoside from *Tinospora cordifolia*. *Phytochem.* 44(4): 749-750.
- Maurya, R. and Handa, S.S. 1998. Tinocordifolin, a sesquiterpene from *Tinospora cordifolia*. *Phytochem.* 49(5): 1343-1345.
- McClure, H.M., Strobert, E.A. and Healy, G.R. 1980. *Blastocystis hominis* in a pig-tailed macaque: a potential enteric pathogen for non-human primates. *Lab. Anim. Sci.* 30: 890-899.
- Mehlhorn, H. 1988. *Blastocystis hominis*, Brumpt 1912 : are there different stages or species. *Parasitol. Res.* 74: 393-395.
- Mendis, L., Kumarasinghe, G., Chow, C., Liew, H.Y., Ramachandran, N.P., Jayawardene, K., Thong, K.T., Howe, J.L., Lim, E.W. and Zaman, V. 1995.

- Bacteria, viruses, yeasts and protozoans associated with diarrhea disease in Singapore. *Pathol.* 27(1): 48-52.
- Miller, R.A. and Minshew, B.H. 1988. *Blastocystis hominis* : an organism in search of a disease. *Rev. Infect. Dis.* 10: 930-938.
- Misas, C.A.J., Hernandez, N.I.M.R. and Abraham, A.M.L. 1979. Contribution to the biological evaluation of Cuban plants. *Rev. Cub. Med. Trop.* 31: 37-43.
- Misra, P., Pal, N.L., Guru, P.Y., Katiyar, J.C. and Tandon, J.S. 1991. Antimalarial activity of traditional plants against erythrocytic stages of *Plasmodium berghei*. *Int. J. Pharmacog.* 29(1): 19-23.
- Moe, K.T., Singh, M., Howe, J., Ho, L.C., Tan, S.W., Ng, G.C., Chen, X.Q. and Yap, E.H. 1996. Observations on the ultrastructure and viability of the cystic stage of *Blastocystis hominis* from human feces. *Parasitol. Res.* 82(5): 439-444.
- Mokkhasmit, M., Swatdimongkol, K. and Satrawaha, P. 1971a. Study on toxicity of Thai medicinal plants. *Bull. Dept. Med. Sci.* 12(2/4): 36-65.
- Mokkhasmit, M., Ngarmwatana, W., Swatdimongkol, K. and Permiphaphat, U. 1971b. Pharmacological evaluation of Thai medicinal plants. *J. Med. Ass. Thailand.* 54 (7): 490-504.
- Molet, B., Werler, C., and Kremer, M. 1981. *Blastocystis hominis* : Improved axenic cultivation. *Trans. Roy. Soc. Trop. Med. Hyg.* 75: 752.
- Morgan, U.M. and Thompson, R.C. 1998. Molecular detection of parasitic protozoa. *Parasitol.* 117: 573-585.
- Morris, A.J., Wilson, M.L. and Reller, L.B. 1992. Application of rejection criteria for stool ovum and parasite examinations. *J. Clin. Microbiol.* 30:3213-3216.

- Nagaraju, N. and Rao, K.N. 1990. A survey of plant crude drugs of Rayalaseema, Andhra Pradesh, Indian. *J. Ethnopharmacol.* 29(2): 137-158.
- Nawaqi, A., Ma, C.M., Nakamura, N., Hattori, M., Kurokawa, M., Shiraki, K., Kashiwaba, N. and Ono, M. 1999. Anti-herpes simplex virus activity of alkaloids isolated from *Stephania cepharantha*. *Biol. Pharm. Bull.* 22(3): 268-274.
- Nelson, E.C. 1947. Alcoholic extract medium for diagnosis and cultivation of *Entamoeba histolytica*. *Am. J. Trop. Med.* 27: 545-552.
- Niamsa, N. and Chantrapromma, K. 1963. Chemical constituents of *Piper sarmentosum* Roxb. *J. Songkhla Nakkharin.* 5(2): 151-152.
- Nimri, L.F. 1993. Evidence of an epidemic of *Blastocystis hominis* infections in preschool children in northern Jordan. *J. Clin. Microbiol.* 31(10): 2706-2708.
- Nimri, L.F. and Batchoun, R. 1994. Intestinal colonization of symptomatic and asymptomatic school children with *Blastocystis hominis*. *J. Clin. Microbiol.* 32(11): 2865-2866.
- Novy, J.W. 1997. Medicinal plants of the eastern region of Madagascar. *J. Ethnopharmacol.* 55: 119-126.
- O’Gorman, M.A., Orenstein, S.R., Proujansky, R., Wadowsky, R.M, Putnam, P.E. and Kocoshis, S.A. 1993. Prevalence and characteristics of *Blastocystis hominis* infection in children. *Clin. Pediatr. (Phila.)* 32(2): 91-96.
- Oh, K.B., Chang, I.M., Hwang, K.J. and Mar, W.C. 2000. Detection of antifungal activity in *Porlulaca oleracea* by a single-cell bioassay system. *Phytother. Res.* 14(5): 329-332.
- Omar, M.S., Abu-Zeid, H.A. and Mahfouz, A.A. 1991. Intestinal parasitic infections in school children of Abha (Asir), Saudi Arabia. *Acta. Trop.* 48(3): 195-202.

- Ongsakul, M., Sawangjaroen, N., Thaina, P., Sunbhanich, M., Chatbenjarong, J. and Thongnuring, A. 1993. Antimicrobial activities of *Portulaca oleracea*. Linn. *in vitro*. *Thai. J. Pharmacol.* 14-15: 49-53.
- Orozco, E.O., de la Cruz Hernandez, F. and Rodrigurz, M.A. 1985. Isolation and characterization of *Entamoeba histolytica* mutants resistant to emetine. *Mol. Biochem.Parasitol.* 15(1): 49-59.
- Pachaly, P. and Schneider, C. 1981. Alkaloids from *Tinospora cordifolia*. Miers. *Arch. Pharm.* 314; 251-256.
- Padilla-Vaca, F., Ankri, S., Bracha, R., Koole, L.A. and Mirelman, D. 1999. Down regulation of *Entamoeba histolytica* virulence by monoxenic cultivation with *Escherichia coli* O55 is related to a decrease in expression of the light (35 kilodalton) subunit of the Gal/GalNAc lectin. *Infect. Immun.* 67(5): 2096-2102.
- Parija, S.C. and Rao, R.S. 1995. Stool culture as a diagnosis aid in the detection of *Entamoeba histolytica* in the faecal specimens. *Indian. J. Pathol. Microbiol.* 38(4): 359-363.
- Parmar, V.S., Jain, S.C., Gupta, S., Talwar, S., Rajwanshi, V.K., Kumar, R., Azim, A., Malhotra, S., Kumar, N., Jain, R., Sharma, N.K., Tyagi, O.D., Lawrie, S.J., Howarth, O.W., Olsen, C.E., Singh, S.K. and Wengel, J. 1998. Polyphenolis and alkaloids from *Piper longum*. *Phytochem.* 49(4): 1069-1078.
- Parry, O., Marks, J.A. and Okwuasaba, F.K. 1993. The skeletal muscle relaxant action of *Portulaca oleracea*: role of potassium ions. *J. Ethnopharmacol.* 40(3): 187-194.
- Patra, A. and Ghosh, A. 1974. Amides of *Piper chaba*. *Phytochem.* 13: 2889-2890.

- Pei, Y.Q. 1983. Depressant action of fructus *Piperis longi* on the central nervous system. *Chung. J. Tsa. Chih.* 3(1): 17-22.
- Pendse, V.K., Mahawar, M.M. and Khanna, N.K. 1981. An experimental study of water extract of *Tinospora cordifolia* in acute and chronic inflammation. *Indian. J. Pharmacol.* 13: 73.
- Perry, L.M. 1980. Medicinal plants of East and Southeast Asia. pp. 10. The Massachusetts Institutes of Technology, London, England.
- Petri, W.A.Jr., Clark, C.G. and Diamond, L.S. 1994. Host-parasite relationships in amebiasis: conference report. *J. Infect. Dis.* 16(3): 483-484.
- Pillay, D.G., Hoosen, A.A., Vezi, B. and Moodley, C. 1994. Diagnosis of *Trichomonas vaginalis* in male urethritis. *Trop. Geogr. Med.* 46(1): 44-45.
- Piyachaturawat, P., Glinsukon, T. and Peungvicha, P. 1982. Antifertility activity of an alkaloid from *Piper longum* and *Piper nigra*. *Abstr. Third Southeast Asian and Western pacific regional meeting of pharmacologists*, Bangkok, Thailand, 25-28 May 1982.
- Pongmarutai, M. 1989. Study on antidiabetic action of *Piper rostratum*. Research abstracts and text book 1969-1989., Prince of Songkhla University.
- Pradhar, P., Gangan, V.D., Sipahimalani, A.T. and Banerji, A. 1997. Two phytoecdysones from *Tinospora cordifolia*: structural assignments by 2D NMR spectroscopy. *Indian. J. Chem.* 36(10): 958-962.
- Prabhu, R., Sehgal, R., Chakraborti, A., Malla, N., Ganguly, N.K. and Mahajan, R.C. 2000. Isolation of emetine resistant clones of *Entamoeba histolytica* by petri dish agar method. *Indian. J. Med. Res.* 111: 11-13.
- Prince, P.S.M. and Menon, V.P. 1999. Antioxidant activity of *Tinospora cordifolia* roots in experimental diabetes. *J. Ethnopharmacol.* 65(3): 277-281.

- Prince, P.S.M., Menon, V.P. and Gunasekaran, G. 1999. Hypolipidaemic action of *Tinospora cordifolia* roots in alloxan diabetic rats. *J. Ethnopharmacol.* 64(1): 53-57.
- Proctor, E.M. 1991. Laboratory diagnosis of amebiasis. *Clin. Lab. Med.* 11(4): 829-859.
- Quinlan, M.B., Quinlan, R.J. and Nolan, J.M. 2002. Ethnophysiology and herbal treatments of intestinal worms in Dominica, West Indies. *J. Ethnopharmacol.* 80: 75-83.
- Rahman-N.N.N.A., Furuta, T, Kojima, S. Takane, K. and Mohd, M.A. 1999. Antimalarial activity of extracts of Malaysian medicinal plants. *J. Ethnopharmacol.* 64(3): 249-254.
- Raja-Reddy, K. 1988. Folk medicine from Chitoor District, Andhra Pradesh, Indian, used in the treatment of jaundice. *Int. J. Crude. Drug. Res.* 26(3): 127-140.
- Rajeswari, B., Sinniah, B. and Hussein, H. 1994. Socio-economic factors associated with intestinal parasites among children living in Gombak, Malaysia. *Asian. Pac. J. Public Health.* 7(1): 21-25.
- Ramesh, G.N., Malla, N., Raju, G.S., Sehgal, R., Ganguly, N.K., Mahajan, R.C. and Dilawari, J.B. 1991. Epidemiological study of parasite infestations in lower socio-economic group in Chandigarh (north India). *Indian. J. Med. Res.* 93: 47-50.
- Reddy, P.S., Jamil, K., Anjani, G. and Das, B. 2001. Antibacterial activity of isolates from *Piper longum* and *Taxus baccata*. *Pharmaceutical. Biol.* 39(3): 236-238.
- Reddy, M.B., Reddy, K.R. and Reddy, M.N. 1989. A survey of plant crude drugs of Anantapur district, Andhra Pradesh, India. *Int. J. Crude. Drug. Res.* 27(3): 145-155.

- Rege, N.N., Nazareth, H.M., Bapat, R.D. and Dahanukar, S.K. 1989. Modulation of immunosuppression in obstructive jaundice by *Tinospora cordifolia*. *Indian. J. Med. Res.* 90: 478-483.
- Rege, N.N., Thatte, U.M. and Dahanukar, S.A. 1999. Adaptogenic properties of six rasayana herbs uses in ayurvedic medicine. *Phytother. Res.* 13(4): 275-291.
- Reinthaler, F.F., Linek, G., Klem, G., Mascher, F. and Sixl, W. 1988. Intestinal parasites in children with diarrhea in El Salvador. *Geogr. Med.* 18: 175-180.
- Ricci, N., Toma, P., Furlani, M., Caselli, M. and Gullini, S. 1984. *Blastocystis hominis* : a neglected cause of diarrhoea. *Lancet.* (Letter): 966.
- Riditid, W., Rattanaprom, A.W., Tahaina, P., Chittrakarn, S. and Sunbhanich, M. 1998. Neuromuscular blocking activity of methanolic extract of *Piper sarmentosum* leaves in the rat phrenic nerve-hemidiaphragm. *J. Ethnopharmacol.* 61(2): 135-142.
- Runnebaum, B., Rabe, T., Kiesel, L. and Prakash, A.O. 1984. Biological evaluation of some medicinal plant extracts for contraceptive efficacy in females. In Future aspects in contraception part 2 female contraception. pp. 115-128. Boston, U.S.A.: MTP Press.
- Russo, A.R., Stone, S.L., Taplin, M.E., Snapper, H.J. and Doern, D.V. 1988. Presumptive evidence for *Blastocystis hominis* as a cause of colitis. *Arch. Intern. Med.* 148: 1064.
- Saha, J.C., Savini, E.C. and Kasinathan, S. 1961. Ecobolic properties of Indian medicinal plants part 1. *Indian. J. Med. Res.* 49: 130-151.
- Samuelson, J.C., Burke, A. and Courval, J.M. 1992. Susceptibility of an emetine-resistant mutant of *Entamoeba histolytica* to multiple drugs and to channel blockers. *Antimicrob. Agents Chemother.* 36(11): 2392-2397.

- Sarma, D.N.K., Khosa, R.L. and Sahai, M. 1995. Isolation of jatrorrhizine from *Tinospora cordifolia* roots. *Planta. Med.* 61(1): 98-99.
- Sarma, D.N.K., Khosa, R.L., Chansauria, J.P.N. and Sahai, M. 1995. Antiulcer activity of *Tinospora cordifolia* Miers and *Centella asiatica* extracts. *Phytother.* 9(8): 589-590.
- Sarma, D.N.K., Khosa, R.L., Chansauria, J.P.N. and Sahai, M. 1996. Antistress activity of *Tinospora cordifolia* and *Centella asiatica* extracts. *Phytother.* 10(2): 181-183.
- Sarma, D.N.K., Padma, P. and Khosa, R.L. 1998. Constituents of *Tinospora cordifolia* root. *Fitoterapia.* 69(6): 541-542.
- Satyavati, G.V., Gupta, A.K. and Tandon, N. 1987. Medicinal Plants of India. (Vol.2). pp 426-456 CMR Publications, New Delhi.
- Sawangjaroen, N., Luke, R. and Prociv, P. 1993. Diagnosis by faecal culture of *Dientamoeba fragilis* infections in Australian patients with diarrhoea. *Trans. Roy. Soc. Trop. Med. Hyg.* 87(2): 163-165.
- Sayed, H.M. and Abdel-Hafiz, M.A. 1985. Pharmacognostical study of *Portulaca oleracea* L. growth in Egypt part I botanical study of the stems, leaves and in content. *Bull. Pharm. Sci. Assiut. Univ.* 8(1): 41-60.
- Sebastian, M.K. and Bhandari, M.M. 1984. Medico-ethnobotany of mount abu, Rajasthan, India. *J. Ethnopharmacol.* 12(2): 223-230.
- Senay, H. and MacPherson, D. 1989. Parasitology diagnostic yield of stool examination. *Can. Med. Assoc. J.* 140: 1329-1331.
- Shanmugasundaram, E.R.B. and Radah-Shanmugasundar, K. 1986. An Indian herbal formula for controlling voluntary ethanol intake in rats with chronic alcoholism. *J. Ethnopharmacol.* 20(2): 173-190.

- Shanta, K.S., Bhat, K.G., Patil, C.S. and Jolekar, H.D. 1998. Evaluation of laboratory techniques for diagnosis of amoebiasis. *J. Commun. Dis.* 30(2): 103-106.
- Sharma, R.K., Mathore, V.K.S. and Sanjeev, K.U.M.A.R. 1983. Chemical examination of dried fruits of 'pippali' (*Piper longum* Linn.) *J. Sci. Res. Pl. Med.* 4(4): 63-64.
- Sheehan, D.J., Raucher, B.G. and McKittrick, J.C. 1986. Association of *Blastocystis hominis* with signs and symptoms of human disease. *J. Clin. Microbiol.* 24: 548-550.
- Shoji, N., Umeyama, A., Saito, N., Takemoto, T., Kajiwara, A. and Ohizumi, Y. 1986. Dehydropiperonaline, an amide possessing coronary vasodilating activity, isolated from *Piper longum* L. *J. Pharm. Sci.* 75(12): 1188-1189.
- Sia, I.C., Corics-Maramba, N.A., Arakawa, S., Nakata, K. and Kamidono, S. 1989. Protective effect of the crude extracts of *Tinospora crispa* in leukopenic mice with experimental *Pseudomonas aeruginosa*. *Acta. Med. Philipp.* 25(3): 84-87.
- Silard, R. 1979. Contributions to *Blastocystis hominis* studies aspects of degenerescence. *Arch. Roum. Pathol. Exp. Microbiol.* 38: 105-114.
- Silard, R. and Burghilea, B. 1985. Ultrastructural aspects of *Blastocystis hominis* strain resistant to antiprotozoal drugs. *Arch. Roum. Pathol. Exp. Microbiol.* 44: 73-85.
- Sipahmalani, A., Norr, H. and Wagner, H. 1994. Phenylpropanoid glycosides and tetrahydro-furofuranlignan glycosides from the adaptogenic plant drugs *Tinospora cordifolia* and *Drypetes roxburghii*. *Planta. Med.* 60(6): 596-597.
- Silpasuwon, S. 1979. Studies of the effects of some medicinal plants on growth of some bacteria in the family Enterobacteriaceae. Thesis. M.S. Chiangmai University.

- Simonsen, H.T., Nordskjold, J.B., Smitt, U.W., Nyman, W., Palup, P., Joshi, P. and Varughese, G. 2001. *In vitro* screening of Indian medicinal plants for antiplasmodial activity. *J. Ethnopharmacol.* 74: 195-204.
- Simopoulos, A.P., Norman, H.A., Gillaspay, J.E. and Duke, J.A. 1992. Common purslane: a source of omega-3-fatty acids and antioxidants. *J. Am. Coll. Nutr.* 11(4): 374-382.
- Simopoulos, A.P. and Salem-Jr, N. 1987. Purslane: a terrestrial source of omega-3 fatty acids. *N. Engl. J. Med.* 315(13): 833.
- Singh, K.P., Gupta, A.S., Pendse, V.K., Mahatma, O.P., Bhandri, D.S. and Mahawar, M.M. 1975. Experimental and clinical studies on *Tinospora cordifolia*. *J. Res. Indian. Med.* 10(1): 9-14.
- Singh, N, Kulshrestha, V.K., Srivastava, R.K. and Kohli, R.P. 1973. Studies on the analeptic activity of some *Piper longum* alkaloids. *J. Res. Indian. Med.* 8: 1-9.
- Singh, M.P., Malla, S.B., Rajbhandari, S.B. and Manandhar, A. 1979. Medicinal plants of Nepal-retrospects and prospects. *Econ. Bot.* 33(2): 185-198.
- Singh, M., Suresh, K., Ho, L.C., Ng, C.G. and Yap, E.H. 1995. Elucidation of the life cycle of the intestinal protozoan *Blastocystis hominis*. *Parasitol. Res.* 81: 446-450.
- Singh, M., Sharma, S.K. and Khare, V.S. 1980. Medicinal plants from Ujjain district Madhya Prades-part II. *Indian. Drugs. Pharm. Ind.* 5: 7-12.
- Singh, V.K. and Ali, Z.A. 1992. A contribution to the ethnopharmacological study of the Udaipur forests of Rajasthan, Indian. *Fitoteraoia.* 63(2): 136-144.
- Singh, K.K. and Maheshwari, J.K. 1994. Traditional phytotherapy of some medicinal plants used by the tharus of Nainital district, Uttar Pradesh, Indian. *Int. J. Pharmacog.* 32(1); 51-58.

- Sinniah, B. and Rajeswari, B. 1994. *Blastocystis hominis* infection, a cause of human diarrhea. *Southeast Asian J. Trop. Med. Public Health*. 25(3): 490-493.
- Sohni, Y.R., Kaimal, P. and Bhatt, R.M. 1995. The antiamebic effect of a crude drug formulation of herbal extracts against *Entamoeba histolytica* *in vitro* and *in vivo*. *J. Ethnopharmacol.* 45: 43-52.
- Sohni, Y.R. and Bhatt, R.M. 1996. Activity of a crude extract formulation in experimental hepatic amoebiasis and in immunomodulation studies. *J. Ethnopharmacol.* 54(2-3): 119-124.
- Srinivasan, S., Nathan, S., Suresh, T. and Perumalsamy, P.L. 2001. Antimicrobial activity of certain Indian medicinal plants used in folkloric medicine. *J. Ethnopharmacol.* 74: 217-220.
- St. John, J.H. 1932. A new medium for the cultivation of *Entamoeba histolytica*. *Am. J. Trop. Med.* 12: 301-305.
- Stenzel, D.J. and Boreham, P.F.L. 1991. A cyst like-stage of *Blastocystis hominis*. *Int. J. Parasitol.* 21: 613-615.
- Stenzel, D.J. and Boreham, P.F.L. 1996. *Blastocystis hominis* revisited. *Clin. Microbiol. Rev.* 9(4): 563-584.
- Stenzel, D.J., Boreham, P.F.L. and McDougall, R. 1991. Ultrastructure of *Blastocystis hominis* in human stool samples. *Int. J. Parasitol.* 21: 807-812.
- Strunz, G.M. and Finlay, M. 1995. Synthesis of sarmentosine, an amide alkaloid from *Piper sarmentosum*. *Phytochem.* 39(3): 731-733.
- Sunbhanich, M, Pongmarutai, M. and Ridditid, W. 1988. A preliminary study on pharmacological effects of *Piper rostratum* Roxb. *Songklanakarin. J. Sci. Technol.* 10(3): 305-312.

- Suresh, K., Howe, J., Ng, G.C., Ho, L.C., Ramachandran, N.P., Loh, A.K., Yap, E.H. and Singh, M. 1994. A multiple fission-like mode of asexual reproduction in *Blastocystis hominis*. *Parasitol. Res.* 80(6): 523-527.
- Suwatano, O. 1997. Acute diarrhea in under-five-year-old children admitted to King Mongkut Prachomklao Hospital, Phetchaburi Province. *J. Med. Assoc. Thai.* 80 (1): 26-33.
- Swaminathan, K., Sinha, U.C., Ramakumar, S., Bhatt, R.K. and Sabata, B.K. 1989. Structure of columbin, a diterpenoid furanolactone from *Tinospora cordifolia* Miers. *Acta. Crystallogr. Ser. C.* 45(2): 300-303.
- Tabuneng, W., Bando, H and Amiya, T. 1983. Studies on the constituents of the crude drug "*Piperis longi* fructus" on the alkaloids of fruits of *Piper longum* Linn. *Chem. Pharm. Bull.* 31(10): 3562-3565.
- Tan, H.K. and Zierdt, C.H. 1973. Ultrastructure of *Blastocystis hominis*. *Z. Parasitenkd.* 42: 315-324.
- Tatkon, M. 1976. The practice of a jaipur midwife. *Ethnomedicine.* 2: 59.
- Taylor, D.N., Houston, R., Shlim, D.R., Bhaibulaya, M., Ungar, U.L. and Echeverria, P. 1988. Etiology of diarrhea among travellers and foreign residents in Nepal. *AMA.* 260: 1245-1248.
- Thammapalerd, N. 1993. History and study of amoebiasis in Thailand : Situation now and future trend. *J. Trop Med. Parasitol.* 16(2): 33-71.
- Thatte, U.M., Rao, S.G. and Dahanukar, S.A. 1994. *Tinospora cordifolia* induces colony stimulating activity in serum. *J. Postgrad. Med.* 40(4): 202-203.
- Thapa, B.R., Ventkateswarlu, K., Malik, A.K. and Panigrahi, D. 1995. Shigellosis in children from north India: a clinicopathological study. *J. Trop. Pediatr.* 41(5): 303-307.

- Tewtrakul, S., Hase, K., Kadota, S., Namba, T., Kokatsu, K. and Tanaka, K. 2000. Fruit oil composition of *Piper chaba* Hunt., *P. longum*. L. and *P. nigrum* L. *J. Essent. Oil. Res.* 12(5): 603-608.
- Tiewchaloren, S. and Junnu, V. 1996. Parasitic infection of in patient at Siriraj Hospital from 1991 to 1995. *Siriraj. Hosp. Gaz.* 48: 1073-1080.
- Tracy, J.W. and Webster, L.T. 1996. Drug used in the protozoal infections. In Goodman Gilman's The Pharmacological Basis of Therapeutics. Ced. J.C. Hardman, L.E. Limbird, P.B. Molinoff, R.W. Ruddon, A.G. Gilman pp. 987-1008. New york : McGraw-Hill.
- Tripathi, D.M., Gupta, N., Lakshmi, V., Saxena, K.C. and Agrawal, A.K. 1999. Antigiardial and immunostimulatory effect of *Piper longum* on giardiasis due to *Giardia lamblia*. *Phytother. Res.* 13(7): 561-565.
- Ungsurungsie, M., Suthienkul, O. and Paovallo, C. 1982. Mutagenicity screening of popular Thai spices. *Food. Chem. Toxicol.* 20: 527-530.
- Unnikrishnan, M.C. and Kutan, R. 1990. Tumour reducing and anticarcinogenic activity of selected spices. *Cancer. Lett.* 51(1): 85-89.
- Upcroft, J.A. and Upcroft, P. 1993. Drug resistance and *Giardia*. *Parasitol. Today.* 9: 187-190.
- Valsaraj, R. Pushpangadan, P., Smitt, U.W., Adsersen, A. and Nyman, U. 1997. Antimicrobial screening of selected medicinal plants from India. *J. Ethnopharmacol.* 58: 75-83.
- van Zwet, A.A., Thijs, J.C., Schievink-de Vres, W., Schiphuis, J. and Snijder, J.A. 1994. *In vitro* studies on stability and development of metronidazole resistance in *Helicobacter pylori*. *Antimicrob. Agents Chemother.* 38(2): 360-362.

- Varma, N., Srivastava, V., Tandon, J.S., Krishna Prasad, B.N. and Chitravanshi, V.C. 1990. Effect of *Coleus forskohlii* against caecal amoebiasis of rats. *Int. J. Crude Drug Res.* 28(1): 1-3.
- Vasi, I.G. and Kalintha, V.P. 1980. Amino acid composition of some leaf vegetables. *J. Inst. Chem.(India)* 52: 13-14.
- Vedavathyk, S. and Rao, K.N. 1991. Antipyretic activity of six indigenous medicinal plants of Tirumala Hills, Andhra Pradesh, India. *J. Ethnopharmacol.* 33(1/2): 193-196.
- Vedavathyk, S. and Rao, K.N. 1995. Herbal folk medicine of tirumala and tirupati region of Chittoor district, Andhra Pradesh. *Fitoterapia.* 66(2): 167-171.
- Voolmann, Y. and Boreham, P.E.L. 1993. Metronidazole resistant *Trichomonas vaginalis* in Brisbane. *Med. J. Aust.* 159: 490.
- Wadood, N., Wadood, A. and Shan, S.A.W. 1992. Effect of *Tinospora cordifolia* on blood glucose and total lipid levels of normal and alloxan-diabetic rabbits. *Planta. Med.* 58(2): 131-136.
- Wahlquist, S.P. and Eberhard, M.L. 1991. Sodium azide: ineffective as a faecal preservative for parasitological diagnosis. *Ann. Trop. Med. Parasitol.* 85(3): 365-368.
- Wasuway, S. 1967. A list of Thai medicinal plants, Bangkok. Research report, Asrct. no. 1 on research project 17. pp. 22.
- Wazir, V., Maurya, R. and Kapil, R.S. 1995. Cordioside, a clerodane furan diterpene glucoside from *Tinospora cordifolia*. *Phytochem.* 38(2): 447-449.
- Wilairatana, P., Radomyos, P., Radomyos, B., Phraevanich, R., Plooksawasdi, W., Chanthavanich, P., Viravan, C. and Looareesuwan, S. 1996. Intestinal

- Sarcocystosis in Thai Laborers. *Southeast Asian J. Trop. Med. Public. Health.* 27(1): 43-46.
- Willaman, J.J. and Li, H.L. 1970. Alkaloid bearing plants and contained alkaloids, 1957-1968. *Lloydia.* 33(1): 1-286.
- World Health Organization. 1997. Weekly Epidemiological Record. *W.H.O. Geneva.* 72(14): 97-99.
- World Health Organization. 1996. Resistance to antimicrobial agent. *Bull. W.H.O.* 71: 335-336.
- Yamada, M., Yoshikawa, H., Tegoshi, T., Matsumoto, Y., Yoshikawa, T., Shiota, T. and Yoshida, Y. 1987. Light microscopical study of *Blastocystis* spp. in monkeys and fowls. *Parasitol. Res.* 73: 527-531.
- Yamaguchi, T. 1981. A Colour Atlas of Clinical Parasitology. pp. 70. Wolfe Medical Publications Ltd., Japan.
- Yamaguchi, T., Khamboonruang, C., Inaba, T. and Huang, W.H. 1982. Studies on intestinal parasite infection in Chiang Mai Province, Thailand. *J. Parasitol.* 31: 447-459.
- Yang, L.Q., Singh, M., Yap, E.H., Ng, G.C., Xu, H.X. and Sim, K.Y. 1996. *In vitro* response of *Blastocystis hominis* against traditional Chinese medicine. *J. Ethnopharmacol.* 55(1): 35-42.
- Yanfg. L.L., Yen, K.Y., Kiso, Y. and Kikino, H. 1987. Antihepatotoxic actions of formosan plant drugs. *J. Ethnopharmacol.* 19(1): 103-110.
- Yen, G.C., Che, N.Y. and Peng, H.H. 2001. Evaluation of cytotoxicity, mutagenicity and antimutagenicity of emerging edible plants. *Food. Chem. Toxicol.* 39(11): 1045-1053.

- Yeoh, H.H. and Wong, P.F.M. 1993. Food value of lesser utilized tropical plants. *Food. Chem.* 46(3): 239-241.
- Zakaria, M.N.M., Islam, M.W., Radhakrishnan, R., Habibullah, M. and Chan, K. 1998. Evaluation of anti-inflammatory activity of *Portulaca* species. *J. Pharm. Pharmacol.* 50: 227.
- Zaman, V. 1994. Morphology of the cyst of *Blastocystis hominis*. *Southeast Asian J. Trop. Med. Public. Health.* 25(4): 790-791.
- Zaman, V. and Khan, K. Z. 1994. A comparison of direct microscopy with culture for the diagnosis of *Blastocystis hominis*. *Southeast Asian J. Trop. Med. Public. Health.* 25(4): 792-793.
- Zaman, V., Howe, J. and Ng, M. 1995. Ultrastructure of *Blastocystis hominis* cysts. *Parasitol. Res.* 81: 465-469.
- Zaman, V. and Zaki, M. 1996. Resistance of *Blastocystis hominis* cyst to metronidazole. *Trop. Med. Int. Health.* 1(5): 677-8.
- Zaman, V., Zaki, M., Manzoor, M., Howe, J. and Ng, M. 1999. Postcystic development of *Blastocystis hominis*. *Parasitol. Res.* 85(6): 437-440.
- Zaki, M., Daoud, A.S., Pugh, R.N., al-Ali, F., al-Mutairi, G. and al-Saleh, Q. 1991. Clinical report of *Blastocystis hominis* infection in children. *J. Trop. Med. Hyg.* 94(2): 118-122.
- Zhang, K., Chen, C.X., Wang, D.Z. and Wu, Y. 1996. A new dimer of amide from *Piper longum*. *Yunnan. Zhiwu. Yanjiu.* 18(3): 353-355.
- Zierdt, C.H. 1973. Studies of *Blastocystis hominis*. *J. Protozool.* 20: 174-121.
- Zierdt, C.H. 1988. *Blastocystis hominis* a long-misunderstood intestinal parasite. *Parasitol. Today* 4: 15-17.

- Zierdt, C.H. 1991. *Blastocystis hominis*—past and future. *Clin. Microbiol.* 4: 61-79.
- Zierdt, C.H., Rude, W.S. and Bull, B.S. 1967. Protozoan characteristics of *Blastocystis hominis*. *Am. J. Clin. Pathol.* 48: 495-501.
- Zierdt, C.H. and Swan, J.C. 1981. Generation time and growth rate of the human intestinal parasite *Blastocystis hominis*. *J. Protozool.* 28: 483-485.
- Zierdt, C.H., Swan, J.C. and Hosseini, J. 1983. *In vitro* response of *Blastocystis hominis* to antiprotozoal drugs. *J. Protozool.* 30(2): 332-334.
- Zierdt, C.H. and Tan, H.K. 1976a. Ultrastructure and light microscope appearance of *Blastocystis hominis* in a patient with enteric disease. *Z. Parasitenkd.* 50: 277-283.
- Zierdt, C.H. and Tan, H. K. 1976b. Endosymbiosis in *Blastocystis hominis*. *Exp. Parasitol.* 39: 233-243.
- Zierdt, C.H. and Williams, R.L. 1974. *Blastocystis hominis* : axenic cultivation. *Exp. Parasitol.* 36: 233 –243.