





ปัจจัยที่ส่งผลต่อการทำหมันของสตรีในจังหวัดสุราษฎร์ธานี

Factors Affecting Sterilization of Women in

Changwat Surat Thani

ปิยะนาถ รักษาพรหมณ์

Piyanat Ruksaphram



วิทยานิพนธ์ศึกษาศาสตร์มหาบัณฑิต สาขาวิชาศึกษาศาสตร์เพื่อพัฒนาชุมชน

มหาวิทยาลัยสงขลานครินทร์

Master of Education Thesis in Community Development Education

Prince of Songkla University

2535

ชื่อวิทยานิพนธ์ บัณฑิตที่ส่งผลต่อการทำหมันของสตรีในจังหวัดสุราษฎร์ธานี
ผู้เขียน นางสาวปิยะนาถ รักษาพรหมณ์
สาขาวิชา ศึกษาศาสตร์เพื่อพัฒนาชุมชน
ปีการศึกษา 2534

บทคัดย่อ

การวิจัยครั้งนี้เป็นการศึกษาบัณฑิตที่ส่งผลต่อการทำหมันของสตรีในจังหวัดสุราษฎร์ธานี โดยมีวัตถุประสงค์เพื่อคัดเลือกตัวแปรในปัจจัยด้านประชากร ปัจจัยด้านเศรษฐกิจและสังคม ปัจจัยด้านจิตวิทยา และปัจจัยด้านโปรแกรมการวางแผนครอบครัว ที่สามารถจำแนกกลุ่มสตรีที่ทำหมันและไม่ทำหมัน เป็นรายปัจจัยและรวมทุกปัจจัย กลุ่มสตรีตัวอย่างในการวิจัยประกอบด้วย สตรีที่สมรสแล้ว จำนวน 240 คน แบ่งออกเป็นสตรีที่ทำหมันจำนวน 120 คน และไม่ทำหมัน จำนวน 120 คน การเก็บรวบรวมข้อมูลใช้แบบสอบถาม การวิเคราะห์ข้อมูลใช้สถิติเบื้องต้น การทดสอบค่าที และการวิเคราะห์จำแนกประเภท ด้วยเทคนิคของโร ผลการวิจัยสรุปได้ดังนี้

1. ปัจจัยด้านประชากร ที่สามารถจำแนกการทำหมันของกลุ่มสตรีได้แก่ จำนวนบุตรที่มีชีวิต และอายุของสามี
2. ปัจจัยด้านเศรษฐกิจและสังคม ที่สามารถจำแนกการทำหมันของกลุ่มสตรี ได้แก่ รายได้ของครอบครัว และการศึกษาของสามี
3. ปัจจัยด้านจิตวิทยา ที่สามารถจำแนกการทำหมันของกลุ่มสตรีได้แก่ อิทธิพลของกลุ่มสังคม
4. ปัจจัยด้านโปรแกรมการวางแผนครอบครัว ไม่สามารถจำแนกการทำหมันของกลุ่มสตรีได้
5. รวมทุกปัจจัย ที่สามารถจำแนกการทำหมันของกลุ่มสตรี ได้แก่ จำนวนบุตรที่มีชีวิต

Thesis Title : Factors Affecting Sterilization
of Women in Changwat Surat Thani
Author : Miss Piyanat Ruksaphram
Major Program : Community Development Education
Academic Year : 1991

ABSTRACT

The present study was to investigate the factors affecting the sterilization of women in Changwat Surat Thani with the purpose of sorting out the variables in favour of the demographic, the socio-economic, the psychological and the family planning program factors which were able to discriminate the group of sterilized women and the non-sterilized ones.

The sampling subjects taken for the study consisted of 240 married women divided into the group of 120 sterilized women and the group of 120 non-sterilized ones. The data were collected by means of questionnaire. The data were analyzed by using descriptive statistics, t-test and the discriminant function analysis with the help of Rao technique. The results of the study were as follows:

1. The demographic factors which were able to discriminate the group of sterilized women are the survival of children and the age of husband.

2. The socio-economic factors which were able to discriminate the group of sterilized women are the family income and the education of husband.

3. The psychological factors which were able to discriminate the group of sterilized women are the influences of social groups.

4. The family planning program factors were found unable to discriminate the group of sterilized women.

5. Of all the factors taken together, the one which was able to discriminate the group of sterilized women is the survival of children.