

References

- Blake, C., and Serpell, L. (1996) Synchrotron X-ray studies suggest that the core of the transthyretin amyloid fibril is a continuous β -sheet helix. *Structure* **4**, 989-998.
- Brierley, R.A. (1998) Secretion of recombinant human insulin-like growth factor I (IGF-I). *Methods Mol. Biol.* **103**, 149-177.
- Cereghino, J.L. and Cregg, J.M. (2000) Heterologous protein expression in the methylotrophic yeast *Pichia pastoris*. *FEMS Microbiology Reviews* **24**, 45-66.
- Colon, W. and Kelly, J.W. (1992) Partial denaturation of transthyretin is sufficient for amyloid fibril formation *in vitro*. *Biochemistry* **31**, 8654-8660.
- Costa, P.P., Figueira, A.S., and Bravo, F.R. (1978) Amyloid fibril protein related to prealbumin in familial amyloidotic polyneuropathy. *Proc. Natl. Acad. Sci. USA* **75**, 4499-4503.
- Cregg, J.M., Madden, K.R., Barringer, K.J., Thill, G.P., and Stillman, C.A. (1989) Functional characterization of the two alcohol oxidase genes from the yeast *Pichia pastoris*. *Mol. Cell. Biol.* **9**, 1316-1323.
- Damas, A.M., Ribeiro, S., Lamzin, V.S., Palha, J.A., and Saraiva, M.J. (1996) The crystal structure of Val-122-Ile variant transthyretin-A cardiomyopathic mutant. *Acta Crystallogr. Sect. D* **52**, 966-972.
- Ellis, S.B., Brust, P.F., Koutz, P.J., Waters, A.F., Harpold, M.M., and Gingeras, T.R. (1985) Isolation of alcohol oxidase and two other methanol regulatable genes from the yeast *Pichia pastoris*. *Mol. Cell. Biol.* **5**, 1111-1121.
- Guijarro, J.I., Sunde, M., Jones, J.A., Campbell, I.D., and Dobson, C.M. (1998) Amyloid fibril formation by an SH3 domain. *Proc. Natl. Acad. Sci. USA* **95**, 4224-4228.
- Gustavsson, A., Jhar, H., Tobiassen, R., Jacobson, D.R., Sletten, K., and Westermark, P. (1995) Amyloid fibril composition and transthyretin gene structure in senile systemic amyloidosis. *Lab. Invest.* **73**, 703-708.
- Hamilton, J.A., Steinrauf, L.K., Braden, B.C., Murrell, J.R., and Benson, M. (1996) Structural changes in transthyretin produced by the Ile84Ser mutation which result in decreased affinity for retinol-binding protein. *Amyloid Int. J. Exp. Clin. Invest.* **3**, 1-12.
- Jackson, G.S., Hosszu, L.L.P., Power, A., Hill, A.F., Kenney, J., Saibi, H., Craven, C.J., Walther, J.P., Clarke, A.R., and Collinge, J. (1999) Reversible conversion of

monomeric human prion protein between native and fibrilogenic conformations. *Science* **283**, 1935-1937.

Jacobson, D.R., McFarlin, D.E., Kane, I., Buxbaum, J.N. (1992) Transthyretin Pro55, a variant associated with early-on-set, aggressive, diffuse amyloidosis with cardiac and neurologic involvement. *Hum. Genet.* **89**, 353-356.

Jacobson, D.R., Alves, I.L., Saraiva, M.J., Thibodeau, S.N., Buxbaum, J.N. (1995) Transthyretin Ser6 gene frequency in individual without amyloidosis. *Hum. Genet.* **95**, 308-312.

Jiang, S.T., Chen, G.H., Tang, S.J., Chen, C.S. (2002) Effect of Glycosylation Modification (N-Q-(108)I --> N-Q-(108)T) on the Freezing Stability of Recombinant Chicken Cystatin Overexpressed in *Pichia pastoris* X-33. *J Agric Food Chem.* **50**, 5313-5317.

Jiang, X., Smith, C.S., Petrassi, H.M., Hammarstrom, P., White, J.T., Sacchettini, J.C., Kelly, J.W. (2001) An engineered transthyretin monomer that is nonamyloidogenic, unless it is partially denatured. *Biochemistry* **40**, 11442-11452.

Jimenez, J.L., Guijarro, J.I., Orlova, E., Zurdo, J., Dobson, C.M., Sunde, M., and Saibil, H.R. (1999) Cryo-electron microscopy structure of an SH3 amyloid fibril and model of the molecular packing. *EMBO J.* **18**, 815-821.

Klunk, W.E., Pettegrew, J.W., and Abraham, D.J. (1989) Quantitative evaluation of congo red binding to amyloid-like proteins with a beta-pleated sheet conformation. *J. Histochem. Cytochem.* **37**, 1273-1281.

Konno, T., Murata, K., and Nagayama, K. (1999) Amyloid-like aggregates of a plant protein: a case of a sweet-tasting protein, monellin *FEBS Lett.* **454**, 122-126.

Liu, K., Cho, H.S., Lashue, H.A., Kelly, J.W., and Wemmer, D.E. (2000) A glimpse of a possible amyloidogenic intermediate of transthyretin *Nat. Struct. Biol.* **7**, 754-757.

Petersen, R.B., Goren, H., Cohen, M., Richardson, S.L., Tresser, N., Lynn, A., Gali, M., Estes, M., Gambetti, P. (1997) Transthyretin amyloidosis: a new mutation associated with dementia. *Ann. Neurol.* **41**, 70-73.

Prapunpoj, P., Yamauchi, K., Nishiyama, N., Richardson, S.J., and Schreiber, G. (2000) Evolution of structure, ontogeny of gene expression, and function of *Xenopus laevis* transthyretin. *Am. J. Physiol.* **279**, R2026-2041.

- Prapunpoj, P., Richardson, S.J., and Schreiber, G. (2002) Crocodile transthyretin: structure, function and evolution. Am. J. Physiol. **283**: R885-R896.
- Saraiva, M.J.M (2001). Transthyretin mutations in Hyperthyroxinemia and amyloid diseases. Human Mutation **17**, 493-503.
- Saraiva, M.J. (1995) Transthyretin mutations in health and diseases. Human Mutat. **5**, 191-196.
- Schormann, N., Murrel, J.R., and Benson, M.D. (1998) Tertiary structures of amyloidogenic and non-amyloidogenic transthyretin variants: New model for amyloid fibril formation. Amyloid Int. J. Exp. Clin. Invest. **5**, 175-187.
- Sebastião, M.P.m Saraiva, M.J., and Damas, A.M. (1998) The crystal structure of amyloidogenic Leu55Pro transthyretin variants reveals a possible pathway for transthyretin polymerization into amyloid fibrils. J. Biol. Chem. **273**, 24715-24722.
- Terry, C., Damas, A.M., Oliveira, P., Saraiva, M.J., Alves, I., Costa, P., Sakaki, Y., and Balke, C. (1993) Structure of Met30 variant of transthyretin and its amyloidogenic implications. EMBO J. **12**, 735-741.
- Tschoopp, J.F., Brust, P.F., Cregg, J.M., Stillman, C.A., and Gingeras, T.R. (1987) Expression of the LacZ gene from two methanol-regulated promoters in *Pichia pastoris*. Nucleic Acids Res. **15**, 3859-3876.
- Uversky, V.N., Li, J., and Fink, A.L. (2001) Evidence for a Partially Folded Intermediate in -Synuclein Fibril Formation J. Biol. Chem. **276**, 10737-10744.
- West, M.W., Wang, W., Patterson, J., Mancias, J.D., Beasley, J.R., and Hecht, M.H. (1999) De novo amyloid proteins from designed combinatorial libraries. Proc. Natl. Acad. Sci. USA **96**, 11211-11216.
- Westerman, P., Sletten, K., Johansson, B., and Cornwell III, G.G. (1990) Fibril in senile systemic amyloidosis is derived from wild type transthyretin. Proc. Natl. Acad. Sci. USA **87**, 2843-2845.